

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 ALAMANCE | | |
|---|---------------------------------------|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 9 |
| 2 | Poisoning, Unintentional | 4 |
| 3 | Suffocation, Unintentional | 2 |
| 4 | Suffocation, Self inflicted; Firearm, | 1 |
| 5 | Other | 0 |
| TOTAL | | 18 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 ALAMANCE | | |
|---|-----------------------------|------------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 56 |
| 2 | Fall, Unintentional | 55 |
| 3 | Poisoning, Self inflicted | 48 |
| 4 | Fire/Burn, Unintentional | 32 |
| 5 | Unspecified, Self inflicted | 21 |
| | Other | 142 |
| TOTAL | | 354 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 ALAMANCE | | |
|---|--------------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 2,388 |
| 2 | Struck, Unintentional | 1,356 |
| 3 | MVT, Unintentional | 712 |
| 4 | Unspecified, Unintentional | 613 |
| 5 | Natural/Environ, Unintentional | 588 |
| | Other | 2,826 |
| TOTAL | | 8,483 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 ALEXANDER | | |
|--|-----------------------------|----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 2 |
| 2 | Suffocation, Self inflicted | 1 |
| 3 | | |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 3 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 ALEXANDER | | |
|--|-------------------------------------|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 15 |
| 2 | Fall, Unintentional | 8 |
| 3 | Transport,other, Unintentional; | 4 |
| 4 | Poisoning, Unintentional; | 3 |
| 5 | Unspecified, Unintentional; Struck, | 2 |
| | Other | 8 |
| TOTAL | | 57 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 ALEXANDER | | |
|--|-----------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 748 |
| 2 | Struck, Unintentional | 463 |
| 3 | MVT, Unintentional | 275 |
| 4 | Cut/pierce, Unintentional | 188 |
| 5 | Overexertion, Unintentional | 165 |
| | Other | 845 |
| TOTAL | | 2,684 |

* NC Residents based on county and state
 **Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death ALLEGHANY | | |
|---|-------|----------|
| Rank | Cause | # |
| 1 | | 0 |
| | | 0 |
| 2 | | |
| 3 | | 0 |
| 4 | | 0 |
| 5 | | 0 |
| | Other | 0 |
| TOTAL | | 0 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 ALLEGHANY | | |
|--|---------------------------------|-----------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 3 |
| | Transport,other, Unintentional; | 2 |
| | Fire/Burn, Unintentional; | |
| | Fire/Burn, Undetermined; | |
| 2 | Cut/pierce, Unintentional | |
| 3 | Unspecified, Self inflicted; | 1 |
| 4 | | |
| 5 | | |
| | Other | 0 |
| TOTAL | | 16 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 ALLEGHANY | | |
|--|--------------------------------------|------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 149 |
| | Struck, Unintentional | 84 |
| 2 | | |
| 3 | Unspecified, Unintentional | 45 |
| 4 | Natural/Environ, Unintentional; MVT, | 38 |
| 5 | Other spec/notclass, Unintentional | 30 |
| | Other | 146 |
| TOTAL | | 530 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 ANSON | | |
|--|-----------------------------|----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 5 |
| 2 | Suffocation, Self inflicted | 2 |
| 3 | Firearm, Unintentional | 1 |
| 4 | | |
| 5 | | |
| | Other | 0 |
| TOTAL | | 8 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 ANSON | | |
|--|-----------------------------|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 12 |
| 2 | Fire/Burn, Unintentional | 10 |
| 3 | Fall, Unintentional | 8 |
| 4 | Poisoning, Unintentional | 6 |
| 5 | Unspecified, Unintentional; | 5 |
| | Other | 17 |
| TOTAL | | 63 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 ANSON | | |
|--|--------------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 514 |
| 2 | Struck, Unintentional | 370 |
| 3 | MVT, Unintentional | 229 |
| 4 | Natural/Environ, Unintentional | 205 |
| 5 | Overexertion, Unintentional | 156 |
| | Other | 601 |
| TOTAL | | 2,075 |

* NC Residents based on county and state
 **Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 ASHE | | |
|---|--------------------------------------|----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 2 |
| 2 | Suffocation, Unintentional; Firearm, | 1 |
| 3 | | |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 4 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 ASHE | | |
|---|--|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 8 |
| 2 | Other spec/class, Unintentional | 7 |
| 3 | Fall, Unintentional | 6 |
| 4 | Transport,other, Unintentional | 4 |
| 5 | Unspecified, Unintentional; Struck, Other | 2 9 |
| TOTAL | | 42 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 ASHE | | |
|---|-----------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 909 |
| 2 | Struck, Unintentional | 551 |
| 3 | Unspecified, Unintentional | 273 |
| 4 | Overexertion, Unintentional | 194 |
| 5 | Cut/pierce, Unintentional | 188 |
| | Other | 768 |
| TOTAL | | 2,883 |

* NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 AVERY | | |
|--|--------------------|----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 1 |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 1 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 AVERY | | |
|--|------------------------------------|-----------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 8 |
| 2 | Other spec/class, Unintentional | 4 |
| | Unspecified, Unintentional; | 2 |
| | Transport,other, Unintentional; | |
| | Suffocation, Unintentional; | |
| | Poisoning, Self inflicted; | |
| | Natural/Environ, Unintentional; | |
| 3 | Cut/pierce, Unintentional | |
| | Unspecified, Self inflicted; | 1 |
| | Poisoning, Unintentional; | |
| | Poisoning, Undetermined; | |
| | Pedestrian,other, Unintentional; | |
| | Other spec/notclass, | |
| | Unintentional; Machinery, | |
| | Unintentional; MVT, Unintentional; | |
| | Fire/Burn, Unintentional; | |
| | Cut/pierce, Self inflicted; | |
| 4 | Cut/pierce, Assault | |
| 5 | | |
| | Other | 0 |
| TOTAL | | 34 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 AVERY | | |
|--|-----------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 629 |
| 2 | Struck, Unintentional | 389 |
| | Overexertion, Unintentional | 230 |
| 3 | | |
| | Cut/pierce, Unintentional | 173 |
| 4 | | |
| 5 | MVT, Unintentional | 121 |
| | Other | 515 |
| TOTAL | | 2,057 |

* NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 BEAUFORT | | |
|---|----------------------------------|----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 3 |
| 2 | Pedestrian,other, Unintentional; | 1 |
| 3 | | |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 5 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 BEAUFORT | | |
|---|--------------------------------|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 19 |
| 2 | Fall, Unintentional | 13 |
| 3 | Transport,other, Unintentional | 8 |
| 4 | Fire/Burn, Unintentional | 7 |
| | Poisoning, Unintentional; | 6 |
| 5 | Poisoning, Self inflicted | |
| | Other | 29 |
| TOTAL | | 88 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 BEAUFORT | | |
|---|--------------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 1,569 |
| 2 | Struck, Unintentional | 893 |
| 3 | Natural/Environ, Unintentional | 432 |
| 4 | MVT, Unintentional | 421 |
| | Unspecified, Unintentional | 409 |
| 5 | Other | 1,799 |
| TOTAL | | 5,523 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 BERTIE | | |
|---|--------------------------------|----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 2 |
| 2 | Transport,other, Unintentional | 1 |
| 3 | | |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 3 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 BERTIE | | |
|---|-------------------------------------|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 7 |
| 2 | Fall, Unintentional | 6 |
| 3 | Fire/Burn, Unintentional | 5 |
| 4 | Transport,other, Unintentional | 3 |
| | Unspecified, Unintentional; Struck, | 2 |
| | Unintentional; Poisoning, | |
| | Unintentional; Poisoning, Self | |
| | inflicted; Natural/Environ, | |
| 5 | Unintentional | |
| | Other | 6 |
| TOTAL | | 37 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 BERTIE | | |
|---|---------------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 462 |
| 2 | Struck, Unintentional | 361 |
| 3 | MVT, Unintentional | 197 |
| 4 | Natural/Environ, Unintentional | 162 |
| | Other spec/class, Unintentional | 158 |
| 5 | Other | 682 |
| TOTAL | | 2,022 |

* NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 BLADEN | | |
|---|-----------------------------|----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 2 |
| 2 | Unspecified, Unintentional; | 1 |
| 3 | | |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 8 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 BLADEN | | |
|---|---------------------------------|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 15 |
| 2 | Fall, Unintentional | 13 |
| 3 | Poisoning, Unintentional | 10 |
| 4 | Other spec/class, Unintentional | 9 |
| 5 | Fire/Burn, Unintentional | 7 |
| | Other | 35 |
| TOTAL | | 89 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 BLADEN | | |
|---|-----------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 738 |
| 2 | Struck, Unintentional | 563 |
| 3 | MVT, Unintentional | 367 |
| 4 | Unspecified, Unintentional | 284 |
| 5 | Overexertion, Unintentional | 241 |
| | Other | 1,133 |
| TOTAL | | 3,326 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 BRUNSWICK | | |
|--|-----------------------------|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 10 |
| 2 | Suffocation, Unintentional; | 4 |
| | Suffocation, Self inflicted | 2 |
| 3 | | |
| 4 | Unspecified, Unintentional; | 1 |
| 5 | Other | 0 |
| TOTAL | | 25 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 BRUNSWICK | | |
|--|----------------------------------|------------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 37 |
| 2 | Fall, Unintentional | 25 |
| | Poisoning, Self inflicted; Other | 18 |
| | spec/class, Unintentional; | |
| 3 | Fire/Burn, Unintentional | |
| 4 | Natural/Environ, Unintentional | 14 |
| | Unspecified, Unintentional; | 13 |
| 5 | Transport,other, Unintentional | |
| | Other | 63 |
| TOTAL | | 219 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 BRUNSWICK | | |
|--|--------------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 2,185 |
| 2 | Struck, Unintentional | 1,365 |
| | Overexertion, Unintentional | 788 |
| 3 | | |
| 4 | MVT, Unintentional | 620 |
| | Natural/Environ, Unintentional | 529 |
| 5 | Other | 2,320 |
| TOTAL | | 7,807 |

* NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 BUNCOMBE | | |
|---|------------------------------------|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 18 |
| 2 | Other spec/class, Assault | 3 |
| 3 | Firearm, Self inflicted | 2 |
| 4 | Unspecified, Assault; Suffocation, | 1 |
| 5 | Other | 0 |
| TOTAL | | 32 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 BUNCOMBE | | |
|---|----------------------------|------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 71 |
| 2 | MVT, Unintentional | 59 |
| 3 | Poisoning, Self inflicted | 51 |
| 4 | Cut/pierce, Self inflicted | 46 |
| 5 | Poisoning, Unintentional | 23 |
| | Other | 142 |
| TOTAL | | 392 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 BUNCOMBE | | |
|---|-----------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 1,186 |
| 2 | Struck, Unintentional | 614 |
| 3 | MVT, Unintentional | 500 |
| 4 | Unspecified, Unintentional | 208 |
| 5 | Overexertion, Unintentional | 206 |
| | Other | 1,269 |
| TOTAL | | 3,983 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 BURKE | | |
|--|---------------------------------|----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 3 |
| 2 | Fire/Burn, Unintentional | 2 |
| 3 | Natural/Environ, Unintentional; | 1 |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 8 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 BURKE | | |
|--|---------------------------------|------------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 27 |
| 2 | Fall, Unintentional | 16 |
| 3 | Other spec/class, Unintentional | 15 |
| 4 | Unspecified, Unintentional | 13 |
| 5 | Natural/Environ, Unintentional | 9 |
| | Other | 54 |
| TOTAL | | 134 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 BURKE | | |
|--|--------------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 2,245 |
| 2 | Struck, Unintentional | 1,437 |
| 3 | Overexertion, Unintentional | 646 |
| 4 | MVT, Unintentional | 643 |
| 5 | Natural/Environ, Unintentional | 549 |
| | Other | 2,530 |
| TOTAL | | 8,050 |

* NC Residents based on county and state
 **Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 CABARRUS | | |
|---|--|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 5 |
| 2 | Firearm, Assault | 4 |
| 3 | Suffocation, Unintentional | 3 |
| 4 | Suffocation, Self inflicted; Firearm, Unspecified, Unintentional; | 2 |
| | Unspecified, Self inflicted; Transport,other, Unintentional; Suffocation, Undetermined; Pedestrian,other, Unintentional; Fall, Unintentional | 1 |
| 5 | Other | 0 |
| TOTAL | | 26 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 CABARRUS | | |
|---|--|------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 55 |
| 2 | MVT, Unintentional | 42 |
| 3 | Poisoning, Self inflicted | 36 |
| 4 | Unspecified, Unintentional Transport,other, Unintentional | 23 |
| | | 19 |
| 5 | Other | 163 |
| TOTAL | | 338 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 CABARRUS | | |
|---|---|---------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 3,519 |
| 2 | Struck, Unintentional | 2,681 |
| 3 | MVT, Unintentional | 1,006 |
| 4 | Overexertion, Unintentional Natural/Environ, Unintentional | 901 |
| | | 804 |
| 5 | Other | 3,438 |
| TOTAL | | 12,349 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 CALDWELL | | |
|---|------------------------------------|----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 4 |
| 2 | Poisoning, Unintentional; Firearm, | 1 |
| 3 | | |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 7 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 CALDWELL | | |
|---|-----------------------------------|------------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 17 |
| 2 | Fall, Unintentional | 16 |
| 3 | Other spec/class, Unintentional | 10 |
| 4 | Transport,other, Unintentional | 9 |
| 5 | Poisoning, Unintentional Other | 8 |
| | | 57 |
| TOTAL | | 117 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 CALDWELL | | |
|---|---|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 2,784 |
| 2 | Struck, Unintentional | 1,436 |
| 3 | Cut/pierce, Unintentional | 730 |
| 4 | MVT, Unintentional | 670 |
| 5 | Natural/Environ, Unintentional Other | 506 |
| | | 2,372 |
| TOTAL | | 8,498 |

* NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 CAMDEN | | |
|---|--|----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 2 |
| 2 | Suffocation, Self inflicted; Drowning, | 1 |
| 3 | | |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 4 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 CAMDEN | | |
|---|--|----------|
| Rank | Cause | # |
| 1 | Unspecified, Self inflicted; Poisoning, Self inflicted; Cut/pierce, Self inflicted | 1 |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 3 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 CAMDEN | | |
|---|--------------------------------|------------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 25 |
| 2 | Fall, Unintentional | 24 |
| 3 | Struck, Unintentional; | 17 |
| 4 | Unspecified, Unintentional | 15 |
| 5 | Transport,other, Unintentional | 12 |
| | Other | 27 |
| TOTAL | | 137 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 CARTERET | | |
|---|-----------------------------------|----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional; Firearm, Self | 2 |
| 2 | Firearm, Unintentional; Fall, | 1 |
| 3 | | |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 7 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 CARTERET | | |
|---|---------------------------------|------------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 16 |
| 2 | Fall, Unintentional | 13 |
| 3 | Fire/Burn, Unintentional | 12 |
| | Transport,other, Unintentional; | 10 |
| 4 | Poisoning, Self inflicted | |
| | Poisoning, Unintentional; | 7 |
| 5 | Natural/Environ, Unintentional | |
| | Other | 35 |
| TOTAL | | 110 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 CARTERET | | |
|---|--------------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 1,532 |
| 2 | Struck, Unintentional | 1,090 |
| 3 | Overexertion, Unintentional | 450 |
| | Natural/Environ, Unintentional | 398 |
| 4 | Cut/pierce, Unintentional | 395 |
| 5 | Other | 1,834 |
| TOTAL | | 5,699 |

* NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 CASWELL | | |
|--|--------------------------------------|----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional; Firearm, | 2 |
| 2 | Other land transport, Unintentional; | 1 |
| 3 | | |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 8 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 CASWELL | | |
|--|---|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 10 |
| 2 | Fall, Unintentional | 5 |
| 3 | Transport,other, Unintentional; Unspecified, Unintentional; Unspecified, Self inflicted; Suffocation, Unintentional; Struck, Unintentional; Struck, Assault; Poisoning, Undetermined; Poisoning, Self inflicted; Other spec/notclass, Unintentional; Other spec/class, Unintentional; Firearm, Unintentional | 2 1 |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 31 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 CASWELL | | |
|--|---|------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 220 |
| 2 | Struck, Unintentional | 177 |
| 3 | Natural/Environ, Unintentional Overexertion, Unintentional | 73 70 |
| 4 | | |
| 5 | MVT, Unintentional Other | 60 271 |
| TOTAL | | 871 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 CATAWBA | | |
|--|----------------------------------|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 5 |
| 2 | Suffocation, Unintentional; | 3 |
| 3 | Unspecified, Assault; Poisoning, | 1 |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 20 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 CATAWBA | | |
|--|--|------------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 33 |
| 2 | Poisoning, Self inflicted; Fall, | 30 |
| 3 | Transport,other, Unintentional | 16 |
| 4 | Poisoning, Unintentional | 13 |
| 5 | Other spec/class, Unintentional Other | 12 88 |
| TOTAL | | 222 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 CATAWBA | | |
|--|---|---------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 3,914 |
| 2 | Struck, Unintentional | 2,454 |
| 3 | MVT, Unintentional | 1,012 |
| 4 | Cut/pierce, Unintentional | 830 |
| 5 | Natural/Environ, Unintentional Other | 711 4,132 |
| TOTAL | | 13,053 |

* NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 CHATHAM | | |
|--|-----------------------------------|----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional; Firearm, Self | 1 |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | | |
| | Other | 0 |
| TOTAL | | 3 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 CHATHAM | | |
|--|--------------------------------|------------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 21 |
| 2 | Fall, Unintentional | 20 |
| 3 | Fire/Burn, Unintentional | 15 |
| 4 | Natural/Environ, Unintentional | 11 |
| 5 | Poisoning, Self inflicted | 10 |
| | Other | 45 |
| TOTAL | | 122 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 CHATHAM | | |
|--|--------------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 840 |
| 2 | Struck, Unintentional | 638 |
| 3 | Natural/Environ, Unintentional | 284 |
| 4 | Overexertion, Unintentional | 255 |
| 5 | Cut/pierce, Unintentional | 208 |
| | Other | 928 |
| TOTAL | | 3,153 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 CHEROKEE | | |
|---|--------------------------------------|----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional; Firearm, Assault | 1 |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | | |
| | Other | 0 |
| TOTAL | | 2 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 CHEROKEE | | |
|---|------------------------------------|-----------|
| Rank | Cause | # |
| 1 | Poisoning, Self inflicted | 7 |
| 2 | Other spec/class, Unintentional | 5 |
| 3 | Natural/Environ, Unintentional; | 4 |
| | Transport,other, Unintentional; | 3 |
| 4 | Poisoning, Unintentional | |
| | Struck, Unintentional; Pedal | 2 |
| | cyclist,other, Unintentional; | |
| | Overexertion, Unintentional; Fall, | |
| 5 | Unintentional | |
| | Other | 6 |
| TOTAL | | 40 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 CHEROKEE | | |
|---|--------------------------------------|------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 154 |
| 2 | Struck, Unintentional | 83 |
| 3 | Natural/Environ, Unintentional; MVT, | 39 |
| | Unspecified, Unintentional | 36 |
| 4 | | |
| | Overexertion, Unintentional | 32 |
| 5 | | |
| | Other | 151 |
| TOTAL | | 534 |

* NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 CHOWAN | | |
|---|----------------------------|----------|
| Rank | Cause | # |
| 1 | Suffocation, Unintentional | 1 |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 1 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 CHOWAN | | |
|---|---|-----------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 8 |
| 2 | MVT, Unintentional | 3 |
| | Unspecified, Unintentional; Poisoning, Self inflicted; Pedal cyclist,other, Unintentional | 2 |
| 3 | | |
| 4 | Other spec/class, Assault; | 1 |
| 5 | Other | 0 |
| TOTAL | | 22 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 CHOWAN | | |
|---|---------------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 285 |
| 2 | Struck, Unintentional | 254 |
| | Other spec/class, Unintentional | 107 |
| 3 | | |
| 4 | Unspecified, Unintentional | 104 |
| 5 | Overexertion, Unintentional | 103 |
| | Other | 419 |
| TOTAL | | 1,272 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 CLAY | | |
|---|-----------------------------------|----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional; Firearm, Self | 1 |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 2 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 CLAY | | |
|---|--|----------|
| Rank | Cause | # |
| 1 | Natural/Environ, Unintentional | 2 |
| | Poisoning, Self inflicted; Overexertion, Unintentional; Fall, Unintentional; Cut/pierce, Self inflicted | 1 |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 6 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 CLAY | | |
|---|---------------------------------|------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 41 |
| | Struck, Unintentional | 22 |
| 2 | | |
| 3 | Transport,other, Unintentional; | 11 |
| 4 | Unspecified, Unintentional | 10 |
| 5 | Fire/Burn, Unintentional | 9 |
| | Other | 41 |
| TOTAL | | 145 |

* NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 CLEVELAND | | |
|--|------------------------------|----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 2 |
| 2 | Suffocation, Self inflicted; | 1 |
| 3 | | |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 9 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 CLEVELAND | | |
|--|---------------------------------|------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 54 |
| 2 | MVT, Unintentional | 25 |
| 3 | Poisoning, Self inflicted | 18 |
| 4 | Other spec/class, Unintentional | 17 |
| 5 | Poisoning, Unintentional | 12 |
| | Other | 83 |
| TOTAL | | 209 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 CLEVELAND | | |
|--|--------------------------------|---------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 2,742 |
| 2 | Struck, Unintentional | 1,982 |
| 3 | MVT, Unintentional | 903 |
| 4 | Unspecified, Unintentional | 871 |
| 5 | Natural/Environ, Unintentional | 820 |
| | Other | 3,695 |
| TOTAL | | 11,013 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 COLUMBUS | | |
|---|---|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 8 |
| 2 | Suffocation, Self inflicted; Poisoning, | 1 |
| 3 | | |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 11 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 COLUMBUS | | |
|---|--------------------------------|------------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 30 |
| 2 | Fall, Unintentional | 22 |
| 3 | Natural/Environ, Unintentional | 15 |
| 4 | Poisoning, Unintentional | 11 |
| 5 | Fire/Burn, Unintentional | 10 |
| | Other | 54 |
| TOTAL | | 142 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 COLUMBUS | | |
|---|--------------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 1,516 |
| 2 | Struck, Unintentional | 1,149 |
| 3 | MVT, Unintentional | 552 |
| 4 | Natural/Environ, Unintentional | 543 |
| 5 | Overexertion, Unintentional | 532 |
| | Other | 1,872 |
| TOTAL | | 6,164 |

* NC Residents based on county and state
 **Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 CRAVEN | | |
|---|------------------------------------|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 6 |
| 2 | Drowning, Unintentional | 3 |
| 3 | Suffocation, Unintentional | 2 |
| 4 | Unspecified, Assault; Suffocation, | 1 |
| 5 | Other | 0 |
| TOTAL | | 14 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 CRAVEN | | |
|---|---------------------------------|------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 38 |
| 2 | Fire/Burn, Unintentional | 28 |
| 3 | MVT, Unintentional | 25 |
| 4 | Poisoning, Unintentional | 19 |
| 5 | Other spec/class, Unintentional | 15 |
| | Other | 90 |
| TOTAL | | 215 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 CRAVEN | | |
|---|---------------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 2,147 |
| 2 | Struck, Unintentional | 1,679 |
| 3 | Natural/Environ, Unintentional | 665 |
| 4 | Other spec/class, Unintentional | 629 |
| 5 | Overexertion, Unintentional | 601 |
| | Other | 2,994 |
| TOTAL | | 8,715 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 CUMBERLAND | | |
|---|--|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 19 |
| 2 | Drowning, Unintentional | 9 |
| 3 | Firearm, Assault | 7 |
| 4 | Suffocation, Unintentional; Firearm, Unspecified, Assault; Suffocation, | 6 |
| 5 | Self inflicted | 3 |
| | Other | 9 |
| TOTAL | | 68 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 CUMBERLAND | | |
|---|---------------------------|------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 143 |
| 2 | Poisoning, Unintentional | 112 |
| 3 | MVT, Unintentional | 82 |
| 4 | Fire/Burn, Unintentional | 79 |
| | Poisoning, Self inflicted | 60 |
| 5 | Other | 360 |
| TOTAL | | 836 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 CUMBERLAND | | |
|---|--------------------------------|---------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 7,728 |
| 2 | Struck, Unintentional | 4,824 |
| 3 | Unspecified, Unintentional | 2,650 |
| 4 | Natural/Environ, Unintentional | 2,573 |
| | MVT, Unintentional | 2,125 |
| 5 | Other | 8,572 |
| TOTAL | | 28,472 |

* NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 CURRITUCK | | |
|--|-----------------------------|----------|
| Rank | Cause | # |
| 1 | Suffocation, Unintentional; | 1 |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 2 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 CURRITUCK | | |
|--|------------------------------|----------|
| Rank | Cause | # |
| 1 | Poisoning, Self inflicted | 3 |
| | Struck, Unintentional; Other | 1 |
| 2 | spec/class, Unintentional | |
| 3 | | |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 5 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 CURRITUCK | | |
|--|--------------------------------|------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 87 |
| | Struck, Unintentional | 53 |
| 2 | | |
| 3 | Natural/Environ, Unintentional | 39 |
| 4 | MVT, Unintentional | 34 |
| 5 | Overexertion, Unintentional | 25 |
| | Other | 124 |
| TOTAL | | 362 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 DARE | | |
|---|----------------------------|----------|
| Rank | Cause | # |
| 1 | Suffocation, Unintentional | 1 |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 1 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 DARE | | |
|---|----------------------------------|-----------|
| Rank | Cause | # |
| 1 | Poisoning, Self inflicted | 4 |
| | Other spec/notclass, | 2 |
| | Unintentional; Other spec/class, | |
| 2 | Assault | |
| 3 | Unspecified, Unintentional; | 1 |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 15 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 DARE | | |
|---|--------------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 515 |
| | Struck, Unintentional | 294 |
| 2 | | |
| 3 | Cut/pierce, Unintentional | 146 |
| 4 | MVT, Unintentional | 118 |
| 5 | Natural/Environ, Unintentional | 113 |
| | Other | 549 |
| TOTAL | | 1,735 |

* NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 DAVIDSON | | |
|---|---------------------------------|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 10 |
| 2 | Suffocation, Unintentional; | 2 |
| 3 | Poisoning, Unintentional; Other | 1 |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 25 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 DAVIDSON | | |
|---|---------------------------------|------------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 63 |
| 2 | Fall, Unintentional | 47 |
| 3 | Poisoning, Self inflicted | 20 |
| 4 | Struck, Unintentional | 16 |
| | Poisoning, Unintentional; Other | 15 |
| 5 | spec/class, Unintentional | |
| | Other | 115 |
| TOTAL | | 291 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 DAVIDSON | | |
|---|-----------------------------|---------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 4,421 |
| 2 | Struck, Unintentional | 2,976 |
| 3 | Overexertion, Unintentional | 1,394 |
| 4 | MVT, Unintentional | 1,222 |
| | Unspecified, Unintentional | 1,109 |
| 5 | Other | 5,214 |
| TOTAL | | 16,336 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 DAVIE | | |
|--|--------------------|----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 2 |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 2 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 DAVIE | | |
|--|-------------------------------------|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 14 |
| 2 | Transport,other, Unintentional | 7 |
| | Poisoning, Self inflicted; Fall, | 6 |
| 3 | Unintentional | |
| | Poisoning, Unintentional; Pedal | 4 |
| | cyclist,other, Unintentional; Other | |
| | spec/class, Unintentional; | |
| 4 | Cut/pierce, Self inflicted | |
| | Unspecified, Unintentional; | 2 |
| | Unspecified, Assault; Struck, | |
| 5 | Unintentional | |
| | Other | 8 |
| TOTAL | | 63 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 DAVIE | | |
|--|-----------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 630 |
| 2 | Struck, Unintentional | 411 |
| | MVT, Unintentional | 187 |
| 3 | Unspecified, Unintentional | 109 |
| 4 | Overexertion, Unintentional | 106 |
| 5 | Other | 558 |
| TOTAL | | 2,001 |

* NC Residents based on county and state
 **Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 DUPLIN | | |
|---|-----------------------------|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 7 |
| 2 | Firearm, Assault; Drowning, | 2 |
| 3 | Suffocation, Unintentional; | 1 |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 18 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 DUPLIN | | |
|---|---------------------------------------|------------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 27 |
| 2 | Fall, Unintentional | 18 |
| 3 | Other spec/class, Unintentional | 9 |
| | Unspecified, Unintentional; | 8 |
| | Poisoning, Self inflicted; Fire/Burn, | |
| 4 | Unintentional | |
| 5 | Poisoning, Unintentional | 7 |
| | Other | 34 |
| TOTAL | | 119 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 DUPLIN | | |
|---|--------------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 1,032 |
| 2 | Struck, Unintentional | 615 |
| 3 | MVT, Unintentional | 497 |
| | Unspecified, Unintentional | 374 |
| 4 | | |
| 5 | Natural/Environ, Unintentional | 366 |
| | Other | 1,171 |
| TOTAL | | 4,055 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 DURHAM | | |
|---|--------------------------------------|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional; Firearm, Assault | 10 |
| 2 | Suffocation, Unintentional | 5 |
| 3 | Poisoning, Unintentional | 4 |
| 4 | Unspecified, Unintentional; Firearm, | 2 |
| 5 | Suffocation, Self inflicted; | 1 |
| | Other | 0 |
| TOTAL | | 40 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 DURHAM | | |
|---|---------------------------------|------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 100 |
| 2 | Fire/Burn, Unintentional | 78 |
| 3 | MVT, Unintentional | 67 |
| 4 | Poisoning, Self inflicted | 42 |
| 5 | Other spec/class, Unintentional | 29 |
| | Other | 237 |
| TOTAL | | 553 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 DURHAM | | |
|---|---------------------------------|---------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 3,941 |
| 2 | Struck, Unintentional | 1,989 |
| 3 | MVT, Unintentional | 1,561 |
| 4 | Other spec/class, Unintentional | 969 |
| 5 | Natural/Environ, Unintentional | 968 |
| | Other | 4,155 |
| TOTAL | | 13,583 |

* NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 EDGECOMBE | | |
|--|--------------------------------------|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 3 |
| 2 | Suffocation, Unintentional; Firearm, | 2 |
| 3 | Unspecified, Unintentional; | 1 |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 12 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 EDGECOMBE | | |
|--|---------------------------------|------------|
| Rank | Cause | # |
| 1 | Fire/Burn, Unintentional | 22 |
| 2 | MVT, Unintentional | 20 |
| 3 | Fall, Unintentional | 16 |
| 4 | Firearm, Assault | 8 |
| 5 | Other spec/class, Unintentional | 7 |
| | Other | 49 |
| TOTAL | | 122 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 EDGECOMBE | | |
|--|--------------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 694 |
| 2 | Struck, Unintentional | 530 |
| 3 | MVT, Unintentional | 310 |
| 4 | Natural/Environ, Unintentional | 261 |
| 5 | Unspecified, Unintentional | 233 |
| | Other | 950 |
| TOTAL | | 2,978 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 FORSYTH | | |
|--|--|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 14 |
| 2 | Suffocation, Unintentional; | 5 |
| 3 | Poisoning, Unintentional; | 3 |
| 4 | Other land transport, Unintentional; | 2 |
| | Unspecified, Undetermined; | 1 |
| | Transport,other, Unintentional; | |
| | Poisoning, Undetermined; Other | |
| 5 | spec/class, Unintentional; Fall, Unintentional | |
| | Other | 0 |
| TOTAL | | 44 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 FORSYTH | | |
|--|--|------------|
| Rank | Cause | # |
| 1 | Poisoning, Self inflicted; Fall, Unintentional | 132 |
| 2 | MVT, Unintentional | 117 |
| 3 | Unspecified, Unintentional; | 38 |
| 4 | Cut/pierce, Self inflicted | 37 |
| | Other spec/class, Unintentional | 31 |
| 5 | Other | 271 |
| TOTAL | | 796 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 FORSYTH | | |
|--|--------------------------------|---------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 9,015 |
| 2 | Struck, Unintentional | 4,840 |
| 3 | MVT, Unintentional | 2,005 |
| 4 | Natural/Environ, Unintentional | 1,962 |
| | Overexertion, Unintentional | 1,858 |
| 5 | Other | 8,451 |
| TOTAL | | 28,131 |

* NC Residents based on county and state
 **Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 FRANKLIN | | |
|---|-----------------------------------|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 3 |
| 2 | Drowning, Unintentional | 2 |
| 3 | Suffocation, Unintentional; Other | 1 |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 11 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 FRANKLIN | | |
|---|----------------------------------|------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 20 |
| 2 | Fire/Burn, Unintentional | 19 |
| 3 | MVT, Unintentional | 17 |
| 4 | Poisoning, Self inflicted | 12 |
| | Other spec/class, Unintentional; | 9 |
| 5 | Natural/Environ, Unintentional | |
| | Other | 31 |
| TOTAL | | 117 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 FRANKLIN | | |
|---|--------------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 869 |
| 2 | Struck, Unintentional | 623 |
| 3 | Natural/Environ, Unintentional | 340 |
| 4 | Overexertion, Unintentional | 316 |
| | Unspecified, Unintentional | 311 |
| 5 | Other | 1,057 |
| TOTAL | | 3,516 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 GASTON | | |
|---|---|-----------|
| Rank | Cause | # |
| 1 | Suffocation, Unintentional; Firearm, | 6 |
| 2 | Poisoning, Unintentional; MVT, | 3 |
| 3 | Other spec/class, Assault; Firearm, | 2 |
| 4 | Suffocation, Self inflicted; Other land | 1 |
| 5 | Other | 0 |
| TOTAL | | 26 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 GASTON | | |
|---|---------------------------------|------------|
| Rank | Cause | # |
| 1 | Poisoning, Self inflicted | 66 |
| 2 | MVT, Unintentional | 65 |
| 3 | Fall, Unintentional | 60 |
| 4 | Poisoning, Unintentional | 36 |
| 5 | Other spec/class, Unintentional | 33 |
| | Other | 213 |
| TOTAL | | 473 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 GASTON | | |
|---|--------------------------------|---------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 4,098 |
| 2 | Struck, Unintentional | 2,697 |
| 3 | MVT, Unintentional | 1,364 |
| 4 | Natural/Environ, Unintentional | 1,014 |
| 5 | Cut/pierce, Unintentional | 912 |
| | Other | 4,697 |
| TOTAL | | 14,782 |

* NC Residents based on county and state
 **Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 GATES | | |
|--|-------------------------|----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 2 |
| 2 | Drowning, Unintentional | 1 |
| 3 | | |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 3 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 GATES | | |
|--|---|----------|
| Rank | Cause | # |
| 1 | Poisoning, Unintentional; MVT, Unintentional; Fall, Unintentional | 1 |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 3 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 GATES | | |
|--|---------------------------------|------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 82 |
| 2 | Struck, Unintentional | 63 |
| 3 | Natural/Environ, Unintentional | 30 |
| 4 | Cut/pierce, Unintentional | 29 |
| 5 | Other spec/class, Unintentional | 23 |
| | Other | 102 |
| TOTAL | | 329 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 GRAHAM | | |
|---|--------------------|----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 1 |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 1 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 GRAHAM | | |
|---|---|-----------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 5 |
| 2 | MVT, Unintentional | 4 |
| 3 | Unspecified, Unintentional; Other | 3 |
| 4 | Natural/Environ, Unintentional; Transport, other, Unintentional; Suffocation, Unintentional; Struck, Unintentional; Poisoning, Unintentional; Poisoning, Self inflicted; Firearm, Unintentional | 2 |
| | | 1 |
| 5 | Other | 0 |
| TOTAL | | 23 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 GRAHAM | | |
|---|---|------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 165 |
| 2 | Struck, Unintentional | 139 |
| 3 | Overexertion, Unintentional | 46 |
| 4 | Natural/Environ, Unintentional; Cut/pierce, Unintentional | 39 |
| | | 37 |
| 5 | Other | 179 |
| TOTAL | | 605 |

* NC Residents based on county and state
 **Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 GRANVILLE | | |
|--|--------------------------------------|----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 5 |
| 2 | Suffocation, Unintentional; Firearm, | 1 |
| 3 | | |
| 4 | | |
| 5 | | |
| | Other | 0 |
| TOTAL | | 8 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 GRANVILLE | | |
|--|----------------------------------|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 14 |
| 2 | Other spec/class, Unintentional; | 9 |
| 3 | Fire/Burn, Unintentional | 7 |
| 4 | Natural/Environ, Unintentional | 6 |
| 5 | Poisoning, Self inflicted | 5 |
| | Other | 29 |
| TOTAL | | 79 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 GRANVILLE | | |
|--|--------------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 1,072 |
| 2 | Struck, Unintentional | 690 |
| 3 | Natural/Environ, Unintentional | 317 |
| 4 | MVT, Unintentional | 314 |
| 5 | Overexertion, Unintentional | 308 |
| | Other | 1,057 |
| TOTAL | | 3,758 |

* NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 GREENE | | |
|---|-------------------------|----------|
| Rank | Cause | # |
| 1 | Drowning, Unintentional | 1 |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 1 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 GREENE | | |
|---|--|-----------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 8 |
| 2 | MVT, Unintentional | 6 |
| | Transport,other, Unintentional; Poisoning, Unintentional; Other spec/class, Unintentional; | 3 |
| 3 | Fire/Burn, Unintentional | |
| | Struck, Unintentional; Poisoning, Self inflicted; Natural/Environ, Unintentional | 2 |
| 4 | | |
| | Unspecified, Undetermined; Poisoning, Undetermined; Pedal cyclist,other, Unintentional; Other spec/notclass, Unintentional; Firearm, Unintentional; Drowning, Unintentional | 1 |
| 5 | Other | 0 |
| TOTAL | | 38 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 GREENE | | |
|---|--------------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 307 |
| 2 | Struck, Unintentional | 216 |
| | MVT, Unintentional | 148 |
| 3 | | |
| | Unspecified, Unintentional | 93 |
| 4 | | |
| | Natural/Environ, Unintentional | 90 |
| 5 | Other | 416 |
| TOTAL | | 1,270 |

* NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 GUILFORD | | |
|---|---|-----------|
| Rank | Cause | # |
| 1 | Firearm, Assault | 14 |
| 2 | MVT, Unintentional | 13 |
| 3 | Suffocation, Unintentional | 9 |
| 4 | Suffocation, Self inflicted; Poisoning, Firearm, Self inflicted; Drowning, | 4 |
| 5 | Unintentional Other | 3 14 |
| TOTAL | | 64 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 GUILFORD | | |
|---|---|--------------|
| Rank | Cause | # |
| 1 | Poisoning, Self inflicted | 221 |
| 2 | Fall, Unintentional | 143 |
| 3 | MVT, Unintentional | 114 |
| 4 | Unspecified, Self inflicted Cut/pierce, Self inflicted | 98 74 |
| 5 | Other | 464 |
| TOTAL | | 1,114 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 GUILFORD | | |
|---|--|----------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 6,469 |
| 2 | Struck, Unintentional | 3,882 |
| 3 | MVT, Unintentional | 1,916 |
| 4 | Natural/Environ, Unintentional Unspecified, Unintentional | 1,895 1,538 |
| 5 | Other | 7,222 |
| TOTAL | | 22,922 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 HALIFAX | | |
|--|------------------------------------|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 3 |
| 2 | Poisoning, Unintentional; Firearm, | 2 |
| 3 | Suffocation, Unintentional | 1 |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 10 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 HALIFAX | | |
|--|-----------------------------------|------------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 21 |
| 2 | Fall, Unintentional | 13 |
| 3 | Poisoning, Unintentional | 12 |
| 4 | Poisoning, Self inflicted | 11 |
| 5 | Fire/Burn, Unintentional Other | 9 43 |
| TOTAL | | 109 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 HALIFAX | | |
|--|-------------------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 1,540 |
| 2 | Struck, Unintentional | 805 |
| 3 | Other spec/notclass, Unintentional | 600 |
| 4 | MVT, Unintentional | 525 |
| 5 | Unspecified, Unintentional Other | 496 2,027 |
| TOTAL | | 5,993 |

* NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 HARNETT | | |
|--|-----------------------------|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 15 |
| 2 | Drowning, Unintentional | 3 |
| 3 | Suffocation, Unintentional; | 2 |
| 4 | Unspecified, Undetermined; | 1 |
| 5 | Other | 0 |
| TOTAL | | 32 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 HARNETT | | |
|--|--|------------|
| Rank | Cause | # |
| 1 | MVT, Unintentional; Fall, Unintentional | 35 |
| 2 | Fire/Burn, Unintentional | 26 |
| 3 | Poisoning, Self inflicted | 25 |
| 4 | Natural/Environ, Unintentional | 20 |
| 5 | Unspecified, Unintentional | 16 |
| | Other | 108 |
| TOTAL | | 265 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 HARNETT | | |
|--|--------------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 2,197 |
| 2 | Struck, Unintentional | 1,280 |
| 3 | Unspecified, Unintentional | 780 |
| 4 | Natural/Environ, Unintentional | 735 |
| 5 | MVT, Unintentional | 684 |
| | Other | 2,538 |
| TOTAL | | 8,214 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 HAYWOOD | | |
|--|------------------------------------|----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 4 |
| 2 | Poisoning, Unintentional | 2 |
| 3 | Unspecified, Assault; Suffocation, | 1 |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 8 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 HAYWOOD | | |
|--|----------------------------------|-----------|
| Rank | Cause | # |
| 1 | Poisoning, Self inflicted | 16 |
| 2 | Fall, Unintentional | 11 |
| 3 | Transport,other, Unintentional | 10 |
| 4 | Poisoning, Unintentional | 8 |
| | Other spec/class, Unintentional; | 7 |
| 5 | Cut/pierce, Self inflicted | |
| | Other | 40 |
| TOTAL | | 99 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 HAYWOOD | | |
|--|--|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 1,335 |
| 2 | Struck, Unintentional | 514 |
| 3 | Unspecified, Unintentional | 339 |
| 4 | MVT, Unintentional; Cut/pierce, Overexertion, Unintentional | 267 |
| 5 | Other | 256 |
| | Other | 1,051 |
| TOTAL | | 4,029 |

* NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 HENDERSON | | |
|--|--------------------------------------|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 6 |
| 2 | Suffocation, Self inflicted | 2 |
| 3 | Unspecified, Unintentional; Firearm, | 1 |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 11 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 HENDERSON | | |
|--|---------------------------------|------------|
| Rank | Cause | # |
| 1 | Poisoning, Self inflicted | 29 |
| 2 | Fall, Unintentional | 23 |
| 3 | MVT, Unintentional | 22 |
| 4 | Poisoning, Unintentional | 13 |
| 5 | Other spec/class, Unintentional | 12 |
| | Other | 67 |
| TOTAL | | 166 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 HENDERSON | | |
|--|-----------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 1,332 |
| 2 | Struck, Unintentional | 793 |
| 3 | MVT, Unintentional | 410 |
| 4 | Unspecified, Unintentional | 276 |
| 5 | Overexertion, Unintentional | 244 |
| | Other | 1,239 |
| TOTAL | | 4,294 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 HERTFORD | | |
|---|----------------------|----------|
| Rank | Cause | # |
| 1 | Unspecified, Assault | 1 |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 1 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 HERTFORD | | |
|---|--|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 9 |
| 2 | Struck, Unintentional; Cut/pierce, Unintentional | 2 |
| 3 | Unspecified, Unintentional; Poisoning, Unintentional; Poisoning, Undetermined; Poisoning, Assault; Natural/Environ, Unintentional; Cut/pierce, Assault | 1 |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 19 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 HERTFORD | | |
|---|--------------------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 662 |
| 2 | Struck, Unintentional | 512 |
| 3 | Other spec/class, Unintentional | 194 |
| 4 | Natural/Environ, Unintentional; MVT, | 179 |
| 5 | Unspecified, Unintentional | 163 |
| | Other | 436 |
| TOTAL | | 2,504 |

* NC Residents based on county and state
 **Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 HOKE | | |
|---|-----------------------------|----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 4 |
| 2 | Firearm, Assault; Drowning, | 2 |
| 3 | | |
| 4 | | |
| 5 | | |
| | Other | 0 |
| TOTAL | | 8 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 HOKE | | |
|---|---------------------------------|------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 18 |
| 2 | Fire/Burn, Unintentional | 14 |
| | Poisoning, Unintentional; | 11 |
| 3 | Poisoning, Self inflicted | |
| 4 | Other spec/class, Unintentional | 8 |
| 5 | MVT, Unintentional | 7 |
| | Other | 40 |
| TOTAL | | 109 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 HOKE | | |
|---|--------------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 923 |
| 2 | Struck, Unintentional | 559 |
| | MVT, Unintentional | 313 |
| 3 | | |
| 4 | Unspecified, Unintentional | 279 |
| 5 | Natural/Environ, Unintentional | 273 |
| | Other | 1,014 |
| TOTAL | | 3,361 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 HYDE | | |
|---|--------------------|----------|
| Rank | Cause | # |
| | MVT, Unintentional | 1 |
| 1 | | |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | | |
| | Other | 0 |
| TOTAL | | 1 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 HYDE | | |
|---|---|----------|
| Rank | Cause | # |
| | Transport,other, Unintentional; Struck, Unintentional; Poisoning, Unintentional; MVT, Unintentional | 1 |
| 1 | | |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | | |
| | Other | 0 |
| TOTAL | | 4 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 HYDE | | |
|---|--------------------------------|------------|
| Rank | Cause | # |
| | Fall, Unintentional | 90 |
| 1 | | |
| 2 | Struck, Unintentional | 44 |
| 3 | MVT, Unintentional | 29 |
| 4 | Unspecified, Unintentional | 28 |
| 5 | Natural/Environ, Unintentional | 27 |
| | Other | 95 |
| TOTAL | | 313 |

* NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 IREDELL | | |
|--|--------------------------------------|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 8 |
| 2 | Suffocation, Unintentional | 3 |
| 3 | Poisoning, Unintentional; Firearm, | 2 |
| 4 | Suffocation, Self inflicted; Struck, | 1 |
| 5 | Other | 0 |
| TOTAL | | 22 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 IREDELL | | |
|--|---------------------------------|------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 51 |
| 2 | Poisoning, Self inflicted | 45 |
| 3 | MVT, Unintentional | 43 |
| 4 | Other spec/class, Unintentional | 30 |
| 5 | Transport, other, Unintentional | 21 |
| | Other | 128 |
| TOTAL | | 318 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 IREDELL | | |
|--|-----------------------------|---------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 3,712 |
| 2 | Struck, Unintentional | 2,576 |
| 3 | MVT, Unintentional | 1,079 |
| 4 | Overexertion, Unintentional | 1,031 |
| 5 | Unspecified, Unintentional | 996 |
| | Other | 4,102 |
| TOTAL | | 13,496 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 JACKSON | | |
|--|---|----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 3 |
| 2 | Suffocation, Self inflicted; Poisoning, | 1 |
| 3 | | |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 7 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 JACKSON | | |
|--|----------------------------------|-----------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 13 |
| 2 | Poisoning, Self inflicted | 7 |
| 3 | Natural/Environ, Unintentional | 5 |
| | Unspecified, Unintentional; MVT, | 4 |
| 4 | Unintentional | |
| 5 | Unspecified, Self inflicted; | 3 |
| | Other | 16 |
| TOTAL | | 58 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 JACKSON | | |
|--|--------------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 788 |
| 2 | Struck, Unintentional | 426 |
| 3 | Overexertion, Unintentional | 204 |
| | MVT, Unintentional | 173 |
| 4 | | |
| 5 | Natural/Environ, Unintentional | 171 |
| | Other | 749 |
| TOTAL | | 2,511 |

* NC Residents based on county and state
 **Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 JOHNSTON | | |
|---|---------------------------------------|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 13 |
| 2 | Suffocation, Self inflicted; Firearm, | 2 |
| 3 | Suffocation, Unintentional; Struck, | 1 |
| 4 | | |
| 5 | | |
| | Other | 0 |
| TOTAL | | 24 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 JOHNSTON | | |
|---|----------------------------|------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 81 |
| 2 | MVT, Unintentional | 43 |
| 3 | Fire/Burn, Unintentional | 39 |
| 4 | Poisoning, Self inflicted | 32 |
| 5 | Unspecified, Unintentional | 31 |
| | Other | 173 |
| TOTAL | | 399 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 JOHNSTON | | |
|---|------------------------------------|---------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 3,936 |
| 2 | Struck, Unintentional | 2,131 |
| 3 | Other spec/notclass, Unintentional | 1,510 |
| 4 | Unspecified, Unintentional | 1,480 |
| 5 | Natural/Environ, Unintentional | 1,305 |
| | Other | 4,565 |
| TOTAL | | 14,927 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 JONES | | |
|--|--------------------|----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 1 |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | | |
| | Other | 0 |
| TOTAL | | 1 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 JONES | | |
|--|-------------------------------------|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 8 |
| 2 | Natural/Environ, Unintentional | 3 |
| | Other spec/class, Unintentional; | 2 |
| 3 | Fall, Unintentional | |
| | Unspecified, Unintentional; | 1 |
| | Unspecified, Assault; | |
| | Transport,other, Unintentional; | |
| | Suffocation, Unintentional; Struck, | |
| | Unintentional; Pedal cyclist,other, | |
| | Unintentional; Other | |
| | spec/notclass, Unintentional | |
| 4 | | |
| 5 | | |
| | Other | 0 |
| TOTAL | | 22 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 JONES | | |
|--|--------------------------------|------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 184 |
| 2 | Struck, Unintentional | 160 |
| | MVT, Unintentional | 68 |
| 3 | | |
| | Natural/Environ, Unintentional | 66 |
| 4 | | |
| 5 | Overexertion, Unintentional | 58 |
| | Other | 292 |
| TOTAL | | 828 |

* NC Residents based on county and state
 **Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 LEE | | |
|--|---------------------------------|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 9 |
| 2 | Pedestrian,other, Unintentional | 2 |
| 3 | Suffocation, Unintentional; | 1 |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 14 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 LEE | | |
|--|----------------------------------|------------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 48 |
| 2 | Fall, Unintentional | 27 |
| 3 | Fire/Burn, Unintentional | 24 |
| | Poisoning, Self inflicted; Other | 17 |
| 4 | spec/class, Unintentional | |
| 5 | Poisoning, Unintentional | 16 |
| | Other | 73 |
| TOTAL | | 222 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 LEE | | |
|--|--------------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 385 |
| 2 | MVT, Unintentional | 275 |
| 3 | Natural/Environ, Unintentional | 264 |
| | Struck, Unintentional | 215 |
| 4 | | |
| 5 | Unspecified, Unintentional | 123 |
| | Other | 573 |
| TOTAL | | 1,835 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 LENOIR | | |
|---|--------------------------------------|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 5 |
| 2 | Firearm, Assault | 3 |
| 3 | Suffocation, Unintentional; Firearm, | 2 |
| 4 | Poisoning, Unintentional; Drowning, | 1 |
| 5 | | |
| | Other | 0 |
| TOTAL | | 14 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 LENOIR | | |
|---|---------------------------------|------------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 28 |
| 2 | Fall, Unintentional | 19 |
| 3 | Fire/Burn, Unintentional | 14 |
| 4 | Poisoning, Self inflicted | 13 |
| 5 | Other spec/class, Unintentional | 12 |
| | Other | 54 |
| TOTAL | | 140 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 LENOIR | | |
|---|-----------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 1,944 |
| 2 | Struck, Unintentional | 1,296 |
| 3 | MVT, Unintentional | 628 |
| 4 | Unspecified, Unintentional | 571 |
| 5 | Overexertion, Unintentional | 498 |
| | Other | 2,341 |
| TOTAL | | 7,278 |

* NC Residents based on county and state
 **Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 LINCOLN | | |
|--|-----------------------------|----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 3 |
| 2 | Suffocation, Unintentional; | 1 |
| 3 | | |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 7 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 LINCOLN | | |
|--|--------------------------------|------------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 22 |
| 2 | Poisoning, Self inflicted | 21 |
| 3 | Fall, Unintentional | 17 |
| 4 | Unspecified, Unintentional | 14 |
| 5 | Transport,other, Unintentional | 11 |
| | Other | 76 |
| TOTAL | | 161 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 LINCOLN | | |
|--|-----------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 1,974 |
| 2 | Struck, Unintentional | 1,279 |
| 3 | Overexertion, Unintentional | 507 |
| 4 | MVT, Unintentional | 481 |
| 5 | Cut/pierce, Unintentional | 459 |
| | Other | 1,970 |
| TOTAL | | 6,670 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 McDOWELL | | |
|---|--------------------------------------|----------|
| Rank | Cause | # |
| 1 | Unspecified, Unintentional; Firearm, | 1 |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 3 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 McDOWELL | | |
|---|--|-----------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 19 |
| 2 | MVT, Unintentional | 13 |
| 3 | Poisoning, Unintentional | 9 |
| 4 | Other spec/class, Unintentional | 8 |
| | Other spec/notclass, Unintentional; Cut/pierce, Self inflicted | 4 |
| 5 | Other | 24 |
| TOTAL | | 81 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 McDOWELL | | |
|---|---|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 481 |
| 2 | Struck, Unintentional | 319 |
| 3 | MVT, Unintentional | 229 |
| 4 | Natural/Environ, Unintentional Overexertion, Unintentional | 117 |
| | | 94 |
| 5 | Other | 522 |
| TOTAL | | 1,762 |

* NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 MACON | | |
|--|-----------------------------|----------|
| Rank | Cause | # |
| 1 | Suffocation, Self inflicted | 2 |
| 2 | Unspecified, Unintentional | 1 |
| 3 | | |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 3 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 MACON | | |
|--|---|-----------|
| Rank | Cause | # |
| 1 | Poisoning, Self inflicted | 9 |
| 2 | Fall, Unintentional | 8 |
| 3 | MVT, Unintentional | 5 |
| | Transport,other, Unintentional; Struck, Unintentional; Other spec/class, Unintentional | 4 |
| 4 | Unspecified, Unintentional; Unspecified, Self inflicted; Poisoning, Unintentional; Natural/Environ, Unintentional; | 2 |
| 5 | Firearm, Unintentional | |
| | Other | 4 |
| TOTAL | | 48 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 MACON | | |
|--|--|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 927 |
| 2 | Struck, Unintentional | 558 |
| 3 | Overexertion, Unintentional Cut/pierce, Unintentional | 236 |
| | | 216 |
| 4 | Natural/Environ, Unintentional | 203 |
| 5 | Other | 824 |
| TOTAL | | 2,964 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 MADISON | | |
|--|--------------------------|----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 2 |
| 2 | Poisoning, Unintentional | 1 |
| 3 | | |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 3 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 MADISON | | |
|--|--|-----------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 8 |
| 2 | MVT, Unintentional | 7 |
| 3 | Transport,other, Unintentional Poisoning, Unintentional; Other spec/class, Unintentional; Natural/Environ, Unintentional; | 4 |
| | | 3 |
| 4 | Cut/pierce, Self inflicted Suffocation, Unintentional; | 2 |
| 5 | Poisoning, Self inflicted | |
| | Other | 5 |
| TOTAL | | 40 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 MADISON | | |
|--|---|------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 82 |
| 2 | MVT, Unintentional | 51 |
| 3 | Struck, Unintentional Natural/Environ, Unintentional | 46 |
| | | 20 |
| 4 | Transport,other, Unintentional | 17 |
| 5 | Other | 110 |
| TOTAL | | 326 |

* NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 MARTIN | | |
|---|-------------------------------------|----------|
| Rank | Cause | # |
| 1 | Other land transport, Unintentional | 2 |
| | Unspecified, Unintentional | 1 |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 3 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 MARTIN | | |
|---|-----------------------------------|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 9 |
| | Poisoning, Unintentional; | 6 |
| | Poisoning, Self inflicted; Fall, | |
| 2 | Unintentional | |
| 3 | Transport,other, Unintentional | 5 |
| | Struck, Unintentional; Fire/Burn, | 3 |
| 4 | Unintentional | |
| | Other spec/class, Unintentional; | 2 |
| | Natural/Environ, Unintentional; | |
| 5 | Firearm, Assault | |
| | Other | 6 |
| TOTAL | | 50 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 MARTIN | | |
|---|--------------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 294 |
| | Struck, Unintentional | 208 |
| 2 | | |
| 3 | MVT, Unintentional | 131 |
| | Unspecified, Unintentional | 117 |
| 4 | | |
| | Natural/Environ, Unintentional | 78 |
| 5 | | |
| | Other | 302 |
| TOTAL | | 1,130 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 MECKLENBURG | | |
|--|-----------------------------|------------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 24 |
| 2 | Firearm, Assault | 19 |
| 3 | Suffocation, Unintentional; | 13 |
| 4 | Drowning, Unintentional | 7 |
| 5 | Firearm, Self inflicted | 5 |
| | Other | 31 |
| TOTAL | | 112 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 MECKLENBURG | | |
|--|----------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 315 |
| 2 | Poisoning, Self inflicted | 250 |
| 3 | MVT, Unintentional | 182 |
| 4 | Poisoning, Unintentional | 116 |
| 5 | Unspecified, Unintentional | 103 |
| | Other | 801 |
| TOTAL | | 1,767 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 MECKLENBURG | | |
|--|---------------------------------|---------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 19,742 |
| 2 | Struck, Unintentional | 11,302 |
| 3 | MVT, Unintentional | 5,107 |
| 4 | Unspecified, Unintentional | 4,996 |
| 5 | Other spec/class, Unintentional | 4,226 |
| | Other | 18,170 |
| TOTAL | | 63,543 |

* NC Residents based on county and state
 **Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 MITCHELL | | |
|---|--------------------|----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 1 |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 1 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 MITCHELL | | |
|---|---|-----------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 13 |
| 2 | Natural/Environ, Unintentional | 9 |
| 3 | Poisoning, Self inflicted | 8 |
| 4 | Unspecified, Unintentional Struck, Unintentional | 7 6 |
| 5 | Other | 26 |
| TOTAL | | 69 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 MITCHELL | | |
|---|---|------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 111 |
| 2 | Struck, Unintentional | 54 |
| 3 | MVT, Unintentional | 45 |
| 4 | Natural/Environ, Unintentional Overexertion, Unintentional; Other spec/class, Unintentional | 22 21 |
| 5 | Other | 77 |
| TOTAL | | 351 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 MONTGOMERY | | |
|---|------------------------------------|----------|
| Rank | Cause | # |
| 1 | Suffocation, Self inflicted; Other | 1 |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 3 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 MONTGOMERY | | |
|---|---|-----------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 10 |
| 2 | MVT, Unintentional | 6 |
| 3 | Fire/Burn, Unintentional Poisoning, Unintentional; | 5 4 |
| 4 | Natural/Environ, Unintentional Unspecified, Self inflicted; Poisoning, Self inflicted; Other spec/class, Unintentional | 3 3 |
| 5 | Other | 13 |
| TOTAL | | 51 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 MONTGOMERY | | |
|---|---|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 540 |
| 2 | Struck, Unintentional | 409 |
| 3 | Natural/Environ, Unintentional Overexertion, Unintentional | 221 173 |
| 4 | Other spec/class, Unintentional | 160 |
| 5 | Other | 753 |
| TOTAL | | 2,256 |

* NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 MOORE | | |
|--|-----------------------------|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 4 |
| 2 | Firearm, Self inflicted | 2 |
| 3 | Suffocation, Unintentional; | 1 |
| 4 | | |
| 5 | | |
| | Other | 0 |
| TOTAL | | 10 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 MOORE | | |
|--|---------------------------|------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 41 |
| 2 | Poisoning, Self inflicted | 27 |
| 3 | MVT, Unintentional | 24 |
| 4 | Poisoning, Unintentional | 18 |
| 5 | Fire/Burn, Unintentional | 13 |
| | Other | 79 |
| TOTAL | | 202 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 MOORE | | |
|--|--------------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 2,245 |
| 2 | Struck, Unintentional | 1,440 |
| 3 | MVT, Unintentional | 621 |
| 4 | Overexertion, Unintentional | 619 |
| 5 | Natural/Environ, Unintentional | 501 |
| | Other | 2,106 |
| TOTAL | | 7,532 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 NASH | | |
|---|-----------------------------|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 7 |
| 2 | Firearm, Assault | 4 |
| 3 | Struck, Assault; Poisoning, | 1 |
| 4 | | |
| 5 | | |
| | Other | 0 |
| TOTAL | | 18 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 NASH | | |
|---|--------------------------------|------------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 37 |
| 2 | Fire/Burn, Unintentional | 27 |
| 3 | Fall, Unintentional | 26 |
| 4 | Poisoning, Self inflicted | 20 |
| | Poisoning, Unintentional; | 10 |
| 5 | Natural/Environ, Unintentional | |
| | Other | 79 |
| TOTAL | | 209 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 NASH | | |
|---|--------------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 689 |
| 2 | Struck, Unintentional | 420 |
| 3 | MVT, Unintentional | 318 |
| 4 | Natural/Environ, Unintentional | 190 |
| | Unspecified, Unintentional | 168 |
| 5 | | |
| | Other | 794 |
| TOTAL | | 2,579 |

* NC Residents based on county and state
 **Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 NEW HANOVER | | |
|--|-------------------------------------|----------|
| Rank | Cause | # |
| 1 | Firearm, Assault | 4 |
| 2 | MVT, Unintentional | 2 |
| 3 | Poisoning, Unintentional; Drowning, | 1 |
| 4 | | |
| 5 | | |
| | Other | 0 |
| TOTAL | | 8 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 NEW HANOVER | | |
|--|----------------------------|------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 66 |
| 2 | Poisoning, Unintentional | 51 |
| 3 | MVT, Unintentional | 42 |
| 4 | Poisoning, Self inflicted | 35 |
| 5 | Unspecified, Unintentional | 28 |
| | Other | 197 |
| TOTAL | | 419 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 NEW HANOVER | | |
|--|--------------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 2,517 |
| 2 | Struck, Unintentional | 1,272 |
| 3 | MVT, Unintentional | 752 |
| 4 | Unspecified, Unintentional | 562 |
| 5 | Natural/Environ, Unintentional | 540 |
| | Other | 2,366 |
| TOTAL | | 8,009 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 NORTHAMPTON | | |
|--|----------------------------|----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 3 |
| 2 | Drowning, Unintentional | 2 |
| 3 | Unspecified, Undetermined; | 1 |
| 4 | | |
| 5 | | |
| | Other | 0 |
| TOTAL | | 7 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 NORTHAMPTON | | |
|--|--|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional; Fall, Unintentional | 5 |
| 2 | Poisoning, Self inflicted | 3 |
| 3 | Poisoning, Unintentional; Other Unspecified, Unintentional; | 2 |
| | Transport,other, Unintentional; | 1 |
| 4 | Struck, Unintentional; Struck, Assault; Poisoning, Undetermined; Pedal cyclist,other, Unintentional; Other spec/notclass, Unintentional; | |
| 5 | Other spec/class, Unintentional | |
| | Other | 0 |
| TOTAL | | 31 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 NORTHAMPTON | | |
|--|--|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 492 |
| 2 | Struck, Unintentional | 319 |
| 3 | Other spec/notclass, Unintentional MVT, Unintentional | 180 |
| | | 171 |
| 4 | | |
| 5 | Natural/Environ, Unintentional | 150 |
| | Other | 716 |
| TOTAL | | 2,028 |

* NC Residents based on county and state
 **Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 ONslow | | |
|---|---------------------------------------|-----------|
| Rank | Cause | # |
| 1 | Drowning, Unintentional | 5 |
| 2 | MVT, Unintentional; Fire/Burn, | 4 |
| 3 | Firearm, Self inflicted | 3 |
| 4 | Unspecified, Assault | 2 |
| | Unspecified, Unintentional; | 1 |
| | Suffocation, Unintentional; | |
| | Suffocation, Assault; Poisoning, Self | |
| | inflicted; Other spec/class, Assault; | |
| 5 | Firearm, Unintentional | |
| | Other | 0 |
| TOTAL | | 24 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 ONslow | | |
|---|--------------------------------|------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 60 |
| 2 | Fire/Burn, Unintentional | 48 |
| 3 | MVT, Unintentional | 32 |
| 4 | Natural/Environ, Unintentional | 26 |
| | Unspecified, Unintentional | 25 |
| 5 | Other | 169 |
| TOTAL | | 360 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 ONslow | | |
|---|---------------------------------|---------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 4,265 |
| 2 | Struck, Unintentional | 2,511 |
| 3 | Natural/Environ, Unintentional | 1,130 |
| 4 | Unspecified, Unintentional | 1,008 |
| | Other spec/class, Unintentional | 897 |
| 5 | Other | 4,135 |
| TOTAL | | 13,946 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 ORANGE | | |
|---|---|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 6 |
| 2 | Suffocation, Self inflicted; Poisoning, | 1 |
| 3 | | |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 11 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 ORANGE | | |
|---|----------------------------------|------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 73 |
| 2 | Poisoning, Self inflicted | 39 |
| 3 | Fire/Burn, Unintentional | 37 |
| 4 | MVT, Unintentional | 35 |
| | Other spec/class, Unintentional; | 18 |
| 5 | Cut/pierce, Self inflicted | |
| | Other | 102 |
| TOTAL | | 322 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 ORANGE | | |
|---|---------------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 1,606 |
| 2 | Struck, Unintentional | 807 |
| 3 | Natural/Environ, Unintentional | 316 |
| 4 | Other spec/class, Unintentional | 296 |
| | Cut/pierce, Unintentional | 278 |
| 5 | Other | 1,413 |
| TOTAL | | 4,716 |

* NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 PAMLICO | | |
|--|---|----------|
| Rank | Cause | # |
| 1 | Suffocation, Self inflicted; Poisoning, | 1 |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | | |
| | Other | 0 |
| TOTAL | | 2 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 PAMLICO | | |
|--|---|-----------|
| Rank | Cause | # |
| 1 | Other spec/class, Unintentional | 4 |
| 2 | MVT, Unintentional | 3 |
| | Unspecified, Unintentional; | 1 |
| | Suffocation, Unintentional; Struck, Unintentional; Poisoning, Self inflicted; Pedal cyclist, other, Unintentional; Natural/Environ, Unintentional; Fire/Burn, Unintentional; Drowning, | |
| 3 | Unintentional | |
| 4 | | |
| 5 | | |
| | Other | 0 |
| TOTAL | | 15 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 PAMLICO | | |
|--|---------------------------------|------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 132 |
| 2 | Struck, Unintentional | 121 |
| | Other spec/class, Unintentional | 54 |
| 3 | | |
| 4 | Natural/Environ, Unintentional | 44 |
| 5 | Cut/pierce, Unintentional | 38 |
| | Other | 199 |
| TOTAL | | 588 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 PASQUOTANK | | |
|---|--------------------------------------|----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 2 |
| 2 | Suffocation, Unintentional; Firearm, | 1 |
| 3 | | |
| 4 | | |
| 5 | | |
| | Other | 0 |
| TOTAL | | 5 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 PASQUOTANK | | |
|---|-----------------------------------|----------|
| Rank | Cause | # |
| 1 | Poisoning, Self inflicted | 3 |
| 2 | Struck, Unintentional; Poisoning, | 1 |
| 3 | | |
| 4 | | |
| 5 | | |
| | Other | 0 |
| TOTAL | | 9 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 PASQUOTANK | | |
|---|--------------------------------|------------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 155 |
| 2 | Fall, Unintentional | 101 |
| 3 | Struck, Unintentional | 83 |
| 4 | Natural/Environ, Unintentional | 82 |
| 5 | Unspecified, Unintentional | 50 |
| | Other | 227 |
| TOTAL | | 698 |

* NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 PENDER | | |
|---|-----------------------------------|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional; Firearm, Self | 2 |
| 2 | Suffocation, Unintentional; | 1 |
| 3 | | |
| 4 | | |
| 5 | | |
| | Other | 0 |
| TOTAL | | 10 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 PENDER | | |
|---|--------------------------------|------------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 28 |
| 2 | Poisoning, Self inflicted | 20 |
| 3 | Fall, Unintentional | 19 |
| 4 | Poisoning, Unintentional | 14 |
| 5 | Natural/Environ, Unintentional | 11 |
| | Other | 76 |
| TOTAL | | 168 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 PENDER | | |
|---|--------------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 657 |
| 2 | Struck, Unintentional | 383 |
| 3 | MVT, Unintentional | 302 |
| 4 | Unspecified, Unintentional | 212 |
| 5 | Natural/Environ, Unintentional | 140 |
| | Other | 654 |
| TOTAL | | 2,348 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 PERQUIMANS | | |
|---|---------------------------------|----------|
| Rank | Cause | # |
| 1 | Natural/Environ, Unintentional; | 1 |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | | |
| | Other | 0 |
| TOTAL | | 3 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 PERQUIMANS | | |
|---|---------------------------|----------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 2 |
| 2 | Poisoning, Self inflicted | 1 |
| 3 | | |
| 4 | | |
| 5 | | |
| | Other | 0 |
| TOTAL | | 3 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 PERQUIMANS | | |
|---|---------------------------------|------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 106 |
| 2 | Struck, Unintentional | 75 |
| 3 | MVT, Unintentional | 53 |
| 4 | Other spec/class, Unintentional | 31 |
| 5 | Natural/Environ, Unintentional | 28 |
| | Other | 127 |
| TOTAL | | 420 |

* NC Residents based on county and state
 **Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 PERSON | | |
|---|------------------------------|----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional; Firearm, | 1 |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 2 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 PERSON | | |
|---|------------------------------------|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 23 |
| | Fire/Burn, Unintentional; Fall, | 7 |
| 2 | Unintentional | |
| 3 | Other spec/class, Unintentional | 6 |
| | Other spec/notclass, Unintentional | 5 |
| 4 | | |
| 5 | Natural/Environ, Unintentional | 4 |
| | Other | 30 |
| TOTAL | | 82 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 PERSON | | |
|---|--------------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 989 |
| | Struck, Unintentional | 658 |
| 2 | | |
| 3 | Natural/Environ, Unintentional | 354 |
| | MVT, Unintentional | 333 |
| 4 | | |
| 5 | Overexertion, Unintentional | 256 |
| | Other | 1,155 |
| TOTAL | | 3,745 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 PITT | | |
|---|------------------------------------|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 6 |
| 2 | Drowning, Unintentional | 4 |
| 3 | Suffocation, Unintentional | 3 |
| 4 | Unspecified, Assault; Poisoning, | 2 |
| | Suffocation, Self inflicted; Fall, | 1 |
| 5 | Unintentional | |
| | Other | 0 |
| TOTAL | | 25 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 PITT | | |
|---|---------------------------|------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 56 |
| 2 | MVT, Unintentional | 53 |
| 3 | Poisoning, Self inflicted | 42 |
| 4 | Poisoning, Unintentional | 36 |
| | Fire/Burn, Unintentional | 23 |
| 5 | | |
| | Other | 163 |
| TOTAL | | 373 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 PITT | | |
|---|--------------------------------|---------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 2,935 |
| 2 | Struck, Unintentional | 2,021 |
| 3 | MVT, Unintentional | 1,304 |
| 4 | Natural/Environ, Unintentional | 768 |
| | Overexertion, Unintentional | 747 |
| 5 | | |
| | Other | 3,518 |
| TOTAL | | 11,293 |

* NC Residents based on county and state
 **Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death | | |
|--------------------------------|-------|----------|
| POLK | | |
| Rank | Cause | # |
| 1 | | 0 |
| 2 | | 0 |
| 3 | | 0 |
| 4 | | 0 |
| 5 | | 0 |
| | Other | 0 |
| TOTAL | | 0 |

| Leading Causes of Injury Hospitalization** | | |
|--|---------------------------------|-----------|
| Ages 0-18: 2010 to 2013 | | |
| POLK | | |
| Rank | Cause | # |
| 1 | Fall, Unintentional | 3 |
| 2 | Poisoning, Unintentional | 2 |
| 3 | Transport,other, Unintentional; | 1 |
| 4 | | |
| 5 | | |
| | Other | 0 |
| TOTAL | | 11 |

| Leading Causes of Injury ED Visits** | | |
|--------------------------------------|--------------------------------------|------------|
| Ages 0-18: 2010 to 2013 | | |
| POLK | | |
| Rank | Cause | # |
| 1 | Fall, Unintentional | 270 |
| 2 | Struck, Unintentional | 162 |
| 3 | Natural/Environ, Unintentional; MVT, | 76 |
| 4 | Overexertion, Unintentional | 59 |
| 5 | Cut/pierce, Unintentional | 53 |
| | Other | 200 |
| TOTAL | | 896 |

| Leading Causes of Injury Death | | |
|--------------------------------|-------------------------------------|-----------|
| Ages 0-18: 2010 to 2013 | | |
| RANDOLPH | | |
| Rank | Cause | # |
| 1 | MVT, Unintentional | 13 |
| 2 | Poisoning, Undetermined; Fire/Burn, | 2 |
| 3 | Unspecified, Undetermined; | 1 |
| 4 | | |
| 5 | | |
| | Other | 0 |
| TOTAL | | 26 |

| Leading Causes of Injury Hospitalization** | | |
|--|------------------------------------|------------|
| Ages 0-18: 2010 to 2013 | | |
| RANDOLPH | | |
| Rank | Cause | # |
| 1 | MVT, Unintentional | 46 |
| 2 | Fall, Unintentional | 33 |
| 3 | Poisoning, Self inflicted | 29 |
| | Unspecified, Self inflicted; Other | 16 |
| 4 | spec/class, Unintentional | |
| | Unspecified, Unintentional; | 15 |
| 5 | Fire/Burn, Unintentional | |
| | Other | 101 |
| TOTAL | | 271 |

| Leading Causes of Injury ED Visits** | | |
|--------------------------------------|--------------------------------|---------------|
| Ages 0-18: 2010 to 2013 | | |
| RANDOLPH | | |
| Rank | Cause | # |
| 1 | Fall, Unintentional | 3,224 |
| 2 | Struck, Unintentional | 1,873 |
| 3 | MVT, Unintentional | 1,033 |
| | Cut/pierce, Unintentional | 682 |
| 4 | | |
| | Natural/Environ, Unintentional | 669 |
| 5 | | |
| | Other | 3,449 |
| TOTAL | | 10,930 |

* NC Residents based on county and state
 **Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 RICHMOND | | |
|---|-----------------------------|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 6 |
| 2 | Suffocation, Unintentional; | 1 |
| 3 | | |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 12 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 RICHMOND | | |
|---|---------------------------------|------------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 28 |
| 2 | Natural/Environ, Unintentional; | 16 |
| 3 | Other spec/class, Unintentional | 13 |
| 4 | Struck, Unintentional | 11 |
| | Unspecified, Unintentional; | 8 |
| 5 | Transport,other, Unintentional | |
| | Other | 49 |
| TOTAL | | 165 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 RICHMOND | | |
|---|--------------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 1,141 |
| 2 | Struck, Unintentional | 762 |
| 3 | Unspecified, Unintentional | 602 |
| 4 | MVT, Unintentional | 504 |
| | Natural/Environ, Unintentional | 448 |
| 5 | Other | 1,689 |
| TOTAL | | 5,146 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 ROBESON | | |
|--|--|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 17 |
| 2 | Drowning, Unintentional | 6 |
| 3 | Suffocation, Unintentional | 4 |
| 4 | Firearm, Self inflicted; Firearm, Other spec/class, Assault; Firearm, | 3 |
| | Unintentional | 2 |
| 5 | Other | 5 |
| TOTAL | | 42 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 ROBESON | | |
|--|---|------------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 83 |
| 2 | Unspecified, Unintentional | 73 |
| 3 | Fall, Unintentional | 66 |
| 4 | Poisoning, Self inflicted Fire/Burn, Unintentional | 50 |
| | | 47 |
| 5 | Other | 229 |
| TOTAL | | 548 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 ROBESON | | |
|--|---|---------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 3,554 |
| 2 | Struck, Unintentional | 2,259 |
| 3 | MVT, Unintentional | 1,697 |
| 4 | Natural/Environ, Unintentional Cut/pierce, Unintentional | 1,208 |
| | | 925 |
| 5 | Other | 4,751 |
| TOTAL | | 14,394 |

* NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 ROCKINGHAM | | |
|---|------------------------------------|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 5 |
| 2 | Unspecified, Assault | 2 |
| 3 | Suffocation, Self inflicted; Other | 1 |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 10 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 ROCKINGHAM | | |
|---|---------------------------------|------------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 34 |
| 2 | Fall, Unintentional | 29 |
| 3 | Unspecified, Self inflicted; | 21 |
| 4 | Poisoning, Unintentional | 17 |
| 5 | Other spec/class, Unintentional | 14 |
| | Other | 78 |
| TOTAL | | 214 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 ROCKINGHAM | | |
|---|--------------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 2,174 |
| 2 | Struck, Unintentional | 1,289 |
| 3 | Natural/Environ, Unintentional | 711 |
| 4 | Unspecified, Unintentional | 538 |
| 5 | MVT, Unintentional | 453 |
| | Other | 2,053 |
| TOTAL | | 7,218 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 ROWAN | | |
|--|---------------------------------------|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 15 |
| 2 | Drowning, Unintentional | 4 |
| 3 | Suffocation, Unintentional; | 2 |
| 4 | Poisoning, Self inflicted; Other land | 1 |
| 5 | Other | 0 |
| TOTAL | | 29 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 ROWAN | | |
|--|----------------------------------|------------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 55 |
| 2 | Fall, Unintentional | 39 |
| 3 | Poisoning, Self inflicted; Other | 21 |
| 4 | Unspecified, Self inflicted; | 12 |
| 5 | Transport,other, Unintentional | 10 |
| | Other | 79 |
| TOTAL | | 249 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 ROWAN | | |
|--|--------------------------------|---------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 3,111 |
| 2 | Struck, Unintentional | 2,369 |
| 3 | MVT, Unintentional | 1,017 |
| 4 | Overexertion, Unintentional | 842 |
| 5 | Natural/Environ, Unintentional | 813 |
| | Other | 3,712 |
| TOTAL | | 11,864 |

* NC Residents based on county and state
 **Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 RUTHERFORD | | |
|---|--------------------------------|----------|
| Rank | Cause | # |
| 1 | Natural/Environ, Unintentional | 2 |
| 2 | Suffocation, Unintentional; | 1 |
| 3 | | |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 6 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 RUTHERFORD | | |
|---|--------------------------------|-----------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 23 |
| 2 | MVT, Unintentional | 11 |
| 3 | Transport,other, Unintentional | 9 |
| 4 | Poisoning, Self inflicted | 8 |
| | Poisoning, Undetermined; Other | 6 |
| 5 | spec/class, Unintentional | |
| | Other | 34 |
| TOTAL | | 97 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 RUTHERFORD | | |
|---|-----------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 1,697 |
| 2 | Struck, Unintentional | 1,065 |
| 3 | Overexertion, Unintentional | 568 |
| 4 | MVT, Unintentional | 520 |
| | Unspecified, Unintentional | 504 |
| 5 | Other | 1,921 |
| TOTAL | | 6,275 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 SAMPSON | | |
|--|-----------------------------|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 9 |
| 2 | Suffocation, Unintentional | 5 |
| 3 | Suffocation, Assault; Other | 1 |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 22 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 SAMPSON | | |
|--|--|------------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 29 |
| 2 | Fall, Unintentional | 24 |
| 3 | Poisoning, Self inflicted; Fire/Burn, Unspecified, Unintentional; | 16 |
| | | 12 |
| 4 | Transport,other, Unintentional | |
| 5 | Struck, Unintentional | 10 |
| | Other | 54 |
| TOTAL | | 173 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 SAMPSON | | |
|--|--------------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 1,752 |
| 2 | Struck, Unintentional | 1,324 |
| 3 | Unspecified, Unintentional | 669 |
| | MVT, Unintentional | 623 |
| 4 | | |
| 5 | Natural/Environ, Unintentional | 620 |
| | Other | 2,215 |
| TOTAL | | 7,203 |

* NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 SCOTLAND | | |
|---|----------------------------------|----------|
| Rank | Cause | # |
| 1 | Firearm, Assault | 3 |
| 2 | Unspecified, Assault; Poisoning, | 1 |
| 3 | | |
| 4 | | |
| 5 | | |
| | Other | 0 |
| TOTAL | | 8 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 SCOTLAND | | |
|---|---------------------------------|-----------|
| Rank | Cause | # |
| 1 | Fire/Burn, Unintentional | 13 |
| 2 | MVT, Unintentional | 10 |
| | Struck, Unintentional; Fall, | 9 |
| 3 | Unintentional | |
| | Unspecified, Unintentional; | 6 |
| 4 | Poisoning, Self inflicted | |
| 5 | Other spec/class, Unintentional | 5 |
| | Other | 33 |
| TOTAL | | 91 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 SCOTLAND | | |
|---|--------------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 1,145 |
| 2 | Struck, Unintentional | 807 |
| | MVT, Unintentional | 492 |
| 3 | | |
| | Overexertion, Unintentional | 406 |
| 4 | | |
| 5 | Natural/Environ, Unintentional | 354 |
| | Other | 1,585 |
| TOTAL | | 4,789 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 STANLY | | |
|---|-----------------------------------|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 6 |
| 2 | Drowning, Unintentional | 2 |
| 3 | Suffocation, Unintentional; Other | 1 |
| 4 | | |
| 5 | | |
| | Other | 0 |
| TOTAL | | 11 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 STANLY | | |
|---|---------------------------------------|------------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 26 |
| 2 | Fall, Unintentional | 19 |
| 3 | Other spec/class, Unintentional | 12 |
| | Poisoning, Self inflicted; Fire/Burn, | 10 |
| 4 | Unintentional | |
| 5 | Transport,other, Unintentional | 7 |
| | Other | 42 |
| TOTAL | | 126 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 STANLY | | |
|---|------------------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 696 |
| 2 | Struck, Unintentional | 478 |
| 3 | MVT, Unintentional | 221 |
| | Natural/Environ, Unintentional | 180 |
| 4 | | |
| 5 | Other spec/notclass, Unintentional | 176 |
| | Other | 823 |
| TOTAL | | 2,574 |

* NC Residents based on county and state
 **Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 STOKES | | |
|---|---|----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 3 |
| 2 | Suffocation, Unintentional | 2 |
| 3 | Suffocation, Self inflicted; Poisoning, | 1 |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 8 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 STOKES | | |
|---|---|------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 19 |
| 2 | MVT, Unintentional | 16 |
| 3 | Poisoning, Self inflicted | 13 |
| 4 | Transport,other, Unintentional; | 6 |
| 4 | Poisoning, Unintentional | 4 |
| 4 | Unspecified, Unintentional; Struck, Unintentional; Other spec/class, Assault; Fire/Burn, Unintentional; Cut/pierce, Self inflicted | 4 |
| 5 | Other | 23 |
| TOTAL | | 103 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 STOKES | | |
|---|-----------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 1,348 |
| 2 | Struck, Unintentional | 860 |
| 3 | MVT, Unintentional | 298 |
| 4 | Cut/pierce, Unintentional | 264 |
| 4 | Overexertion, Unintentional | 254 |
| 5 | Other | 1,184 |
| TOTAL | | 4,208 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 SURRY | | |
|--|-----------------------------------|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 7 |
| 2 | Poisoning, Unintentional | 2 |
| 3 | Suffocation, Unintentional; Other | 1 |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 12 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 SURRY | | |
|--|--------------------------------|------------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 32 |
| 2 | Poisoning, Self inflicted | 20 |
| 3 | Fall, Unintentional | 19 |
| 4 | Struck, Unintentional | 12 |
| 5 | Transport,other, Unintentional | 10 |
| | Other | 59 |
| TOTAL | | 152 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 SURRY | | |
|--|-----------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 2,495 |
| 2 | Struck, Unintentional | 1,214 |
| 3 | Overexertion, Unintentional | 695 |
| 4 | MVT, Unintentional | 583 |
| 5 | Cut/pierce, Unintentional | 560 |
| | Other | 2,756 |
| TOTAL | | 8,303 |

* NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 SWAIN | | |
|--|-----------------------------|----------|
| Rank | Cause | # |
| 1 | Suffocation, Unintentional; | 1 |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 3 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 SWAIN | | |
|--|-----------------------------------|-----------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 13 |
| | Poisoning, Unintentional; Other | 5 |
| 2 | spec/class, Unintentional | |
| | Poisoning, Self inflicted; MVT, | 4 |
| 3 | Unintentional | |
| | Struck, Unintentional; Fire/Burn, | 3 |
| 4 | Unintentional | |
| | Unspecified, Unintentional; | 2 |
| | Transport,other, Unintentional; | |
| 5 | Poisoning, Undetermined | |
| | Other | 6 |
| TOTAL | | 49 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 SWAIN | | |
|--|-----------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 496 |
| | Struck, Unintentional | 351 |
| 2 | | |
| | Overexertion, Unintentional | 187 |
| 3 | | |
| | MVT, Unintentional | 134 |
| 4 | | |
| | Cut/pierce, Unintentional | 122 |
| 5 | | |
| | Other | 488 |
| TOTAL | | 1,778 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 TRANSYLVANIA | | |
|---|--------------------------------------|----------|
| Rank | Cause | # |
| 1 | Poisoning, Assault; Natural/Environ, | 1 |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 3 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 TRANSYLVANIA | | |
|---|-----------------------------------|-----------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 6 |
| 2 | Poisoning, Self inflicted | 5 |
| | Other spec/notclass, | 4 |
| | Unintentional; MVT, Unintentional | |
| 3 | | |
| 4 | Transport,other, Unintentional | 3 |
| | Struck, Unintentional; Poisoning, | 2 |
| | Undetermined; Other spec/class, | |
| 5 | Assault | |
| | Other | 7 |
| TOTAL | | 35 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 TRANSYLVANIA | | |
|---|--------------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 790 |
| 2 | Struck, Unintentional | 769 |
| | Overexertion, Unintentional | 251 |
| 3 | | |
| 4 | Natural/Environ, Unintentional | 198 |
| | Cut/pierce, Unintentional | 191 |
| 5 | | |
| | Other | 844 |
| TOTAL | | 3,043 |

* NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death TYRRELL | | |
|---|-------|----------|
| Rank | Cause | # |
| 1 | | 0 |
| 2 | | 0 |
| 3 | | 0 |
| 4 | | 0 |
| 5 | | 0 |
| | Other | 0 |
| TOTAL | | 0 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 TYRRELL | | |
|--|------------------|----------|
| Rank | Cause | # |
| 1 | Firearm, Assault | 1 |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | | |
| | Other | 0 |
| TOTAL | | 1 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 TYRRELL | | |
|--|---------------------------------|------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 64 |
| 2 | Struck, Unintentional | 38 |
| 3 | Overexertion, Unintentional | 19 |
| 4 | Other spec/class, Unintentional | 14 |
| 5 | Unspecified, Unintentional | 13 |
| | Other | 42 |
| TOTAL | | 190 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 UNION | | |
|--|---|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 10 |
| 2 | Firearm, Self inflicted | 3 |
| 3 | Suffocation, Self inflicted; Poisoning, | 2 |
| 4 | Suffocation, Assault; | 1 |
| 5 | | |
| | Other | 0 |
| TOTAL | | 23 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 UNION | | |
|--|------------------------------|------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 70 |
| 2 | Poisoning, Self inflicted | 59 |
| 3 | MVT, Unintentional | 41 |
| 4 | Struck, Unintentional; Other | 24 |
| | Poisoning, Unintentional; | 21 |
| 5 | Fire/Burn, Unintentional | |
| | Other | 140 |
| TOTAL | | 400 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 UNION | | |
|--|----------------------------|---------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 3,608 |
| 2 | Struck, Unintentional | 2,215 |
| 3 | MVT, Unintentional | 1,081 |
| 4 | Cut/pierce, Unintentional | 1,032 |
| | Unspecified, Unintentional | 944 |
| 5 | | |
| | Other | 3,865 |
| TOTAL | | 12,745 |

* NC Residents based on county and state
 **Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 VANCE | | |
|--|------------------------------------|----------|
| Rank | Cause | # |
| 1 | Firearm, Assault | 3 |
| 2 | MVT, Unintentional | 2 |
| 3 | Unspecified, Assault; Suffocation, | 1 |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 7 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 VANCE | | |
|--|---------------------------------|------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 20 |
| 2 | Fire/Burn, Unintentional | 18 |
| 3 | MVT, Unintentional | 13 |
| 4 | Poisoning, Unintentional | 9 |
| | Transport,other, Unintentional; | 7 |
| 5 | Firearm, Assault | |
| | Other | 46 |
| TOTAL | | 120 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 VANCE | | |
|--|--------------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 1,055 |
| 2 | Struck, Unintentional | 687 |
| 3 | MVT, Unintentional | 400 |
| 4 | Overexertion, Unintentional | 388 |
| | Natural/Environ, Unintentional | 375 |
| 5 | Other | 1,284 |
| TOTAL | | 4,189 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 WAKE | | |
|---|-----------------------------|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 29 |
| 2 | Drowning, Unintentional | 10 |
| 3 | Suffocation, Self inflicted | 8 |
| 4 | Suffocation, Unintentional | 7 |
| 5 | Firearm, Assault | 5 |
| | Other | 33 |
| TOTAL | | 92 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 WAKE | | |
|---|---------------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 379 |
| 2 | Poisoning, Self inflicted | 203 |
| 3 | Fire/Burn, Unintentional | 176 |
| 4 | MVT, Unintentional | 158 |
| 5 | Other spec/class, Unintentional | 112 |
| | Other | 809 |
| TOTAL | | 1,837 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 WAKE | | |
|---|--------------------------------|---------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 12,345 |
| 2 | Struck, Unintentional | 8,497 |
| 3 | MVT, Unintentional | 3,145 |
| 4 | Overexertion, Unintentional | 2,847 |
| 5 | Natural/Environ, Unintentional | 2,673 |
| | Other | 11,952 |
| TOTAL | | 41,459 |

* NC Residents based on county and state
 **Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 WARREN | | |
|---|------------------------------------|----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 2 |
| 2 | Poisoning, Unintentional; Firearm, | 1 |
| 3 | | |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 4 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 WARREN | | |
|---|---|-----------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 9 |
| 2 | Poisoning, Self inflicted; Fire/Burn, | 6 |
| 3 | MVT, Unintentional | 5 |
| 4 | Poisoning, Unintentional Unspecified, Unintentional; | 4 |
| 5 | Unspecified, Self inflicted Other | 2 |
| | | 7 |
| TOTAL | | 41 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 WARREN | | |
|---|---|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 266 |
| 2 | Struck, Unintentional | 204 |
| 3 | MVT, Unintentional | 112 |
| 4 | Overexertion, Unintentional Natural/Environ, Unintentional | 99 |
| 5 | | 91 |
| | Other | 348 |
| TOTAL | | 1,120 |

| Leading Causes of Injury Death WASHINGTON | | |
|--|-------|----------|
| Rank | Cause | # |
| 1 | | 0 |
| 2 | | 0 |
| 3 | | 0 |
| | | 0 |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 0 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 WASHINGTON | | |
|---|---|-----------|
| Rank | Cause | # |
| 1 | Poisoning, Self inflicted | 4 |
| 2 | MVT, Unintentional | 3 |
| 3 | Unspecified, Unintentional; Other Unspecified, Undetermined; Transport, other, Unintentional; Suffocation, Unintentional; Poisoning, Unintentional; Natural/Environ, Unintentional; Machinery, Unintentional; Firearm, Unintentional; Fire/Burn, Unintentional; Cut/pierce, Self inflicted | 2 |
| | | 1 |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 24 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 WASHINGTON | | |
|---|---|------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 190 |
| 2 | Struck, Unintentional | 152 |
| 3 | Overexertion, Unintentional; MVT, Unspecified, Unintentional | 60 |
| | | 48 |
| 4 | | |
| 5 | Other spec/class, Unintentional Other | 38 |
| | | 171 |
| TOTAL | | 719 |

* NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 WATAUGA | | |
|--|-------------------------|----------|
| Rank | Cause | # |
| 1 | Drowning, Unintentional | 1 |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | | |
| | Other | 0 |
| TOTAL | | 1 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 WATAUGA | | |
|--|---------------------------------|-----------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 11 |
| | Poisoning, Self inflicted; MVT, | 7 |
| 2 | Unintentional | |
| 3 | Struck, Unintentional | 6 |
| 4 | Poisoning, Unintentional | 5 |
| 5 | Unspecified, Unintentional | 3 |
| | Other | 10 |
| TOTAL | | 49 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 WATAUGA | | |
|--|-----------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 817 |
| | Struck, Unintentional | 456 |
| 2 | | |
| 3 | Overexertion, Unintentional | 184 |
| 4 | Cut/pierce, Unintentional | 159 |
| 5 | MVT, Unintentional | 144 |
| | Other | 638 |
| TOTAL | | 2,398 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 WAYNE | | |
|--|------------------------------------|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 10 |
| 2 | Firearm, Assault | 7 |
| 3 | Unspecified, Unintentional | 2 |
| 4 | Unspecified, Assault; Suffocation, | 1 |
| 5 | | |
| | Other | 0 |
| TOTAL | | 25 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 WAYNE | | |
|--|---------------------------------|------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 41 |
| 2 | MVT, Unintentional | 36 |
| 3 | Other spec/class, Unintentional | 23 |
| 4 | Transport,other, Unintentional | 20 |
| 5 | Poisoning, Self inflicted | 18 |
| | Other | 129 |
| TOTAL | | 267 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 WAYNE | | |
|--|---------------------------------|---------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 2,831 |
| 2 | Struck, Unintentional | 1,685 |
| 3 | MVT, Unintentional | 999 |
| 4 | Unspecified, Unintentional | 872 |
| 5 | Other spec/class, Unintentional | 827 |
| | Other | 3,744 |
| TOTAL | | 10,958 |

* NC Residents based on county and state
 **Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 WILKES | | |
|---|----------------------------------|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 5 |
| 2 | Poisoning, Unintentional | 3 |
| 3 | Suffocation, Assault; Poisoning, | 1 |
| 4 | | |
| 5 | | |
| | Other | 0 |
| TOTAL | | 11 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 WILKES | | |
|---|---------------------------------|------------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 34 |
| 2 | Fall, Unintentional | 20 |
| 3 | Poisoning, Self inflicted | 16 |
| | Transport,other, Unintentional; | 10 |
| | Struck, Unintentional; Other | |
| 4 | spec/class, Unintentional | |
| 5 | Poisoning, Unintentional | 9 |
| | Other | 40 |
| TOTAL | | 149 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 WILKES | | |
|---|--------------------------------|------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 215 |
| 2 | MVT, Unintentional | 92 |
| 3 | Struck, Unintentional | 89 |
| | Unspecified, Unintentional | 50 |
| 4 | | |
| 5 | Natural/Environ, Unintentional | 40 |
| | Other | 222 |
| TOTAL | | 708 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 WILSON | | |
|---|------------------------------|----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 3 |
| 2 | Struck, Unintentional; Other | 1 |
| 3 | | |
| 4 | | |
| 5 | | |
| | Other | 0 |
| TOTAL | | 6 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 WILSON | | |
|---|----------------------------------|------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 29 |
| 2 | MVT, Unintentional | 25 |
| 3 | Fire/Burn, Unintentional | 19 |
| | Poisoning, Self inflicted; Other | 12 |
| 4 | spec/class, Unintentional | |
| | Transport,other, Unintentional; | 8 |
| 5 | Poisoning, Unintentional | |
| | Other | 45 |
| TOTAL | | 158 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 WILSON | | |
|---|--------------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 1,579 |
| 2 | Struck, Unintentional | 934 |
| 3 | MVT, Unintentional | 636 |
| | Overexertion, Unintentional | 567 |
| 4 | | |
| | Natural/Environ, Unintentional | 560 |
| 5 | | |
| | Other | 2,193 |
| TOTAL | | 6,469 |

* NC Residents based on county and state
 **Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 YADKIN | | |
|---|---------------------------|----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 2 |
| 2 | Poisoning, Unintentional; | 1 |
| 3 | | |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 6 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 YADKIN | | |
|---|---------------------------------|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional | 18 |
| 2 | Fall, Unintentional | 12 |
| 3 | Poisoning, Self inflicted | 11 |
| 4 | Transport,other, Unintentional | 9 |
| 5 | Other spec/class, Unintentional | 7 |
| | Other | 31 |
| TOTAL | | 88 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 YADKIN | | |
|---|---------------------------------|--------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 515 |
| 2 | Struck, Unintentional | 343 |
| 3 | MVT, Unintentional | 184 |
| 4 | Overexertion, Unintentional | 126 |
| 5 | Other spec/class, Unintentional | 87 |
| | Other | 505 |
| TOTAL | | 1,760 |

| Leading Causes of Injury Death Ages 0-18: 2010 to 2013 YANCEY | | |
|---|-------------------------------------|----------|
| Rank | Cause | # |
| 1 | Other land transport, Unintentional | 1 |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | Other | 0 |
| TOTAL | | 1 |

| Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 YANCEY | | |
|---|---|-----------|
| Rank | Cause | # |
| 1 | MVT, Unintentional; Fall, Unintentional | 6 |
| 2 | Transport,other, Unintentional | 4 |
| 3 | Other spec/class, Unintentional | 3 |
| | Struck, Unintentional; | 2 |
| | Natural/Environ, Unintentional; | |
| 4 | Fire/Burn, Unintentional | 1 |
| | Unspecified, Unintentional; Struck, Assault; Poisoning, Unintentional; Pedestrian,other, Unintentional; Other spec/class, Assault | |
| 5 | Other | 0 |
| TOTAL | | 30 |

| Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 YANCEY | | |
|---|--------------------------------|------------|
| Rank | Cause | # |
| 1 | Fall, Unintentional | 75 |
| 2 | MVT, Unintentional | 51 |
| 3 | Struck, Unintentional | 32 |
| | Transport,other, Unintentional | 18 |
| 4 | Natural/Environ, Unintentional | 16 |
| 5 | Other | 82 |
| TOTAL | | 274 |

* NC Residents based on county and state
 **Excluding adverse effects within healthcare settings and missing Ecodes.