

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 ALAMANCE		
Rank	Cause	#
1	MVT, Unintentional	9
2	Poisoning, Unintentional	4
3	Suffocation, Unintentional	2
4	Suffocation, Self inflicted; Firearm,	1
5	Other	0
<b>TOTAL</b>		<b>18</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 ALAMANCE		
Rank	Cause	#
1	MVT, Unintentional	56
2	Fall, Unintentional	55
3	Poisoning, Self inflicted	48
4	Fire/Burn, Unintentional	32
5	Unspecified, Self inflicted	21
	Other	142
<b>TOTAL</b>		<b>354</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 ALAMANCE		
Rank	Cause	#
1	Fall, Unintentional	2,388
2	Struck, Unintentional	1,356
3	MVT, Unintentional	712
4	Unspecified, Unintentional	613
5	Natural/Environ, Unintentional	588
	Other	2,826
<b>TOTAL</b>		<b>8,483</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 ALEXANDER		
Rank	Cause	#
1	MVT, Unintentional	2
2	Suffocation, Self inflicted	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>3</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 ALEXANDER		
Rank	Cause	#
1	MVT, Unintentional	15
2	Fall, Unintentional	8
3	Transport,other, Unintentional;	4
4	Poisoning, Unintentional;	3
5	Unspecified, Unintentional; Struck,	2
	Other	8
<b>TOTAL</b>		<b>57</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 ALEXANDER		
Rank	Cause	#
1	Fall, Unintentional	748
2	Struck, Unintentional	463
3	MVT, Unintentional	275
4	Cut/pierce, Unintentional	188
5	Overexertion, Unintentional	165
	Other	845
<b>TOTAL</b>		<b>2,684</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death ALLEGHANY		
Rank	Cause	#
1		0
		0
2		
3		0
4		0
5		0
	Other	0
<b>TOTAL</b>		<b>0</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 ALLEGHANY		
Rank	Cause	#
1	Fall, Unintentional	3
	Transport,other, Unintentional;	2
	Fire/Burn, Unintentional;	
	Fire/Burn, Undetermined;	
2	Cut/pierce, Unintentional	
3	Unspecified, Self inflicted;	1
4		
5		
	Other	0
<b>TOTAL</b>		<b>16</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 ALLEGHANY		
Rank	Cause	#
1	Fall, Unintentional	149
	Struck, Unintentional	84
2		
3	Unspecified, Unintentional	45
4	Natural/Environ, Unintentional; MVT,	38
5	Other spec/notclass, Unintentional	30
	Other	146
<b>TOTAL</b>		<b>530</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 ANSON		
Rank	Cause	#
1	MVT, Unintentional	5
2	Suffocation, Self inflicted	2
3	Firearm, Unintentional	1
4		
5		
	Other	0
<b>TOTAL</b>		<b>8</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 ANSON		
Rank	Cause	#
1	MVT, Unintentional	12
2	Fire/Burn, Unintentional	10
3	Fall, Unintentional	8
4	Poisoning, Unintentional	6
5	Unspecified, Unintentional;	5
	Other	17
<b>TOTAL</b>		<b>63</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 ANSON		
Rank	Cause	#
1	Fall, Unintentional	514
2	Struck, Unintentional	370
3	MVT, Unintentional	229
4	Natural/Environ, Unintentional	205
5	Overexertion, Unintentional	156
	Other	601
<b>TOTAL</b>		<b>2,075</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 ASHE		
Rank	Cause	#
1	MVT, Unintentional	2
2	Suffocation, Unintentional; Firearm,	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>4</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 ASHE		
Rank	Cause	#
1	MVT, Unintentional	8
2	Other spec/class, Unintentional	7
3	Fall, Unintentional	6
4	Transport,other, Unintentional	4
5	Unspecified, Unintentional; Struck, Other	2 9
<b>TOTAL</b>		<b>42</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 ASHE		
Rank	Cause	#
1	Fall, Unintentional	909
2	Struck, Unintentional	551
3	Unspecified, Unintentional	273
4	Overexertion, Unintentional	194
5	Cut/pierce, Unintentional	188
	Other	768
<b>TOTAL</b>		<b>2,883</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 AVERY		
Rank	Cause	#
1	MVT, Unintentional	1
2		
3		
4		
5	Other	0
<b>TOTAL</b>		<b>1</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 AVERY		
Rank	Cause	#
1	Fall, Unintentional	8
2	Other spec/class, Unintentional	4
	Unspecified, Unintentional;	2
	Transport,other, Unintentional;	
	Suffocation, Unintentional;	
	Poisoning, Self inflicted;	
	Natural/Environ, Unintentional;	
3	Cut/pierce, Unintentional	
	Unspecified, Self inflicted;	1
	Poisoning, Unintentional;	
	Poisoning, Undetermined;	
	Pedestrian,other, Unintentional;	
	Other spec/notclass,	
	Unintentional; Machinery,	
	Unintentional; MVT, Unintentional;	
	Fire/Burn, Unintentional;	
	Cut/pierce, Self inflicted;	
4	Cut/pierce, Assault	
5		
	Other	0
<b>TOTAL</b>		<b>34</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 AVERY		
Rank	Cause	#
1	Fall, Unintentional	629
2	Struck, Unintentional	389
	Overexertion, Unintentional	230
3		
	Cut/pierce, Unintentional	173
4		
5	MVT, Unintentional	121
	Other	515
<b>TOTAL</b>		<b>2,057</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 BEAUFORT		
Rank	Cause	#
1	MVT, Unintentional	3
2	Pedestrian,other, Unintentional;	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>5</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 BEAUFORT		
Rank	Cause	#
1	MVT, Unintentional	19
2	Fall, Unintentional	13
3	Transport,other, Unintentional	8
4	Fire/Burn, Unintentional	7
	Poisoning, Unintentional;	6
5	Poisoning, Self inflicted	
	Other	29
<b>TOTAL</b>		<b>88</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 BEAUFORT		
Rank	Cause	#
1	Fall, Unintentional	1,569
2	Struck, Unintentional	893
3	Natural/Environ, Unintentional	432
4	MVT, Unintentional	421
	Unspecified, Unintentional	409
5	Other	1,799
<b>TOTAL</b>		<b>5,523</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 BERTIE		
Rank	Cause	#
1	MVT, Unintentional	2
2	Transport,other, Unintentional	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>3</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 BERTIE		
Rank	Cause	#
1	MVT, Unintentional	7
2	Fall, Unintentional	6
3	Fire/Burn, Unintentional	5
4	Transport,other, Unintentional	3
	Unspecified, Unintentional; Struck,	2
	Unintentional; Poisoning,	
	Unintentional; Poisoning, Self	
	inflicted; Natural/Environ,	
5	Unintentional	
	Other	6
<b>TOTAL</b>		<b>37</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 BERTIE		
Rank	Cause	#
1	Fall, Unintentional	462
2	Struck, Unintentional	361
3	MVT, Unintentional	197
4	Natural/Environ, Unintentional	162
	Other spec/class, Unintentional	158
5	Other	682
<b>TOTAL</b>		<b>2,022</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 BLADEN		
Rank	Cause	#
1	MVT, Unintentional	2
2	Unspecified, Unintentional;	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>8</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 BLADEN		
Rank	Cause	#
1	MVT, Unintentional	15
2	Fall, Unintentional	13
3	Poisoning, Unintentional	10
4	Other spec/class, Unintentional	9
5	Fire/Burn, Unintentional	7
	Other	35
<b>TOTAL</b>		<b>89</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 BLADEN		
Rank	Cause	#
1	Fall, Unintentional	738
2	Struck, Unintentional	563
3	MVT, Unintentional	367
4	Unspecified, Unintentional	284
5	Overexertion, Unintentional	241
	Other	1,133
<b>TOTAL</b>		<b>3,326</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 BRUNSWICK		
Rank	Cause	#
1	MVT, Unintentional	10
2	Suffocation, Unintentional;	4
	Suffocation, Self inflicted	2
3		
4	Unspecified, Unintentional;	1
5	Other	0
<b>TOTAL</b>		<b>25</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 BRUNSWICK		
Rank	Cause	#
1	MVT, Unintentional	37
2	Fall, Unintentional	25
	Poisoning, Self inflicted; Other	18
	spec/class, Unintentional;	
3	Fire/Burn, Unintentional	
4	Natural/Environ, Unintentional	14
	Unspecified, Unintentional;	13
5	Transport,other, Unintentional	
	Other	63
<b>TOTAL</b>		<b>219</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 BRUNSWICK		
Rank	Cause	#
1	Fall, Unintentional	2,185
2	Struck, Unintentional	1,365
	Overexertion, Unintentional	788
3		
4	MVT, Unintentional	620
	Natural/Environ, Unintentional	529
5	Other	2,320
<b>TOTAL</b>		<b>7,807</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 BUNCOMBE		
Rank	Cause	#
1	MVT, Unintentional	18
2	Other spec/class, Assault	3
3	Firearm, Self inflicted	2
4	Unspecified, Assault; Suffocation,	1
5	Other	0
<b>TOTAL</b>		<b>32</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 BUNCOMBE		
Rank	Cause	#
1	Fall, Unintentional	71
2	MVT, Unintentional	59
3	Poisoning, Self inflicted	51
4	Cut/pierce, Self inflicted	46
5	Poisoning, Unintentional	23
	Other	142
<b>TOTAL</b>		<b>392</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 BUNCOMBE		
Rank	Cause	#
1	Fall, Unintentional	1,186
2	Struck, Unintentional	614
3	MVT, Unintentional	500
4	Unspecified, Unintentional	208
5	Overexertion, Unintentional	206
	Other	1,269
<b>TOTAL</b>		<b>3,983</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 BURKE		
Rank	Cause	#
1	MVT, Unintentional	3
2	Fire/Burn, Unintentional	2
3	Natural/Environ, Unintentional;	1
4		
5	Other	0
<b>TOTAL</b>		<b>8</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 BURKE		
Rank	Cause	#
1	MVT, Unintentional	27
2	Fall, Unintentional	16
3	Other spec/class, Unintentional	15
4	Unspecified, Unintentional	13
5	Natural/Environ, Unintentional	9
	Other	54
<b>TOTAL</b>		<b>134</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 BURKE		
Rank	Cause	#
1	Fall, Unintentional	2,245
2	Struck, Unintentional	1,437
3	Overexertion, Unintentional	646
4	MVT, Unintentional	643
5	Natural/Environ, Unintentional	549
	Other	2,530
<b>TOTAL</b>		<b>8,050</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 CABARRUS		
Rank	Cause	#
1	MVT, Unintentional	5
2	Firearm, Assault	4
3	Suffocation, Unintentional	3
4	Suffocation, Self inflicted; Firearm, Unspecified, Unintentional;	2
	Unspecified, Self inflicted; Transport,other, Unintentional; Suffocation, Undetermined; Pedestrian,other, Unintentional; Fall, Unintentional	1
5	Other	0
<b>TOTAL</b>		<b>26</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 CABARRUS		
Rank	Cause	#
1	Fall, Unintentional	55
2	MVT, Unintentional	42
3	Poisoning, Self inflicted	36
4	Unspecified, Unintentional Transport,other, Unintentional	23
		19
5	Other	163
<b>TOTAL</b>		<b>338</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 CABARRUS		
Rank	Cause	#
1	Fall, Unintentional	3,519
2	Struck, Unintentional	2,681
3	MVT, Unintentional	1,006
4	Overexertion, Unintentional Natural/Environ, Unintentional	901
		804
5	Other	3,438
<b>TOTAL</b>		<b>12,349</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 CALDWELL		
Rank	Cause	#
1	MVT, Unintentional	4
2	Poisoning, Unintentional; Firearm,	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>7</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 CALDWELL		
Rank	Cause	#
1	MVT, Unintentional	17
2	Fall, Unintentional	16
3	Other spec/class, Unintentional	10
4	Transport,other, Unintentional	9
5	Poisoning, Unintentional Other	8
		57
<b>TOTAL</b>		<b>117</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 CALDWELL		
Rank	Cause	#
1	Fall, Unintentional	2,784
2	Struck, Unintentional	1,436
3	Cut/pierce, Unintentional	730
4	MVT, Unintentional	670
5	Natural/Environ, Unintentional Other	506
		2,372
<b>TOTAL</b>		<b>8,498</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.



Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 CAMDEN		
Rank	Cause	#
1	MVT, Unintentional	2
2	Suffocation, Self inflicted; Drowning,	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>4</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 CAMDEN		
Rank	Cause	#
1	Unspecified, Self inflicted; Poisoning, Self inflicted; Cut/pierce, Self inflicted	1
2		
3		
4		
5	Other	0
<b>TOTAL</b>		<b>3</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 CAMDEN		
Rank	Cause	#
1	MVT, Unintentional	25
2	Fall, Unintentional	24
3	Struck, Unintentional;	17
4	Unspecified, Unintentional	15
5	Transport,other, Unintentional	12
	Other	27
<b>TOTAL</b>		<b>137</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 CARTERET		
Rank	Cause	#
1	MVT, Unintentional; Firearm, Self	2
2	Firearm, Unintentional; Fall,	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>7</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 CARTERET		
Rank	Cause	#
1	MVT, Unintentional	16
2	Fall, Unintentional	13
3	Fire/Burn, Unintentional	12
	Transport,other, Unintentional;	10
4	Poisoning, Self inflicted	
	Poisoning, Unintentional;	7
5	Natural/Environ, Unintentional	
	Other	35
<b>TOTAL</b>		<b>110</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 CARTERET		
Rank	Cause	#
1	Fall, Unintentional	1,532
2	Struck, Unintentional	1,090
3	Overexertion, Unintentional	450
	Natural/Environ, Unintentional	398
4	Cut/pierce, Unintentional	395
5	Other	1,834
<b>TOTAL</b>		<b>5,699</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 CASWELL		
Rank	Cause	#
1	MVT, Unintentional; Firearm,	2
2	Other land transport, Unintentional;	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>8</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 CASWELL		
Rank	Cause	#
1	MVT, Unintentional	10
2	Fall, Unintentional	5
3	Transport,other, Unintentional; Unspecified, Unintentional; Unspecified, Self inflicted; Suffocation, Unintentional; Struck, Unintentional; Struck, Assault; Poisoning, Undetermined; Poisoning, Self inflicted; Other spec/notclass, Unintentional; Other spec/class, Unintentional; Firearm, Unintentional	2 1
4		
5	Other	0
<b>TOTAL</b>		<b>31</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 CASWELL		
Rank	Cause	#
1	Fall, Unintentional	220
2	Struck, Unintentional	177
3	Natural/Environ, Unintentional Overexertion, Unintentional	73 70
4		
5	MVT, Unintentional Other	60 271
<b>TOTAL</b>		<b>871</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 CATAWBA		
Rank	Cause	#
1	MVT, Unintentional	5
2	Suffocation, Unintentional;	3
3	Unspecified, Assault; Poisoning,	1
4		
5	Other	0
<b>TOTAL</b>		<b>20</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 CATAWBA		
Rank	Cause	#
1	MVT, Unintentional	33
2	Poisoning, Self inflicted; Fall,	30
3	Transport,other, Unintentional	16
4	Poisoning, Unintentional	13
5	Other spec/class, Unintentional Other	12 88
<b>TOTAL</b>		<b>222</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 CATAWBA		
Rank	Cause	#
1	Fall, Unintentional	3,914
2	Struck, Unintentional	2,454
3	MVT, Unintentional	1,012
4	Cut/pierce, Unintentional	830
5	Natural/Environ, Unintentional Other	711 4,132
<b>TOTAL</b>		<b>13,053</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 CHATHAM		
Rank	Cause	#
1	MVT, Unintentional; Firearm, Self	1
2		
3		
4		
5		
	Other	0
<b>TOTAL</b>		<b>3</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 CHATHAM		
Rank	Cause	#
1	MVT, Unintentional	21
2	Fall, Unintentional	20
3	Fire/Burn, Unintentional	15
4	Natural/Environ, Unintentional	11
5	Poisoning, Self inflicted	10
	Other	45
<b>TOTAL</b>		<b>122</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 CHATHAM		
Rank	Cause	#
1	Fall, Unintentional	840
2	Struck, Unintentional	638
3	Natural/Environ, Unintentional	284
4	Overexertion, Unintentional	255
5	Cut/pierce, Unintentional	208
	Other	928
<b>TOTAL</b>		<b>3,153</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 CHEROKEE		
Rank	Cause	#
1	MVT, Unintentional; Firearm, Assault	1
2		
3		
4		
5		
	Other	0
<b>TOTAL</b>		<b>2</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 CHEROKEE		
Rank	Cause	#
1	Poisoning, Self inflicted	7
2	Other spec/class, Unintentional	5
3	Natural/Environ, Unintentional; Transport,other, Unintentional;	4
		3
4	Poisoning, Unintentional Struck, Unintentional; Pedal cyclist,other, Unintentional; Overexertion, Unintentional; Fall, Unintentional	2
5	Other	6
<b>TOTAL</b>		<b>40</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 CHEROKEE		
Rank	Cause	#
1	Fall, Unintentional	154
2	Struck, Unintentional	83
3	Natural/Environ, Unintentional; MVT, Unspecified, Unintentional	39
		36
4	Overexertion, Unintentional	32
5		
	Other	151
<b>TOTAL</b>		<b>534</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 CHOWAN		
Rank	Cause	#
1	Suffocation, Unintentional	1
2		
3		
4		
5	Other	0
<b>TOTAL</b>		<b>1</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 CHOWAN		
Rank	Cause	#
1	Fall, Unintentional	8
2	MVT, Unintentional	3
	Unspecified, Unintentional; Poisoning, Self inflicted; Pedal cyclist,other, Unintentional	2
3		
4	Other spec/class, Assault;	1
5	Other	0
<b>TOTAL</b>		<b>22</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 CHOWAN		
Rank	Cause	#
1	Fall, Unintentional	285
2	Struck, Unintentional	254
	Other spec/class, Unintentional	107
3		
4	Unspecified, Unintentional	104
5	Overexertion, Unintentional	103
	Other	419
<b>TOTAL</b>		<b>1,272</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 CLAY		
Rank	Cause	#
1	MVT, Unintentional; Firearm, Self	1
2		
3		
4		
5	Other	0
<b>TOTAL</b>		<b>2</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 CLAY		
Rank	Cause	#
1	Natural/Environ, Unintentional	2
	Poisoning, Self inflicted; Overexertion, Unintentional; Fall, Unintentional; Cut/pierce, Self inflicted	1
2		
3		
4		
5	Other	0
<b>TOTAL</b>		<b>6</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 CLAY		
Rank	Cause	#
1	Fall, Unintentional	41
	Struck, Unintentional	22
2		
3	Transport,other, Unintentional;	11
4	Unspecified, Unintentional	10
5	Fire/Burn, Unintentional	9
	Other	41
<b>TOTAL</b>		<b>145</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 CLEVELAND		
Rank	Cause	#
1	MVT, Unintentional	2
2	Suffocation, Self inflicted;	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>9</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 CLEVELAND		
Rank	Cause	#
1	Fall, Unintentional	54
2	MVT, Unintentional	25
3	Poisoning, Self inflicted	18
4	Other spec/class, Unintentional	17
5	Poisoning, Unintentional	12
	Other	83
<b>TOTAL</b>		<b>209</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 CLEVELAND		
Rank	Cause	#
1	Fall, Unintentional	2,742
2	Struck, Unintentional	1,982
3	MVT, Unintentional	903
4	Unspecified, Unintentional	871
5	Natural/Environ, Unintentional	820
	Other	3,695
<b>TOTAL</b>		<b>11,013</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 COLUMBUS		
Rank	Cause	#
1	MVT, Unintentional	8
2	Suffocation, Self inflicted; Poisoning,	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>11</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 COLUMBUS		
Rank	Cause	#
1	MVT, Unintentional	30
2	Fall, Unintentional	22
3	Natural/Environ, Unintentional	15
4	Poisoning, Unintentional	11
5	Fire/Burn, Unintentional	10
	Other	54
<b>TOTAL</b>		<b>142</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 COLUMBUS		
Rank	Cause	#
1	Fall, Unintentional	1,516
2	Struck, Unintentional	1,149
3	MVT, Unintentional	552
4	Natural/Environ, Unintentional	543
5	Overexertion, Unintentional	532
	Other	1,872
<b>TOTAL</b>		<b>6,164</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 CRAVEN		
Rank	Cause	#
1	MVT, Unintentional	6
2	Drowning, Unintentional	3
3	Suffocation, Unintentional	2
4	Unspecified, Assault; Suffocation,	1
5	Other	0
<b>TOTAL</b>		<b>14</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 CRAVEN		
Rank	Cause	#
1	Fall, Unintentional	38
2	Fire/Burn, Unintentional	28
3	MVT, Unintentional	25
4	Poisoning, Unintentional	19
5	Other spec/class, Unintentional	15
	Other	90
<b>TOTAL</b>		<b>215</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 CRAVEN		
Rank	Cause	#
1	Fall, Unintentional	2,147
2	Struck, Unintentional	1,679
3	Natural/Environ, Unintentional	665
4	Other spec/class, Unintentional	629
5	Overexertion, Unintentional	601
	Other	2,994
<b>TOTAL</b>		<b>8,715</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 CUMBERLAND		
Rank	Cause	#
1	MVT, Unintentional	19
2	Drowning, Unintentional	9
3	Firearm, Assault	7
4	Suffocation, Unintentional; Firearm, Unspecified, Assault; Suffocation,	6
5	Self inflicted	3
	Other	9
<b>TOTAL</b>		<b>68</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 CUMBERLAND		
Rank	Cause	#
1	Fall, Unintentional	143
2	Poisoning, Unintentional	112
3	MVT, Unintentional	82
4	Fire/Burn, Unintentional	79
	Poisoning, Self inflicted	60
5	Other	360
<b>TOTAL</b>		<b>836</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 CUMBERLAND		
Rank	Cause	#
1	Fall, Unintentional	7,728
2	Struck, Unintentional	4,824
3	Unspecified, Unintentional	2,650
4	Natural/Environ, Unintentional	2,573
	MVT, Unintentional	2,125
5	Other	8,572
<b>TOTAL</b>		<b>28,472</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 CURRITUCK		
Rank	Cause	#
1	Suffocation, Unintentional;	1
2		
3		
4		
5	Other	0
<b>TOTAL</b>		<b>2</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 CURRITUCK		
Rank	Cause	#
1	Poisoning, Self inflicted	3
	Struck, Unintentional; Other	1
2	spec/class, Unintentional	
3		
4		
5	Other	0
<b>TOTAL</b>		<b>5</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 CURRITUCK		
Rank	Cause	#
1	Fall, Unintentional	87
	Struck, Unintentional	53
2		
3	Natural/Environ, Unintentional	39
4	MVT, Unintentional	34
5	Overexertion, Unintentional	25
	Other	124
<b>TOTAL</b>		<b>362</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 DARE		
Rank	Cause	#
1	Suffocation, Unintentional	1
2		
3		
4		
5	Other	0
<b>TOTAL</b>		<b>1</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 DARE		
Rank	Cause	#
1	Poisoning, Self inflicted	4
	Other spec/notclass,	2
	Unintentional; Other spec/class,	
2	Assault	
3	Unspecified, Unintentional;	1
4		
5	Other	0
<b>TOTAL</b>		<b>15</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 DARE		
Rank	Cause	#
1	Fall, Unintentional	515
	Struck, Unintentional	294
2		
3	Cut/pierce, Unintentional	146
4	MVT, Unintentional	118
5	Natural/Environ, Unintentional	113
	Other	549
<b>TOTAL</b>		<b>1,735</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 DAVIDSON		
Rank	Cause	#
1	MVT, Unintentional	10
2	Suffocation, Unintentional;	2
3	Poisoning, Unintentional; Other	1
4		
5	Other	0
<b>TOTAL</b>		<b>25</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 DAVIDSON		
Rank	Cause	#
1	MVT, Unintentional	63
2	Fall, Unintentional	47
3	Poisoning, Self inflicted	20
4	Struck, Unintentional	16
	Poisoning, Unintentional; Other	15
5	spec/class, Unintentional	
	Other	115
<b>TOTAL</b>		<b>291</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 DAVIDSON		
Rank	Cause	#
1	Fall, Unintentional	4,421
2	Struck, Unintentional	2,976
3	Overexertion, Unintentional	1,394
4	MVT, Unintentional	1,222
	Unspecified, Unintentional	1,109
5	Other	5,214
<b>TOTAL</b>		<b>16,336</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 DAVIE		
Rank	Cause	#
1	MVT, Unintentional	2
2		
3		
4		
5	Other	0
<b>TOTAL</b>		<b>2</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 DAVIE		
Rank	Cause	#
1	MVT, Unintentional	14
2	Transport,other, Unintentional	7
	Poisoning, Self inflicted; Fall,	6
3	Unintentional	
	Poisoning, Unintentional; Pedal	4
	cyclist,other, Unintentional; Other	
	spec/class, Unintentional;	
4	Cut/pierce, Self inflicted	
	Unspecified, Unintentional;	2
	Unspecified, Assault; Struck,	
5	Unintentional	
	Other	8
<b>TOTAL</b>		<b>63</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 DAVIE		
Rank	Cause	#
1	Fall, Unintentional	630
2	Struck, Unintentional	411
	MVT, Unintentional	187
3	Unspecified, Unintentional	109
4	Overexertion, Unintentional	106
5	Other	558
<b>TOTAL</b>		<b>2,001</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.



Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 DUPLIN		
Rank	Cause	#
1	MVT, Unintentional	7
2	Firearm, Assault; Drowning,	2
3	Suffocation, Unintentional;	1
4		
5	Other	0
<b>TOTAL</b>		<b>18</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 DUPLIN		
Rank	Cause	#
1	MVT, Unintentional	27
2	Fall, Unintentional	18
3	Other spec/class, Unintentional	9
	Unspecified, Unintentional;	8
	Poisoning, Self inflicted; Fire/Burn,	
4	Unintentional	
5	Poisoning, Unintentional	7
	Other	34
<b>TOTAL</b>		<b>119</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 DUPLIN		
Rank	Cause	#
1	Fall, Unintentional	1,032
2	Struck, Unintentional	615
3	MVT, Unintentional	497
	Unspecified, Unintentional	374
4		
5	Natural/Environ, Unintentional	366
	Other	1,171
<b>TOTAL</b>		<b>4,055</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 DURHAM		
Rank	Cause	#
1	MVT, Unintentional; Firearm, Assault	10
2	Suffocation, Unintentional	5
3	Poisoning, Unintentional	4
4	Unspecified, Unintentional; Firearm,	2
5	Suffocation, Self inflicted;	1
	Other	0
<b>TOTAL</b>		<b>40</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 DURHAM		
Rank	Cause	#
1	Fall, Unintentional	100
2	Fire/Burn, Unintentional	78
3	MVT, Unintentional	67
4	Poisoning, Self inflicted	42
5	Other spec/class, Unintentional	29
	Other	237
<b>TOTAL</b>		<b>553</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 DURHAM		
Rank	Cause	#
1	Fall, Unintentional	3,941
2	Struck, Unintentional	1,989
3	MVT, Unintentional	1,561
4	Other spec/class, Unintentional	969
5	Natural/Environ, Unintentional	968
	Other	4,155
<b>TOTAL</b>		<b>13,583</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 EDGECOMBE		
Rank	Cause	#
1	MVT, Unintentional	3
2	Suffocation, Unintentional; Firearm,	2
3	Unspecified, Unintentional;	1
4		
5	Other	0
<b>TOTAL</b>		<b>12</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 EDGECOMBE		
Rank	Cause	#
1	Fire/Burn, Unintentional	22
2	MVT, Unintentional	20
3	Fall, Unintentional	16
4	Firearm, Assault	8
5	Other spec/class, Unintentional	7
	Other	49
<b>TOTAL</b>		<b>122</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 EDGECOMBE		
Rank	Cause	#
1	Fall, Unintentional	694
2	Struck, Unintentional	530
3	MVT, Unintentional	310
4	Natural/Environ, Unintentional	261
5	Unspecified, Unintentional	233
	Other	950
<b>TOTAL</b>		<b>2,978</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 FORSYTH		
Rank	Cause	#
1	MVT, Unintentional	14
2	Suffocation, Unintentional;	5
3	Poisoning, Unintentional;	3
4	Other land transport, Unintentional;	2
	Unspecified, Undetermined;	1
	Transport,other, Unintentional;	
	Poisoning, Undetermined; Other	
5	spec/class, Unintentional; Fall, Unintentional	
	Other	0
<b>TOTAL</b>		<b>44</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 FORSYTH		
Rank	Cause	#
1	Poisoning, Self inflicted; Fall, Unintentional	132
2	MVT, Unintentional	117
3	Unspecified, Unintentional;	38
4	Cut/pierce, Self inflicted	37
	Other spec/class, Unintentional	31
5	Other	271
<b>TOTAL</b>		<b>796</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 FORSYTH		
Rank	Cause	#
1	Fall, Unintentional	9,015
2	Struck, Unintentional	4,840
3	MVT, Unintentional	2,005
4	Natural/Environ, Unintentional	1,962
	Overexertion, Unintentional	1,858
5	Other	8,451
<b>TOTAL</b>		<b>28,131</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 FRANKLIN		
Rank	Cause	#
1	MVT, Unintentional	3
2	Drowning, Unintentional	2
3	Suffocation, Unintentional; Other	1
4		
5	Other	0
<b>TOTAL</b>		<b>11</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 FRANKLIN		
Rank	Cause	#
1	Fall, Unintentional	20
2	Fire/Burn, Unintentional	19
3	MVT, Unintentional	17
4	Poisoning, Self inflicted	12
	Other spec/class, Unintentional;	9
5	Natural/Environ, Unintentional	
	Other	31
<b>TOTAL</b>		<b>117</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 FRANKLIN		
Rank	Cause	#
1	Fall, Unintentional	869
2	Struck, Unintentional	623
3	Natural/Environ, Unintentional	340
4	Overexertion, Unintentional	316
	Unspecified, Unintentional	311
5	Other	1,057
<b>TOTAL</b>		<b>3,516</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 GASTON		
Rank	Cause	#
1	Suffocation, Unintentional; Firearm,	6
2	Poisoning, Unintentional; MVT,	3
3	Other spec/class, Assault; Firearm,	2
4	Suffocation, Self inflicted; Other land	1
5	Other	0
<b>TOTAL</b>		<b>26</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 GASTON		
Rank	Cause	#
1	Poisoning, Self inflicted	66
2	MVT, Unintentional	65
3	Fall, Unintentional	60
4	Poisoning, Unintentional	36
5	Other spec/class, Unintentional	33
	Other	213
<b>TOTAL</b>		<b>473</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 GASTON		
Rank	Cause	#
1	Fall, Unintentional	4,098
2	Struck, Unintentional	2,697
3	MVT, Unintentional	1,364
4	Natural/Environ, Unintentional	1,014
5	Cut/pierce, Unintentional	912
	Other	4,697
<b>TOTAL</b>		<b>14,782</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 GATES		
Rank	Cause	#
1	MVT, Unintentional	2
2	Drowning, Unintentional	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>3</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 GATES		
Rank	Cause	#
1	Poisoning, Unintentional; MVT, Unintentional; Fall, Unintentional	1
2		
3		
4		
5	Other	0
<b>TOTAL</b>		<b>3</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 GATES		
Rank	Cause	#
1	Fall, Unintentional	82
2	Struck, Unintentional	63
3	Natural/Environ, Unintentional	30
4	Cut/pierce, Unintentional	29
5	Other spec/class, Unintentional	23
	Other	102
<b>TOTAL</b>		<b>329</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 GRAHAM		
Rank	Cause	#
1	MVT, Unintentional	1
2		
3		
4		
5	Other	0
<b>TOTAL</b>		<b>1</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 GRAHAM		
Rank	Cause	#
1	Fall, Unintentional	5
2	MVT, Unintentional	4
3	Unspecified, Unintentional; Other	3
4	Natural/Environ, Unintentional; Transport, other, Unintentional; Suffocation, Unintentional; Struck, Unintentional; Poisoning, Unintentional; Poisoning, Self inflicted; Firearm, Unintentional	2
		1
5	Other	0
<b>TOTAL</b>		<b>23</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 GRAHAM		
Rank	Cause	#
1	Fall, Unintentional	165
2	Struck, Unintentional	139
3	Overexertion, Unintentional	46
4	Natural/Environ, Unintentional; Cut/pierce, Unintentional	39
		37
5	Other	179
<b>TOTAL</b>		<b>605</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 GRANVILLE		
Rank	Cause	#
1	MVT, Unintentional	5
2	Suffocation, Unintentional; Firearm,	1
3		
4		
5		
	Other	0
<b>TOTAL</b>		<b>8</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 GRANVILLE		
Rank	Cause	#
1	MVT, Unintentional	14
2	Other spec/class, Unintentional;	9
3	Fire/Burn, Unintentional	7
4	Natural/Environ, Unintentional	6
5	Poisoning, Self inflicted	5
	Other	29
<b>TOTAL</b>		<b>79</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 GRANVILLE		
Rank	Cause	#
1	Fall, Unintentional	1,072
2	Struck, Unintentional	690
3	Natural/Environ, Unintentional	317
4	MVT, Unintentional	314
5	Overexertion, Unintentional	308
	Other	1,057
<b>TOTAL</b>		<b>3,758</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 GREENE		
Rank	Cause	#
1	Drowning, Unintentional	1
2		
3		
4		
5	Other	0
<b>TOTAL</b>		<b>1</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 GREENE		
Rank	Cause	#
1	Fall, Unintentional	8
2	MVT, Unintentional	6
	Transport,other, Unintentional; Poisoning, Unintentional; Other spec/class, Unintentional;	3
3	Fire/Burn, Unintentional	
	Struck, Unintentional; Poisoning, Self inflicted; Natural/Environ, Unintentional	2
4		
	Unspecified, Undetermined; Poisoning, Undetermined; Pedal cyclist,other, Unintentional; Other spec/notclass, Unintentional; Firearm, Unintentional; Drowning, Unintentional	1
5	Other	0
<b>TOTAL</b>		<b>38</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 GREENE		
Rank	Cause	#
1	Fall, Unintentional	307
2	Struck, Unintentional	216
	MVT, Unintentional	148
3		
	Unspecified, Unintentional	93
4		
	Natural/Environ, Unintentional	90
5	Other	416
<b>TOTAL</b>		<b>1,270</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 GUILFORD		
Rank	Cause	#
1	Firearm, Assault	14
2	MVT, Unintentional	13
3	Suffocation, Unintentional	9
4	Suffocation, Self inflicted; Poisoning, Firearm, Self inflicted; Drowning,	4
5	Unintentional Other	3
		14
<b>TOTAL</b>		<b>64</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 GUILFORD		
Rank	Cause	#
1	Poisoning, Self inflicted	221
2	Fall, Unintentional	143
3	MVT, Unintentional	114
4	Unspecified, Self inflicted Cut/pierce, Self inflicted	98
5		74
	Other	464
<b>TOTAL</b>		<b>1,114</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 GUILFORD		
Rank	Cause	#
1	Fall, Unintentional	6,469
2	Struck, Unintentional	3,882
3	MVT, Unintentional	1,916
4	Natural/Environ, Unintentional Unspecified, Unintentional	1,895
5		1,538
	Other	7,222
<b>TOTAL</b>		<b>22,922</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 HALIFAX		
Rank	Cause	#
1	MVT, Unintentional	3
2	Poisoning, Unintentional; Firearm,	2
3	Suffocation, Unintentional	1
4		
5		
	Other	0
<b>TOTAL</b>		<b>10</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 HALIFAX		
Rank	Cause	#
1	MVT, Unintentional	21
2	Fall, Unintentional	13
3	Poisoning, Unintentional	12
4	Poisoning, Self inflicted	11
5	Fire/Burn, Unintentional	9
	Other	43
<b>TOTAL</b>		<b>109</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 HALIFAX		
Rank	Cause	#
1	Fall, Unintentional	1,540
2	Struck, Unintentional	805
3	Other spec/notclass, Unintentional	600
4	MVT, Unintentional	525
5	Unspecified, Unintentional	496
	Other	2,027
<b>TOTAL</b>		<b>5,993</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 HARNETT		
Rank	Cause	#
1	MVT, Unintentional	15
2	Drowning, Unintentional	3
3	Suffocation, Unintentional;	2
4	Unspecified, Undetermined;	1
5	Other	0
<b>TOTAL</b>		<b>32</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 HARNETT		
Rank	Cause	#
1	MVT, Unintentional; Fall, Unintentional	35
2	Fire/Burn, Unintentional	26
3	Poisoning, Self inflicted	25
4	Natural/Environ, Unintentional	20
5	Unspecified, Unintentional	16
	Other	108
<b>TOTAL</b>		<b>265</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 HARNETT		
Rank	Cause	#
1	Fall, Unintentional	2,197
2	Struck, Unintentional	1,280
3	Unspecified, Unintentional	780
4	Natural/Environ, Unintentional	735
5	MVT, Unintentional	684
	Other	2,538
<b>TOTAL</b>		<b>8,214</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 HAYWOOD		
Rank	Cause	#
1	MVT, Unintentional	4
2	Poisoning, Unintentional	2
3	Unspecified, Assault; Suffocation,	1
4		
5	Other	0
<b>TOTAL</b>		<b>8</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 HAYWOOD		
Rank	Cause	#
1	Poisoning, Self inflicted	16
2	Fall, Unintentional	11
3	Transport, other, Unintentional	10
4	Poisoning, Unintentional	8
	Other spec/class, Unintentional;	7
5	Cut/pierce, Self inflicted	
	Other	40
<b>TOTAL</b>		<b>99</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 HAYWOOD		
Rank	Cause	#
1	Fall, Unintentional	1,335
2	Struck, Unintentional	514
3	Unspecified, Unintentional	339
4	MVT, Unintentional; Cut/pierce, Overexertion, Unintentional	267
5	Other	256
	Other	1,051
<b>TOTAL</b>		<b>4,029</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.



Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 HENDERSON		
Rank	Cause	#
1	MVT, Unintentional	6
2	Suffocation, Self inflicted	2
3	Unspecified, Unintentional; Firearm,	1
4		
5	Other	0
<b>TOTAL</b>		<b>11</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 HENDERSON		
Rank	Cause	#
1	Poisoning, Self inflicted	29
2	Fall, Unintentional	23
3	MVT, Unintentional	22
4	Poisoning, Unintentional	13
5	Other spec/class, Unintentional	12
	Other	67
<b>TOTAL</b>		<b>166</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 HENDERSON		
Rank	Cause	#
1	Fall, Unintentional	1,332
2	Struck, Unintentional	793
3	MVT, Unintentional	410
4	Unspecified, Unintentional	276
5	Overexertion, Unintentional	244
	Other	1,239
<b>TOTAL</b>		<b>4,294</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 HERTFORD		
Rank	Cause	#
1	Unspecified, Assault	1
2		
3		
4		
5	Other	0
<b>TOTAL</b>		<b>1</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 HERTFORD		
Rank	Cause	#
1	MVT, Unintentional	9
2	Struck, Unintentional; Cut/pierce, Unintentional	2
	Unspecified, Unintentional; Poisoning, Unintentional; Poisoning, Undetermined; Poisoning, Assault; Natural/Environ, Unintentional;	1
3	Cut/pierce, Assault	
4		
5	Other	0
<b>TOTAL</b>		<b>19</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 HERTFORD		
Rank	Cause	#
1	Fall, Unintentional	662
	Struck, Unintentional	512
2	Other spec/class, Unintentional	194
3		
4	Natural/Environ, Unintentional; MVT,	179
5	Unspecified, Unintentional	163
	Other	436
<b>TOTAL</b>		<b>2,504</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 HOKE		
Rank	Cause	#
1	MVT, Unintentional	4
2	Firearm, Assault; Drowning,	2
3		
4		
5		
	Other	0
<b>TOTAL</b>		<b>8</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 HOKE		
Rank	Cause	#
1	Fall, Unintentional	18
2	Fire/Burn, Unintentional	14
	Poisoning, Unintentional;	11
3	Poisoning, Self inflicted	
4	Other spec/class, Unintentional	8
5	MVT, Unintentional	7
	Other	40
<b>TOTAL</b>		<b>109</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 HOKE		
Rank	Cause	#
1	Fall, Unintentional	923
2	Struck, Unintentional	559
	MVT, Unintentional	313
3		
4	Unspecified, Unintentional	279
5	Natural/Environ, Unintentional	273
	Other	1,014
<b>TOTAL</b>		<b>3,361</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 HYDE		
Rank	Cause	#
	MVT, Unintentional	1
1		
2		
3		
4		
5		
	Other	0
<b>TOTAL</b>		<b>1</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 HYDE		
Rank	Cause	#
	Transport,other, Unintentional; Struck, Unintentional; Poisoning, Unintentional; MVT, Unintentional	1
1		
2		
3		
4		
5		
	Other	0
<b>TOTAL</b>		<b>4</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 HYDE		
Rank	Cause	#
	Fall, Unintentional	90
1		
2	Struck, Unintentional	44
3	MVT, Unintentional	29
4	Unspecified, Unintentional	28
5	Natural/Environ, Unintentional	27
	Other	95
<b>TOTAL</b>		<b>313</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 IREDELL		
Rank	Cause	#
1	MVT, Unintentional	8
2	Suffocation, Unintentional	3
3	Poisoning, Unintentional; Firearm,	2
4	Suffocation, Self inflicted; Struck,	1
5	Other	0
<b>TOTAL</b>		<b>22</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 IREDELL		
Rank	Cause	#
1	Fall, Unintentional	51
2	Poisoning, Self inflicted	45
3	MVT, Unintentional	43
4	Other spec/class, Unintentional	30
5	Transport, other, Unintentional	21
	Other	128
<b>TOTAL</b>		<b>318</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 IREDELL		
Rank	Cause	#
1	Fall, Unintentional	3,712
2	Struck, Unintentional	2,576
3	MVT, Unintentional	1,079
4	Overexertion, Unintentional	1,031
5	Unspecified, Unintentional	996
	Other	4,102
<b>TOTAL</b>		<b>13,496</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 JACKSON		
Rank	Cause	#
1	MVT, Unintentional	3
2	Suffocation, Self inflicted; Poisoning,	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>7</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 JACKSON		
Rank	Cause	#
1	Fall, Unintentional	13
2	Poisoning, Self inflicted	7
3	Natural/Environ, Unintentional	5
	Unspecified, Unintentional; MVT,	4
4	Unintentional	
5	Unspecified, Self inflicted;	3
	Other	16
<b>TOTAL</b>		<b>58</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 JACKSON		
Rank	Cause	#
1	Fall, Unintentional	788
2	Struck, Unintentional	426
3	Overexertion, Unintentional	204
	MVT, Unintentional	173
4		
5	Natural/Environ, Unintentional	171
	Other	749
<b>TOTAL</b>		<b>2,511</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 JOHNSTON		
Rank	Cause	#
1	MVT, Unintentional	13
2	Suffocation, Self inflicted; Firearm,	2
3	Suffocation, Unintentional; Struck,	1
4		
5		
	Other	0
<b>TOTAL</b>		<b>24</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 JOHNSTON		
Rank	Cause	#
1	Fall, Unintentional	81
2	MVT, Unintentional	43
3	Fire/Burn, Unintentional	39
4	Poisoning, Self inflicted	32
5	Unspecified, Unintentional	31
	Other	173
<b>TOTAL</b>		<b>399</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 JOHNSTON		
Rank	Cause	#
1	Fall, Unintentional	3,936
2	Struck, Unintentional	2,131
3	Other spec/notclass, Unintentional	1,510
4	Unspecified, Unintentional	1,480
5	Natural/Environ, Unintentional	1,305
	Other	4,565
<b>TOTAL</b>		<b>14,927</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 JONES		
Rank	Cause	#
1	MVT, Unintentional	1
2		
3		
4		
5		
	Other	0
<b>TOTAL</b>		<b>1</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 JONES		
Rank	Cause	#
1	MVT, Unintentional	8
2	Natural/Environ, Unintentional	3
	Other spec/class, Unintentional;	2
3	Fall, Unintentional	
	Unspecified, Unintentional;	1
	Unspecified, Assault;	
	Transport,other, Unintentional;	
	Suffocation, Unintentional; Struck,	
	Unintentional; Pedal cyclist,other,	
	Unintentional; Other	
	spec/notclass, Unintentional	
4		
5		
	Other	0
<b>TOTAL</b>		<b>22</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 JONES		
Rank	Cause	#
1	Fall, Unintentional	184
2	Struck, Unintentional	160
	MVT, Unintentional	68
3		
	Natural/Environ, Unintentional	66
4		
5	Overexertion, Unintentional	58
	Other	292
<b>TOTAL</b>		<b>828</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 LEE		
Rank	Cause	#
1	MVT, Unintentional	9
2	Pedestrian,other, Unintentional	2
3	Suffocation, Unintentional;	1
4		
5	Other	0
<b>TOTAL</b>		<b>14</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 LEE		
Rank	Cause	#
1	MVT, Unintentional	48
2	Fall, Unintentional	27
3	Fire/Burn, Unintentional	24
	Poisoning, Self inflicted; Other	17
4	spec/class, Unintentional	
5	Poisoning, Unintentional	16
	Other	73
<b>TOTAL</b>		<b>222</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 LEE		
Rank	Cause	#
1	Fall, Unintentional	385
2	MVT, Unintentional	275
3	Natural/Environ, Unintentional	264
	Struck, Unintentional	215
4		
5	Unspecified, Unintentional	123
	Other	573
<b>TOTAL</b>		<b>1,835</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 LENOIR		
Rank	Cause	#
1	MVT, Unintentional	5
2	Firearm, Assault	3
3	Suffocation, Unintentional; Firearm,	2
4	Poisoning, Unintentional; Drowning,	1
5		
	Other	0
<b>TOTAL</b>		<b>14</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 LENOIR		
Rank	Cause	#
1	MVT, Unintentional	28
2	Fall, Unintentional	19
3	Fire/Burn, Unintentional	14
4	Poisoning, Self inflicted	13
5	Other spec/class, Unintentional	12
	Other	54
<b>TOTAL</b>		<b>140</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 LENOIR		
Rank	Cause	#
1	Fall, Unintentional	1,944
2	Struck, Unintentional	1,296
3	MVT, Unintentional	628
4	Unspecified, Unintentional	571
5	Overexertion, Unintentional	498
	Other	2,341
<b>TOTAL</b>		<b>7,278</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 LINCOLN		
Rank	Cause	#
1	MVT, Unintentional	3
2	Suffocation, Unintentional;	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>7</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 LINCOLN		
Rank	Cause	#
1	MVT, Unintentional	22
2	Poisoning, Self inflicted	21
3	Fall, Unintentional	17
4	Unspecified, Unintentional	14
5	Transport,other, Unintentional	11
	Other	76
<b>TOTAL</b>		<b>161</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 LINCOLN		
Rank	Cause	#
1	Fall, Unintentional	1,974
2	Struck, Unintentional	1,279
3	Overexertion, Unintentional	507
4	MVT, Unintentional	481
5	Cut/pierce, Unintentional	459
	Other	1,970
<b>TOTAL</b>		<b>6,670</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 McDOWELL		
Rank	Cause	#
1	Unspecified, Unintentional; Firearm,	1
2		
3		
4		
5	Other	0
<b>TOTAL</b>		<b>3</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 McDOWELL		
Rank	Cause	#
1	Fall, Unintentional	19
2	MVT, Unintentional	13
3	Poisoning, Unintentional	9
4	Other spec/class, Unintentional	8
	Other spec/notclass,	4
	Unintentional; Cut/pierce, Self	
5	inflicted	
	Other	24
<b>TOTAL</b>		<b>81</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 McDOWELL		
Rank	Cause	#
1	Fall, Unintentional	481
2	Struck, Unintentional	319
3	MVT, Unintentional	229
4	Natural/Environ, Unintentional	117
	Overexertion, Unintentional	94
5	Other	522
<b>TOTAL</b>		<b>1,762</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 MACON		
Rank	Cause	#
1	Suffocation, Self inflicted	2
2	Unspecified, Unintentional	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>3</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 MACON		
Rank	Cause	#
1	Poisoning, Self inflicted	9
2	Fall, Unintentional	8
3	MVT, Unintentional	5
	Transport,other, Unintentional; Struck, Unintentional; Other spec/class, Unintentional	4
4	Unspecified, Unintentional; Unspecified, Self inflicted; Poisoning, Unintentional; Natural/Environ, Unintentional;	2
5	Firearm, Unintentional	
	Other	4
<b>TOTAL</b>		<b>48</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 MACON		
Rank	Cause	#
1	Fall, Unintentional	927
2	Struck, Unintentional	558
3	Overexertion, Unintentional Cut/pierce, Unintentional	236
		216
4	Natural/Environ, Unintentional	203
5	Other	824
<b>TOTAL</b>		<b>2,964</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 MADISON		
Rank	Cause	#
1	MVT, Unintentional	2
2	Poisoning, Unintentional	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>3</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 MADISON		
Rank	Cause	#
1	Fall, Unintentional	8
2	MVT, Unintentional	7
3	Transport,other, Unintentional	4
	Poisoning, Unintentional; Other spec/class, Unintentional; Natural/Environ, Unintentional;	3
4	Cut/pierce, Self inflicted Suffocation, Unintentional;	2
5	Poisoning, Self inflicted	
	Other	5
<b>TOTAL</b>		<b>40</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 MADISON		
Rank	Cause	#
1	Fall, Unintentional	82
2	MVT, Unintentional	51
3	Struck, Unintentional Natural/Environ, Unintentional	46
		20
4	Transport,other, Unintentional	17
5	Other	110
<b>TOTAL</b>		<b>326</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 MARTIN		
Rank	Cause	#
1	Other land transport, Unintentional	2
	Unspecified, Unintentional	1
2		
3		
4		
5	Other	0
<b>TOTAL</b>		<b>3</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 MARTIN		
Rank	Cause	#
1	MVT, Unintentional	9
	Poisoning, Unintentional;	6
	Poisoning, Self inflicted; Fall,	
2	Unintentional	
3	Transport,other, Unintentional	5
	Struck, Unintentional; Fire/Burn,	3
4	Unintentional	
	Other spec/class, Unintentional;	2
	Natural/Environ, Unintentional;	
5	Firearm, Assault	
	Other	6
<b>TOTAL</b>		<b>50</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 MARTIN		
Rank	Cause	#
1	Fall, Unintentional	294
	Struck, Unintentional	208
2		
3	MVT, Unintentional	131
	Unspecified, Unintentional	117
4		
	Natural/Environ, Unintentional	78
5		
	Other	302
<b>TOTAL</b>		<b>1,130</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 MECKLENBURG		
Rank	Cause	#
1	MVT, Unintentional	24
2	Firearm, Assault	19
3	Suffocation, Unintentional;	13
4	Drowning, Unintentional	7
5	Firearm, Self inflicted	5
	Other	31
<b>TOTAL</b>		<b>112</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 MECKLENBURG		
Rank	Cause	#
1	Fall, Unintentional	315
2	Poisoning, Self inflicted	250
3	MVT, Unintentional	182
4	Poisoning, Unintentional	116
5	Unspecified, Unintentional	103
	Other	801
<b>TOTAL</b>		<b>1,767</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 MECKLENBURG		
Rank	Cause	#
1	Fall, Unintentional	19,742
2	Struck, Unintentional	11,302
3	MVT, Unintentional	5,107
4	Unspecified, Unintentional	4,996
5	Other spec/class, Unintentional	4,226
	Other	18,170
<b>TOTAL</b>		<b>63,543</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.



Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 MITCHELL		
Rank	Cause	#
1	MVT, Unintentional	1
2		
3		
4		
5	Other	0
<b>TOTAL</b>		<b>1</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 MITCHELL		
Rank	Cause	#
1	Fall, Unintentional	13
2	Natural/Environ, Unintentional	9
3	Poisoning, Self inflicted	8
4	Unspecified, Unintentional Struck, Unintentional	7 6
5	Other	26
<b>TOTAL</b>		<b>69</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 MITCHELL		
Rank	Cause	#
1	Fall, Unintentional	111
2	Struck, Unintentional	54
3	MVT, Unintentional	45
4	Natural/Environ, Unintentional Overexertion, Unintentional; Other spec/class, Unintentional	22 21
5	Other	77
<b>TOTAL</b>		<b>351</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 MONTGOMERY		
Rank	Cause	#
1	Suffocation, Self inflicted; Other	1
2		
3		
4		
5	Other	0
<b>TOTAL</b>		<b>3</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 MONTGOMERY		
Rank	Cause	#
1	Fall, Unintentional	10
2	MVT, Unintentional	6
3	Fire/Burn, Unintentional Poisoning, Unintentional;	5 4
4	Natural/Environ, Unintentional Unspecified, Self inflicted; Poisoning, Self inflicted; Other spec/class, Unintentional	3 3
5	Other	13
<b>TOTAL</b>		<b>51</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 MONTGOMERY		
Rank	Cause	#
1	Fall, Unintentional	540
2	Struck, Unintentional	409
3	Natural/Environ, Unintentional Overexertion, Unintentional	221 173
4	Other spec/class, Unintentional	160
5	Other	753
<b>TOTAL</b>		<b>2,256</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 MOORE		
Rank	Cause	#
1	MVT, Unintentional	4
2	Firearm, Self inflicted	2
3	Suffocation, Unintentional;	1
4		
5		
	Other	0
<b>TOTAL</b>		<b>10</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 MOORE		
Rank	Cause	#
1	Fall, Unintentional	41
2	Poisoning, Self inflicted	27
3	MVT, Unintentional	24
4	Poisoning, Unintentional	18
5	Fire/Burn, Unintentional	13
	Other	79
<b>TOTAL</b>		<b>202</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 MOORE		
Rank	Cause	#
1	Fall, Unintentional	2,245
2	Struck, Unintentional	1,440
3	MVT, Unintentional	621
4	Overexertion, Unintentional	619
5	Natural/Environ, Unintentional	501
	Other	2,106
<b>TOTAL</b>		<b>7,532</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 NASH		
Rank	Cause	#
1	MVT, Unintentional	7
2	Firearm, Assault	4
3	Struck, Assault; Poisoning,	1
4		
5		
	Other	0
<b>TOTAL</b>		<b>18</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 NASH		
Rank	Cause	#
1	MVT, Unintentional	37
2	Fire/Burn, Unintentional	27
3	Fall, Unintentional	26
4	Poisoning, Self inflicted	20
	Poisoning, Unintentional;	10
5	Natural/Environ, Unintentional	
	Other	79
<b>TOTAL</b>		<b>209</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 NASH		
Rank	Cause	#
1	Fall, Unintentional	689
2	Struck, Unintentional	420
3	MVT, Unintentional	318
4	Natural/Environ, Unintentional	190
	Unspecified, Unintentional	168
5		
	Other	794
<b>TOTAL</b>		<b>2,579</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 NEW HANOVER		
Rank	Cause	#
1	Firearm, Assault	4
2	MVT, Unintentional	2
3	Poisoning, Unintentional; Drowning,	1
4		
5		
	Other	0
<b>TOTAL</b>		<b>8</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 NEW HANOVER		
Rank	Cause	#
1	Fall, Unintentional	66
2	Poisoning, Unintentional	51
3	MVT, Unintentional	42
4	Poisoning, Self inflicted	35
5	Unspecified, Unintentional	28
	Other	197
<b>TOTAL</b>		<b>419</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 NEW HANOVER		
Rank	Cause	#
1	Fall, Unintentional	2,517
2	Struck, Unintentional	1,272
3	MVT, Unintentional	752
4	Unspecified, Unintentional	562
5	Natural/Environ, Unintentional	540
	Other	2,366
<b>TOTAL</b>		<b>8,009</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 NORTHAMPTON		
Rank	Cause	#
1	MVT, Unintentional	3
2	Drowning, Unintentional	2
3	Unspecified, Undetermined;	1
4		
5		
	Other	0
<b>TOTAL</b>		<b>7</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 NORTHAMPTON		
Rank	Cause	#
1	MVT, Unintentional; Fall, Unintentional	5
2	Poisoning, Self inflicted	3
3	Poisoning, Unintentional; Other Unspecified, Unintentional;	2
	Transport,other, Unintentional;	1
4	Struck, Unintentional; Struck, Assault; Poisoning, Undetermined; Pedal cyclist,other, Unintentional; Other spec/notclass, Unintentional;	
5	Other spec/class, Unintentional	
	Other	0
<b>TOTAL</b>		<b>31</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 NORTHAMPTON		
Rank	Cause	#
1	Fall, Unintentional	492
2	Struck, Unintentional	319
3	Other spec/notclass, Unintentional MVT, Unintentional	180
4		171
5	Natural/Environ, Unintentional	150
	Other	716
<b>TOTAL</b>		<b>2,028</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 ONslow		
Rank	Cause	#
1	Drowning, Unintentional	5
2	MVT, Unintentional; Fire/Burn,	4
3	Firearm, Self inflicted	3
4	Unspecified, Assault	2
	Unspecified, Unintentional;	1
	Suffocation, Unintentional;	
	Suffocation, Assault; Poisoning, Self	
	inflicted; Other spec/class, Assault;	
5	Firearm, Unintentional	
	Other	0
<b>TOTAL</b>		<b>24</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 ONslow		
Rank	Cause	#
1	Fall, Unintentional	60
2	Fire/Burn, Unintentional	48
3	MVT, Unintentional	32
4	Natural/Environ, Unintentional	26
	Unspecified, Unintentional	25
5	Other	169
<b>TOTAL</b>		<b>360</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 ONslow		
Rank	Cause	#
1	Fall, Unintentional	4,265
2	Struck, Unintentional	2,511
3	Natural/Environ, Unintentional	1,130
4	Unspecified, Unintentional	1,008
	Other spec/class, Unintentional	897
5	Other	4,135
<b>TOTAL</b>		<b>13,946</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 ORANGE		
Rank	Cause	#
1	MVT, Unintentional	6
2	Suffocation, Self inflicted; Poisoning,	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>11</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 ORANGE		
Rank	Cause	#
1	Fall, Unintentional	73
2	Poisoning, Self inflicted	39
3	Fire/Burn, Unintentional	37
4	MVT, Unintentional	35
	Other spec/class, Unintentional;	18
5	Cut/pierce, Self inflicted	
	Other	102
<b>TOTAL</b>		<b>322</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 ORANGE		
Rank	Cause	#
1	Fall, Unintentional	1,606
2	Struck, Unintentional	807
3	Natural/Environ, Unintentional	316
4	Other spec/class, Unintentional	296
	Cut/pierce, Unintentional	278
5	Other	1,413
<b>TOTAL</b>		<b>4,716</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 PAMLICO		
Rank	Cause	#
1	Suffocation, Self inflicted; Poisoning,	1
2		
3		
4		
5		
	Other	0
<b>TOTAL</b>		<b>2</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 PAMLICO		
Rank	Cause	#
1	Other spec/class, Unintentional	4
2	MVT, Unintentional	3
	Unspecified, Unintentional;	1
	Suffocation, Unintentional; Struck, Unintentional; Poisoning, Self inflicted; Pedal cyclist, other, Unintentional; Natural/Environ, Unintentional; Fire/Burn, Unintentional; Drowning,	
3	Unintentional	
4		
5		
	Other	0
<b>TOTAL</b>		<b>15</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 PAMLICO		
Rank	Cause	#
1	Fall, Unintentional	132
2	Struck, Unintentional	121
	Other spec/class, Unintentional	54
3		
4	Natural/Environ, Unintentional	44
5	Cut/pierce, Unintentional	38
	Other	199
<b>TOTAL</b>		<b>588</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 PASQUOTANK		
Rank	Cause	#
1	MVT, Unintentional	2
2	Suffocation, Unintentional; Firearm,	1
3		
4		
5		
	Other	0
<b>TOTAL</b>		<b>5</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 PASQUOTANK		
Rank	Cause	#
1	Poisoning, Self inflicted	3
2	Struck, Unintentional; Poisoning,	1
3		
4		
5		
	Other	0
<b>TOTAL</b>		<b>9</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 PASQUOTANK		
Rank	Cause	#
1	MVT, Unintentional	155
2	Fall, Unintentional	101
3	Struck, Unintentional	83
4	Natural/Environ, Unintentional	82
5	Unspecified, Unintentional	50
	Other	227
<b>TOTAL</b>		<b>698</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 PENDER		
Rank	Cause	#
1	MVT, Unintentional; Firearm, Self	2
2	Suffocation, Unintentional;	1
3		
4		
5		
	Other	0
<b>TOTAL</b>		<b>10</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 PENDER		
Rank	Cause	#
1	MVT, Unintentional	28
2	Poisoning, Self inflicted	20
3	Fall, Unintentional	19
4	Poisoning, Unintentional	14
5	Natural/Environ, Unintentional	11
	Other	76
<b>TOTAL</b>		<b>168</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 PENDER		
Rank	Cause	#
1	Fall, Unintentional	657
2	Struck, Unintentional	383
3	MVT, Unintentional	302
4	Unspecified, Unintentional	212
5	Natural/Environ, Unintentional	140
	Other	654
<b>TOTAL</b>		<b>2,348</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 PERQUIMANS		
Rank	Cause	#
1	Natural/Environ, Unintentional;	1
2		
3		
4		
5		
	Other	0
<b>TOTAL</b>		<b>3</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 PERQUIMANS		
Rank	Cause	#
1	Fall, Unintentional	2
2	Poisoning, Self inflicted	1
3		
4		
5		
	Other	0
<b>TOTAL</b>		<b>3</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 PERQUIMANS		
Rank	Cause	#
1	Fall, Unintentional	106
2	Struck, Unintentional	75
3	MVT, Unintentional	53
4	Other spec/class, Unintentional	31
5	Natural/Environ, Unintentional	28
	Other	127
<b>TOTAL</b>		<b>420</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 PERSON		
Rank	Cause	#
1	MVT, Unintentional; Firearm,	1
2		
3		
4		
5	Other	0
<b>TOTAL</b>		<b>2</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 PERSON		
Rank	Cause	#
1	MVT, Unintentional	23
	Fire/Burn, Unintentional; Fall,	7
2	Unintentional	
3	Other spec/class, Unintentional	6
	Other spec/notclass, Unintentional	5
4		
5	Natural/Environ, Unintentional	4
	Other	30
<b>TOTAL</b>		<b>82</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 PERSON		
Rank	Cause	#
1	Fall, Unintentional	989
	Struck, Unintentional	658
2		
3	Natural/Environ, Unintentional	354
	MVT, Unintentional	333
4		
5	Overexertion, Unintentional	256
	Other	1,155
<b>TOTAL</b>		<b>3,745</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 PITT		
Rank	Cause	#
1	MVT, Unintentional	6
2	Drowning, Unintentional	4
3	Suffocation, Unintentional	3
4	Unspecified, Assault; Poisoning,	2
	Suffocation, Self inflicted; Fall,	1
5	Unintentional	
	Other	0
<b>TOTAL</b>		<b>25</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 PITT		
Rank	Cause	#
1	Fall, Unintentional	56
2	MVT, Unintentional	53
3	Poisoning, Self inflicted	42
4	Poisoning, Unintentional	36
	Fire/Burn, Unintentional	23
5		
	Other	163
<b>TOTAL</b>		<b>373</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 PITT		
Rank	Cause	#
1	Fall, Unintentional	2,935
2	Struck, Unintentional	2,021
3	MVT, Unintentional	1,304
4	Natural/Environ, Unintentional	768
	Overexertion, Unintentional	747
5		
	Other	3,518
<b>TOTAL</b>		<b>11,293</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death		
POLK		
Rank	Cause	#
1		0
2		0
3		0
4		0
5		0
	Other	0
<b>TOTAL</b>		<b>0</b>

Leading Causes of Injury Hospitalization**		
Ages 0-18: 2010 to 2013		
POLK		
Rank	Cause	#
1	Fall, Unintentional	3
2	Poisoning, Unintentional	2
3	Transport,other, Unintentional;	1
4		
5		
	Other	0
<b>TOTAL</b>		<b>11</b>

Leading Causes of Injury ED Visits**		
Ages 0-18: 2010 to 2013		
POLK		
Rank	Cause	#
1	Fall, Unintentional	270
2	Struck, Unintentional	162
3	Natural/Environ, Unintentional; MVT,	76
4	Overexertion, Unintentional	59
5	Cut/pierce, Unintentional	53
	Other	200
<b>TOTAL</b>		<b>896</b>

Leading Causes of Injury Death		
Ages 0-18: 2010 to 2013		
RANDOLPH		
Rank	Cause	#
1	MVT, Unintentional	13
2	Poisoning, Undetermined; Fire/Burn,	2
3	Unspecified, Undetermined;	1
4		
5		
	Other	0
<b>TOTAL</b>		<b>26</b>

Leading Causes of Injury Hospitalization**		
Ages 0-18: 2010 to 2013		
RANDOLPH		
Rank	Cause	#
1	MVT, Unintentional	46
2	Fall, Unintentional	33
3	Poisoning, Self inflicted	29
	Unspecified, Self inflicted; Other	16
4	spec/class, Unintentional	
	Unspecified, Unintentional;	15
5	Fire/Burn, Unintentional	
	Other	101
<b>TOTAL</b>		<b>271</b>

Leading Causes of Injury ED Visits**		
Ages 0-18: 2010 to 2013		
RANDOLPH		
Rank	Cause	#
1	Fall, Unintentional	3,224
2	Struck, Unintentional	1,873
3	MVT, Unintentional	1,033
	Cut/pierce, Unintentional	682
4		
	Natural/Environ, Unintentional	669
5		
	Other	3,449
<b>TOTAL</b>		<b>10,930</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.



Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 RICHMOND		
Rank	Cause	#
1	MVT, Unintentional	6
2	Suffocation, Unintentional;	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>12</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 RICHMOND		
Rank	Cause	#
1	MVT, Unintentional	28
2	Natural/Environ, Unintentional;	16
3	Other spec/class, Unintentional	13
4	Struck, Unintentional	11
	Unspecified, Unintentional;	8
5	Transport,other, Unintentional	
	Other	49
<b>TOTAL</b>		<b>165</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 RICHMOND		
Rank	Cause	#
1	Fall, Unintentional	1,141
2	Struck, Unintentional	762
3	Unspecified, Unintentional	602
4	MVT, Unintentional	504
	Natural/Environ, Unintentional	448
5	Other	1,689
<b>TOTAL</b>		<b>5,146</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 ROBESON		
Rank	Cause	#
1	MVT, Unintentional	17
2	Drowning, Unintentional	6
3	Suffocation, Unintentional	4
4	Firearm, Self inflicted; Firearm,	3
	Other spec/class, Assault; Firearm,	2
5	Unintentional	
	Other	5
<b>TOTAL</b>		<b>42</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 ROBESON		
Rank	Cause	#
1	MVT, Unintentional	83
2	Unspecified, Unintentional	73
3	Fall, Unintentional	66
4	Poisoning, Self inflicted	50
	Fire/Burn, Unintentional	47
5	Other	229
<b>TOTAL</b>		<b>548</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 ROBESON		
Rank	Cause	#
1	Fall, Unintentional	3,554
2	Struck, Unintentional	2,259
3	MVT, Unintentional	1,697
4	Natural/Environ, Unintentional	1,208
	Cut/pierce, Unintentional	925
5	Other	4,751
<b>TOTAL</b>		<b>14,394</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 ROCKINGHAM		
Rank	Cause	#
1	MVT, Unintentional	5
2	Unspecified, Assault	2
3	Suffocation, Self inflicted; Other	1
4		
5	Other	0
<b>TOTAL</b>		<b>10</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 ROCKINGHAM		
Rank	Cause	#
1	MVT, Unintentional	34
2	Fall, Unintentional	29
3	Unspecified, Self inflicted;	21
4	Poisoning, Unintentional	17
5	Other spec/class, Unintentional	14
	Other	78
<b>TOTAL</b>		<b>214</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 ROCKINGHAM		
Rank	Cause	#
1	Fall, Unintentional	2,174
2	Struck, Unintentional	1,289
3	Natural/Environ, Unintentional	711
4	Unspecified, Unintentional	538
5	MVT, Unintentional	453
	Other	2,053
<b>TOTAL</b>		<b>7,218</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 ROWAN		
Rank	Cause	#
1	MVT, Unintentional	15
2	Drowning, Unintentional	4
3	Suffocation, Unintentional;	2
4	Poisoning, Self inflicted; Other land	1
5	Other	0
<b>TOTAL</b>		<b>29</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 ROWAN		
Rank	Cause	#
1	MVT, Unintentional	55
2	Fall, Unintentional	39
3	Poisoning, Self inflicted; Other	21
4	Unspecified, Self inflicted;	12
5	Transport,other, Unintentional	10
	Other	79
<b>TOTAL</b>		<b>249</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 ROWAN		
Rank	Cause	#
1	Fall, Unintentional	3,111
2	Struck, Unintentional	2,369
3	MVT, Unintentional	1,017
4	Overexertion, Unintentional	842
5	Natural/Environ, Unintentional	813
	Other	3,712
<b>TOTAL</b>		<b>11,864</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 RUTHERFORD		
Rank	Cause	#
1	Natural/Environ, Unintentional	2
2	Suffocation, Unintentional;	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>6</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 RUTHERFORD		
Rank	Cause	#
1	Fall, Unintentional	23
2	MVT, Unintentional	11
3	Transport,other, Unintentional	9
4	Poisoning, Self inflicted	8
	Poisoning, Undetermined; Other	6
5	spec/class, Unintentional	
	Other	34
<b>TOTAL</b>		<b>97</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 RUTHERFORD		
Rank	Cause	#
1	Fall, Unintentional	1,697
2	Struck, Unintentional	1,065
3	Overexertion, Unintentional	568
4	MVT, Unintentional	520
	Unspecified, Unintentional	504
5	Other	1,921
<b>TOTAL</b>		<b>6,275</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 SAMPSON		
Rank	Cause	#
1	MVT, Unintentional	9
2	Suffocation, Unintentional	5
3	Suffocation, Assault; Other	1
4		
5	Other	0
<b>TOTAL</b>		<b>22</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 SAMPSON		
Rank	Cause	#
1	MVT, Unintentional	29
2	Fall, Unintentional	24
3	Poisoning, Self inflicted; Fire/Burn, Unspecified, Unintentional;	16
		12
4	Transport,other, Unintentional	
5	Struck, Unintentional	10
	Other	54
<b>TOTAL</b>		<b>173</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 SAMPSON		
Rank	Cause	#
1	Fall, Unintentional	1,752
2	Struck, Unintentional	1,324
3	Unspecified, Unintentional	669
	MVT, Unintentional	623
4		
5	Natural/Environ, Unintentional	620
	Other	2,215
<b>TOTAL</b>		<b>7,203</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 SCOTLAND		
Rank	Cause	#
1	Firearm, Assault	3
2	Unspecified, Assault; Poisoning,	1
3		
4		
5		
	Other	0
<b>TOTAL</b>		<b>8</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 SCOTLAND		
Rank	Cause	#
1	Fire/Burn, Unintentional	13
2	MVT, Unintentional	10
	Struck, Unintentional; Fall,	9
3	Unintentional	
	Unspecified, Unintentional;	6
4	Poisoning, Self inflicted	
5	Other spec/class, Unintentional	5
	Other	33
<b>TOTAL</b>		<b>91</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 SCOTLAND		
Rank	Cause	#
1	Fall, Unintentional	1,145
2	Struck, Unintentional	807
	MVT, Unintentional	492
3		
	Overexertion, Unintentional	406
4		
5	Natural/Environ, Unintentional	354
	Other	1,585
<b>TOTAL</b>		<b>4,789</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 STANLY		
Rank	Cause	#
1	MVT, Unintentional	6
2	Drowning, Unintentional	2
3	Suffocation, Unintentional; Other	1
4		
5		
	Other	0
<b>TOTAL</b>		<b>11</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 STANLY		
Rank	Cause	#
1	MVT, Unintentional	26
2	Fall, Unintentional	19
3	Other spec/class, Unintentional	12
	Poisoning, Self inflicted; Fire/Burn,	10
4	Unintentional	
5	Transport,other, Unintentional	7
	Other	42
<b>TOTAL</b>		<b>126</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 STANLY		
Rank	Cause	#
1	Fall, Unintentional	696
2	Struck, Unintentional	478
3	MVT, Unintentional	221
	Natural/Environ, Unintentional	180
4		
5	Other spec/notclass, Unintentional	176
	Other	823
<b>TOTAL</b>		<b>2,574</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 STOKES		
Rank	Cause	#
1	MVT, Unintentional	3
2	Suffocation, Unintentional	2
3	Suffocation, Self inflicted; Poisoning,	1
4		
5	Other	0
<b>TOTAL</b>		<b>8</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 STOKES		
Rank	Cause	#
1	Fall, Unintentional	19
2	MVT, Unintentional	16
3	Poisoning, Self inflicted	13
4	Transport,other, Unintentional;	6
4	Poisoning, Unintentional	4
4	Unspecified, Unintentional; Struck, Unintentional; Other spec/class, Assault; Fire/Burn, Unintentional; Cut/pierce, Self inflicted	4
5	Other	23
<b>TOTAL</b>		<b>103</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 STOKES		
Rank	Cause	#
1	Fall, Unintentional	1,348
2	Struck, Unintentional	860
3	MVT, Unintentional	298
4	Cut/pierce, Unintentional	264
4	Overexertion, Unintentional	254
5	Other	1,184
<b>TOTAL</b>		<b>4,208</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 SURRY		
Rank	Cause	#
1	MVT, Unintentional	7
2	Poisoning, Unintentional	2
3	Suffocation, Unintentional; Other	1
4		
5	Other	0
<b>TOTAL</b>		<b>12</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 SURRY		
Rank	Cause	#
1	MVT, Unintentional	32
2	Poisoning, Self inflicted	20
3	Fall, Unintentional	19
4	Struck, Unintentional	12
5	Transport,other, Unintentional	10
	Other	59
<b>TOTAL</b>		<b>152</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 SURRY		
Rank	Cause	#
1	Fall, Unintentional	2,495
2	Struck, Unintentional	1,214
3	Overexertion, Unintentional	695
4	MVT, Unintentional	583
5	Cut/pierce, Unintentional	560
	Other	2,756
<b>TOTAL</b>		<b>8,303</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 SWAIN		
Rank	Cause	#
1	Suffocation, Unintentional;	1
2		
3		
4		
5	Other	0
<b>TOTAL</b>		<b>3</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 SWAIN		
Rank	Cause	#
1	Fall, Unintentional	13
	Poisoning, Unintentional; Other	5
2	spec/class, Unintentional	
	Poisoning, Self inflicted; MVT,	4
3	Unintentional	
	Struck, Unintentional; Fire/Burn,	3
4	Unintentional	
	Unspecified, Unintentional;	2
	Transport,other, Unintentional;	
5	Poisoning, Undetermined	
	Other	6
<b>TOTAL</b>		<b>49</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 SWAIN		
Rank	Cause	#
1	Fall, Unintentional	496
	Struck, Unintentional	351
2		
	Overexertion, Unintentional	187
3		
	MVT, Unintentional	134
4		
	Cut/pierce, Unintentional	122
5		
	Other	488
<b>TOTAL</b>		<b>1,778</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 TRANSYLVANIA		
Rank	Cause	#
1	Poisoning, Assault; Natural/Environ,	1
2		
3		
4		
5	Other	0
<b>TOTAL</b>		<b>3</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 TRANSYLVANIA		
Rank	Cause	#
1	Fall, Unintentional	6
2	Poisoning, Self inflicted	5
	Other spec/notclass,	4
	Unintentional; MVT, Unintentional	
3		
4	Transport,other, Unintentional	3
	Struck, Unintentional; Poisoning,	2
	Undetermined; Other spec/class,	
5	Assault	
	Other	7
<b>TOTAL</b>		<b>35</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 TRANSYLVANIA		
Rank	Cause	#
1	Fall, Unintentional	790
2	Struck, Unintentional	769
	Overexertion, Unintentional	251
3		
4	Natural/Environ, Unintentional	198
	Cut/pierce, Unintentional	191
5		
	Other	844
<b>TOTAL</b>		<b>3,043</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death TYRRELL		
Rank	Cause	#
1		0
2		0
3		0
4		0
5		0
	Other	0
<b>TOTAL</b>		<b>0</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 TYRRELL		
Rank	Cause	#
1	Firearm, Assault	1
2		
3		
4		
5		
	Other	0
<b>TOTAL</b>		<b>1</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 TYRRELL		
Rank	Cause	#
1	Fall, Unintentional	64
2	Struck, Unintentional	38
3	Overexertion, Unintentional	19
4	Other spec/class, Unintentional	14
5	Unspecified, Unintentional	13
	Other	42
<b>TOTAL</b>		<b>190</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 UNION		
Rank	Cause	#
1	MVT, Unintentional	10
2	Firearm, Self inflicted	3
3	Suffocation, Self inflicted; Poisoning,	2
4	Suffocation, Assault;	1
5		
	Other	0
<b>TOTAL</b>		<b>23</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 UNION		
Rank	Cause	#
1	Fall, Unintentional	70
2	Poisoning, Self inflicted	59
3	MVT, Unintentional	41
4	Struck, Unintentional; Other	24
	Poisoning, Unintentional;	21
5	Fire/Burn, Unintentional	
	Other	140
<b>TOTAL</b>		<b>400</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 UNION		
Rank	Cause	#
1	Fall, Unintentional	3,608
2	Struck, Unintentional	2,215
3	MVT, Unintentional	1,081
4	Cut/pierce, Unintentional	1,032
	Unspecified, Unintentional	944
5		
	Other	3,865
<b>TOTAL</b>		<b>12,745</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 VANCE		
Rank	Cause	#
1	Firearm, Assault	3
2	MVT, Unintentional	2
3	Unspecified, Assault; Suffocation,	1
4		
5	Other	0
<b>TOTAL</b>		<b>7</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 VANCE		
Rank	Cause	#
1	Fall, Unintentional	20
2	Fire/Burn, Unintentional	18
3	MVT, Unintentional	13
4	Poisoning, Unintentional	9
	Transport,other, Unintentional;	7
5	Firearm, Assault	
	Other	46
<b>TOTAL</b>		<b>120</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 VANCE		
Rank	Cause	#
1	Fall, Unintentional	1,055
2	Struck, Unintentional	687
3	MVT, Unintentional	400
4	Overexertion, Unintentional	388
	Natural/Environ, Unintentional	375
5	Other	1,284
<b>TOTAL</b>		<b>4,189</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 WAKE		
Rank	Cause	#
1	MVT, Unintentional	29
2	Drowning, Unintentional	10
3	Suffocation, Self inflicted	8
4	Suffocation, Unintentional	7
5	Firearm, Assault	5
	Other	33
<b>TOTAL</b>		<b>92</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 WAKE		
Rank	Cause	#
1	Fall, Unintentional	379
2	Poisoning, Self inflicted	203
3	Fire/Burn, Unintentional	176
4	MVT, Unintentional	158
5	Other spec/class, Unintentional	112
	Other	809
<b>TOTAL</b>		<b>1,837</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 WAKE		
Rank	Cause	#
1	Fall, Unintentional	12,345
2	Struck, Unintentional	8,497
3	MVT, Unintentional	3,145
4	Overexertion, Unintentional	2,847
5	Natural/Environ, Unintentional	2,673
	Other	11,952
<b>TOTAL</b>		<b>41,459</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.



Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 WARREN		
Rank	Cause	#
1	MVT, Unintentional	2
2	Poisoning, Unintentional; Firearm,	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>4</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 WARREN		
Rank	Cause	#
1	Fall, Unintentional	9
2	Poisoning, Self inflicted; Fire/Burn,	6
3	MVT, Unintentional	5
4	Poisoning, Unintentional Unspecified, Unintentional;	4
5	Unspecified, Self inflicted Other	2
		7
<b>TOTAL</b>		<b>41</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 WARREN		
Rank	Cause	#
1	Fall, Unintentional	266
2	Struck, Unintentional	204
3	MVT, Unintentional	112
4	Overexertion, Unintentional Natural/Environ, Unintentional	99
5		91
	Other	348
<b>TOTAL</b>		<b>1,120</b>

Leading Causes of Injury Death WASHINGTON		
Rank	Cause	#
1		0
2		0
3		0
		0
4		
5	Other	0
<b>TOTAL</b>		<b>0</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 WASHINGTON		
Rank	Cause	#
1	Poisoning, Self inflicted	4
2	MVT, Unintentional	3
3	Unspecified, Unintentional; Other Unspecified, Undetermined; Transport, other, Unintentional; Suffocation, Unintentional; Poisoning, Unintentional; Natural/Environ, Unintentional; Machinery, Unintentional; Firearm, Unintentional; Fire/Burn, Unintentional; Cut/pierce, Self inflicted	2
		1
4		
5	Other	0
<b>TOTAL</b>		<b>24</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 WASHINGTON		
Rank	Cause	#
1	Fall, Unintentional	190
2	Struck, Unintentional	152
3	Overexertion, Unintentional; MVT, Unspecified, Unintentional	60
		48
4		
5	Other spec/class, Unintentional Other	38
		171
<b>TOTAL</b>		<b>719</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 WATAUGA		
Rank	Cause	#
1	Drowning, Unintentional	1
2		
3		
4		
5		
	Other	0
<b>TOTAL</b>		<b>1</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 WATAUGA		
Rank	Cause	#
1	Fall, Unintentional	11
	Poisoning, Self inflicted; MVT,	7
2	Unintentional	
3	Struck, Unintentional	6
4	Poisoning, Unintentional	5
5	Unspecified, Unintentional	3
	Other	10
<b>TOTAL</b>		<b>49</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 WATAUGA		
Rank	Cause	#
1	Fall, Unintentional	817
	Struck, Unintentional	456
2		
3	Overexertion, Unintentional	184
4	Cut/pierce, Unintentional	159
5	MVT, Unintentional	144
	Other	638
<b>TOTAL</b>		<b>2,398</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 WAYNE		
Rank	Cause	#
1	MVT, Unintentional	10
2	Firearm, Assault	7
3	Unspecified, Unintentional	2
4	Unspecified, Assault; Suffocation,	1
5		
	Other	0
<b>TOTAL</b>		<b>25</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 WAYNE		
Rank	Cause	#
1	Fall, Unintentional	41
2	MVT, Unintentional	36
3	Other spec/class, Unintentional	23
4	Transport,other, Unintentional	20
5	Poisoning, Self inflicted	18
	Other	129
<b>TOTAL</b>		<b>267</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 WAYNE		
Rank	Cause	#
1	Fall, Unintentional	2,831
2	Struck, Unintentional	1,685
3	MVT, Unintentional	999
4	Unspecified, Unintentional	872
5	Other spec/class, Unintentional	827
	Other	3,744
<b>TOTAL</b>		<b>10,958</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 WILKES		
Rank	Cause	#
1	MVT, Unintentional	5
2	Poisoning, Unintentional	3
3	Suffocation, Assault; Poisoning,	1
4		
5		
	Other	0
<b>TOTAL</b>		<b>11</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 WILKES		
Rank	Cause	#
1	MVT, Unintentional	34
2	Fall, Unintentional	20
3	Poisoning, Self inflicted	16
	Transport,other, Unintentional;	10
	Struck, Unintentional; Other	
4	spec/class, Unintentional	
5	Poisoning, Unintentional	9
	Other	40
<b>TOTAL</b>		<b>149</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 WILKES		
Rank	Cause	#
1	Fall, Unintentional	215
2	MVT, Unintentional	92
3	Struck, Unintentional	89
	Unspecified, Unintentional	50
4		
5	Natural/Environ, Unintentional	40
	Other	222
<b>TOTAL</b>		<b>708</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 WILSON		
Rank	Cause	#
1	MVT, Unintentional	3
2	Struck, Unintentional; Other	1
3		
4		
5		
	Other	0
<b>TOTAL</b>		<b>6</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 WILSON		
Rank	Cause	#
1	Fall, Unintentional	29
2	MVT, Unintentional	25
3	Fire/Burn, Unintentional	19
	Poisoning, Self inflicted; Other	12
4	spec/class, Unintentional	
	Transport,other, Unintentional;	8
5	Poisoning, Unintentional	
	Other	45
<b>TOTAL</b>		<b>158</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 WILSON		
Rank	Cause	#
1	Fall, Unintentional	1,579
2	Struck, Unintentional	934
3	MVT, Unintentional	636
	Overexertion, Unintentional	567
4		
	Natural/Environ, Unintentional	560
5		
	Other	2,193
<b>TOTAL</b>		<b>6,469</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 0-18: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 YADKIN		
Rank	Cause	#
1	MVT, Unintentional	2
2	Poisoning, Unintentional;	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>6</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 YADKIN		
Rank	Cause	#
1	MVT, Unintentional	18
2	Fall, Unintentional	12
3	Poisoning, Self inflicted	11
4	Transport,other, Unintentional	9
5	Other spec/class, Unintentional	7
	Other	31
<b>TOTAL</b>		<b>88</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 YADKIN		
Rank	Cause	#
1	Fall, Unintentional	515
2	Struck, Unintentional	343
3	MVT, Unintentional	184
4	Overexertion, Unintentional	126
5	Other spec/class, Unintentional	87
	Other	505
<b>TOTAL</b>		<b>1,760</b>

Leading Causes of Injury Death Ages 0-18: 2010 to 2013 YANCEY		
Rank	Cause	#
1	Other land transport, Unintentional	1
2		
3		
4		
5	Other	0
<b>TOTAL</b>		<b>1</b>

Leading Causes of Injury Hospitalization** Ages 0-18: 2010 to 2013 YANCEY		
Rank	Cause	#
1	MVT, Unintentional; Fall, Unintentional	6
2	Transport,other, Unintentional	4
3	Other spec/class, Unintentional	3
	Struck, Unintentional;	2
	Natural/Environ, Unintentional;	
4	Fire/Burn, Unintentional	1
	Unspecified, Unintentional; Struck, Assault; Poisoning, Unintentional; Pedestrian,other, Unintentional; Other spec/class, Assault	
5	Other	0
<b>TOTAL</b>		<b>30</b>

Leading Causes of Injury ED Visits** Ages 0-18: 2010 to 2013 YANCEY		
Rank	Cause	#
1	Fall, Unintentional	75
2	MVT, Unintentional	51
3	Struck, Unintentional	32
	Transport,other, Unintentional	18
4	Natural/Environ, Unintentional	16
5	Other	82
<b>TOTAL</b>		<b>274</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.