

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>ALAMANCE |                          |           |
|--|--------------------------|-----------|
| Rank   | Cause                    | #         |
| 1  | MVT, Unintentional       | 21        |
| 2  | Poisoning, Unintentional | 14        |
| 3  | Firearm, Self inflicted  | 13        |
| 4  | Firearm, Assault         | 11        |
| 5  | Drowning, Unintentional  | 4         |
|  | Other                    | 16        |
| <b>TOTAL</b>   |                          | <b>79</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>ALAMANCE |                             |            |
|--|-----------------------------|------------|
| Rank   | Cause                       | #          |
| 1  | Poisoning, Self inflicted   | 185        |
| 2  | MVT, Unintentional          | 133        |
| 3  | Poisoning, Unintentional    | 56         |
| 4  | Fall, Unintentional         | 55         |
| 5  | Unspecified, Unintentional; | 33         |
|  | Other                       | 255        |
| <b>TOTAL</b>   |                             | <b>750</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>ALAMANCE |                             |              |
|--|-----------------------------|--------------|
| Rank   | Cause                       | #            |
| 1  | MVT, Unintentional          | 1,850        |
| 2  | Fall, Unintentional         | 1,383        |
| 3  | Unspecified, Unintentional  | 999          |
| 4  | Overexertion, Unintentional | 811          |
| 5  | Struck, Unintentional       | 792          |
|  | Other                       | 3,040        |
| <b>TOTAL</b>   |                             | <b>8,875</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>ALEXANDER |   |           |
|---|---|-----------|
| Rank  | Cause                                   | #         |
| 1   | Poisoning, Unintentional; Firearm,      | 4         |
| 2   | MVT, Unintentional                      | 3         |
| 3   | Firearm, Assault                        | 2         |
| 4   | Suffocation, Self inflicted; Poisoning, | 1         |
| 5   | Other                                   | 0         |
| <b>TOTAL</b>  |   | <b>17</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>ALEXANDER |                                 |            |
|---|---------------------------------|------------|
| Rank  | Cause                           | #          |
| 1   | MVT, Unintentional              | 31         |
| 2   | Poisoning, Self inflicted       | 21         |
| 3   | Other spec/class, Unintentional | 9          |
| 4   | Poisoning, Unintentional; Fall, | 8          |
| 5   | Poisoning, Undetermined;        | 7          |
|   | Other                           | 38         |
| <b>TOTAL</b>  |                                 | <b>129</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>ALEXANDER |                             |              |
|---|-----------------------------|--------------|
| Rank  | Cause                       | #            |
| 1   | Fall, Unintentional         | 690          |
| 2   | MVT, Unintentional          | 549          |
| 3   | Overexertion, Unintentional | 435          |
| 4   | Struck, Unintentional       | 405          |
| 5   | Unspecified, Unintentional  | 314          |
|   | Other                       | 1,241        |
| <b>TOTAL</b>  |                             | <b>3,634</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>ALLEGHANY |                                 |          |
|---|---------------------------------|----------|
| Rank  | Cause                           | #        |
| 1   | Poisoning, Unintentional        | 4        |
| 2   | Suffocation, Self inflicted     | 2        |
| 3   | Firearm, Undetermined; Firearm, | 1        |
| 4   |                                 |          |
| 5   | Other                           | 0        |
| <b>TOTAL</b>  |                                 | <b>9</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>ALLEGHANY |   |           |
|---|---|-----------|
| Rank  | Cause   | #         |
| 1   | MVT, Unintentional  | 8         |
| 2   | Other spec/class, Unintentional   | 7         |
| 3   | Transport,other, Unintentional  | 3         |
|   | Struck, Assault; Poisoning,<br>Undetermined; Machinery,<br>Unintentional; Fall, Unintentional                                     | 2         |
| 4   | Unspecified, Unintentional;<br>Poisoning, Self inflicted;<br>Overexertion, Unintentional;<br>Firearm, Self inflicted; Cut/pierce, | 1         |
| 5   | Self inflicted  |           |
|   | Other   | 0         |
| <b>TOTAL</b>  |   | <b>31</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>ALLEGHANY |                             |            |
|---|-----------------------------|------------|
| Rank  | Cause                       | #          |
| 1   | Fall, Unintentional         | 119        |
| 2   | Unspecified, Unintentional  | 69         |
| 3   | MVT, Unintentional          | 61         |
|   | Struck, Unintentional       | 57         |
| 4   | Overexertion, Unintentional | 41         |
| 5   | Other                       | 200        |
| <b>TOTAL</b>  |                             | <b>547</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>ANSON |                                       |           |
|---|---------------------------------------|-----------|
| Rank  | Cause                                 | #         |
| 1   | Firearm, Assault                      | 6         |
| 2   | MVT, Unintentional                    | 5         |
| 3   | Suffocation, Self inflicted; Firearm, | 2         |
| 4   | Transport,other, Unintentional;       | 1         |
| 5   | Other                                 | 0         |
| <b>TOTAL</b>  |                                       | <b>18</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>ANSON |                                  |            |
|---|----------------------------------|------------|
| Rank  | Cause                            | #          |
| 1   | MVT, Unintentional               | 29         |
| 2   | Poisoning, Self inflicted        | 11         |
| 3   | Other spec/class, Unintentional; | 6          |
| 4   | Firearm, Assault; Cut/pierce,    | 5          |
| 5   | Poisoning, Unintentional; Other  | 4          |
|   | Other                            | 24         |
| <b>TOTAL</b>  |                                  | <b>104</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>ANSON |                             |              |
|---|-----------------------------|--------------|
| Rank  | Cause                       | #            |
| 1   | MVT, Unintentional          | 452          |
| 2   | Fall, Unintentional         | 341          |
| 3   | Overexertion, Unintentional | 289          |
| 4   | Struck, Unintentional       | 255          |
| 5   | Unspecified, Unintentional  | 251          |
|   | Other                       | 837          |
| <b>TOTAL</b>  |                             | <b>2,425</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>ASHE |                                 |           |
|--|---------------------------------|-----------|
| Rank   | Cause                           | #         |
| 1  | Poisoning, Unintentional; MVT,  | 6         |
| 2  | Firearm, Self inflicted         | 5         |
| 3  | Other spec/NEC, Self inflicted; | 1         |
| 4  |                                 |           |
| 5  | Other                           | 0         |
| <b>TOTAL</b>   |                                 | <b>19</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>ASHE |                                |           |
|--|--------------------------------|-----------|
| Rank   | Cause                          | #         |
| 1  | Poisoning, Self inflicted      | 22        |
| 2  | MVT, Unintentional             | 17        |
| 3  | Fall, Unintentional            | 11        |
| 4  | Transport,other, Unintentional | 10        |
| 5  | Poisoning, Undetermined        | 8         |
|  | Other                          | 25        |
| <b>TOTAL</b>   |                                | <b>93</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>ASHE |                             |              |
|--|-----------------------------|--------------|
| Rank   | Cause                       | #            |
| 1  | Fall, Unintentional         | 429          |
| 2  | Struck, Unintentional       | 302          |
| 3  | Overexertion, Unintentional | 283          |
| 4  | MVT, Unintentional          | 271          |
| 5  | Unspecified, Unintentional  | 248          |
|  | Other                       | 825          |
| <b>TOTAL</b>   |                             | <b>2,358</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>AVERY |                            |          |
|---|----------------------------|----------|
| Rank  | Cause                      | #        |
| 1   | Poisoning, Unintentional   | 3        |
| 2   | Firearm, Self inflicted    | 2        |
|   | Suffocation, Unintentional | 1        |
| 3   |                            |          |
| 4   |                            |          |
| 5   | Other                      | 0        |
| <b>TOTAL</b>  |                            | <b>6</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>AVERY |   |           |
|---|---|-----------|
| Rank  | Cause   | #         |
| 1   | Fall, Unintentional   | 8         |
| 2   | Poisoning, Self inflicted; MVT,<br>Struck, Unintentional; Other | 6         |
|   | spec/class, Unintentional                                       | 4         |
| 3   | Unspecified, Unintentional;                                     | 3         |
| 4   | Natural/Environ, Unintentional                                  |           |
| 5   | Poisoning, Unintentional  | 2         |
|   | Other   | 8         |
| <b>TOTAL</b>  |   | <b>44</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>AVERY |                             |              |
|---|-----------------------------|--------------|
| Rank  | Cause                       | #            |
| 1   | Fall, Unintentional         | 476          |
| 2   | Overexertion, Unintentional | 292          |
|   | Struck, Unintentional       | 224          |
| 3   |                             |              |
|   | MVT, Unintentional          | 223          |
| 4   |                             |              |
| 5   | Cut/pierce, Unintentional   | 204          |
|   | Other                       | 617          |
| <b>TOTAL</b>  |                             | <b>2,036</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>BEAUFORT |                                    |           |
|--|------------------------------------|-----------|
| Rank   | Cause                              | #         |
| 1  | MVT, Unintentional                 | 10        |
| 2  | Poisoning, Unintentional           | 6         |
| 3  | Firearm, Self inflicted            | 2         |
| 4  | Unspecified, Assault; Suffocation, | 1         |
| 5  | Other                              | 0         |
| <b>TOTAL</b>   |                                    | <b>24</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>BEAUFORT |                                 |            |
|--|---------------------------------|------------|
| Rank   | Cause                           | #          |
| 1  | Poisoning, Self inflicted       | 42         |
| 2  | MVT, Unintentional              | 32         |
| 3  | Poisoning, Unintentional        | 13         |
| 4  | Cut/pierce, Self inflicted      | 10         |
|  | Fire/Burn, Unintentional; Fall, | 8          |
| 5  | Unintentional                   |            |
|  | Other                           | 57         |
| <b>TOTAL</b>   |                                 | <b>170</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>BEAUFORT |                             |              |
|--|-----------------------------|--------------|
| Rank   | Cause                       | #            |
| 1  | Fall, Unintentional         | 796          |
| 2  | MVT, Unintentional          | 795          |
| 3  | Unspecified, Unintentional  | 565          |
| 4  | Overexertion, Unintentional | 544          |
|  | Struck, Unintentional       | 537          |
| 5  | Other                       | 1,746        |
| <b>TOTAL</b>   |                             | <b>4,983</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>BERTIE |                                 |          |
|--|---------------------------------|----------|
| Rank   | Cause                           | #        |
| 1  | MVT, Unintentional              | 3        |
| 2  | Transport,other, Unintentional; | 1        |
| 3  |                                 |          |
| 4  |                                 |          |
| 5  | Other                           | 0        |
| <b>TOTAL</b>   |                                 | <b>8</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>BERTIE |                                    |           |
|--|------------------------------------|-----------|
| Rank   | Cause                              | #         |
| 1  | MVT, Unintentional                 | 29        |
| 2  | Poisoning, Self inflicted          | 7         |
|  | Poisoning, Unintentional; Firearm, | 6         |
| 3  | Assault                            |           |
| 4  | Unspecified, Unintentional         | 5         |
|  | Fall, Unintentional; Cut/pierce,   | 4         |
| 5  | Assault                            |           |
|  | Other                              | 17        |
| <b>TOTAL</b>   |                                    | <b>78</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>BERTIE |                             |              |
|--|-----------------------------|--------------|
| Rank   | Cause                       | #            |
| 1  | MVT, Unintentional          | 362          |
| 2  | Fall, Unintentional         | 229          |
|  | Unspecified, Unintentional  | 211          |
| 3  |                             |              |
| 4  | Struck, Unintentional       | 169          |
|  | Overexertion, Unintentional | 138          |
| 5  | Other                       | 713          |
| <b>TOTAL</b>   |                             | <b>1,822</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>BLADEN |                                   |           |
|--|-----------------------------------|-----------|
| Rank   | Cause                             | #         |
| 1  | MVT, Unintentional                | 12        |
|  | Poisoning, Unintentional          | 4         |
| 2  |                                   |           |
| 3  | Firearm, Self inflicted; Firearm, | 3         |
| 4  | Unspecified, Unintentional;       | 1         |
| 5  |                                   |           |
|  | Other                             | 0         |
| <b>TOTAL</b>   |                                   | <b>24</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>BLADEN |   |            |
|--|---|------------|
| Rank   | Cause   | #          |
| 1  | MVT, Unintentional  | 44         |
|  | Unspecified, Unintentional;<br>Poisoning, Unintentional; Other<br>spec/class, Unintentional | 14         |
| 2  |   |            |
| 3  | Poisoning, Self inflicted   | 12         |
| 4  | Struck, Assault   | 11         |
|  | Natural/Environ, Unintentional;   | 10         |
| 5  | Fall, Unintentional   |            |
|  | Other   | 44         |
| <b>TOTAL</b>   |   | <b>173</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>BLADEN |                             |              |
|--|-----------------------------|--------------|
| Rank   | Cause                       | #            |
| 1  | MVT, Unintentional          | 713          |
|  | Fall, Unintentional         | 470          |
| 2  |                             |              |
| 3  | Unspecified, Unintentional  | 406          |
| 4  | Overexertion, Unintentional | 363          |
|  | Struck, Unintentional       | 308          |
| 5  |                             |              |
|  | Other                       | 1,112        |
| <b>TOTAL</b>   |                             | <b>3,372</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>BRUNSWICK |  |           |
|---|--|-----------|
| Rank  | Cause  | #         |
| 1   | Poisoning, Unintentional   | 24        |
| 2   | MVT, Unintentional   | 23        |
| 3   | Firearm, Self inflicted  | 6         |
| 4   | Suffocation, Self inflicted; Firearm,<br>Suffocation, Assault; Poisoning,<br>Undetermined; Poisoning, Self<br>inflicted; Firearm, Legal intervention;<br>Fall, Unintentional; Drowning,<br>Unintentional | 3         |
|   |  | 1         |
| 5   |  |           |
|   | Other  | 0         |
| <b>TOTAL</b>  |  | <b>65</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>BRUNSWICK |                                 |            |
|---|---------------------------------|------------|
| Rank  | Cause                           | #          |
| 1   | MVT, Unintentional              | 90         |
| 2   | Poisoning, Self inflicted       | 53         |
| 3   | Poisoning, Unintentional        | 26         |
| 4   | Fall, Unintentional             | 23         |
|   | Other spec/class, Unintentional | 21         |
| 5   |                                 |            |
|   | Other                           | 120        |
| <b>TOTAL</b>  |                                 | <b>333</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>BRUNSWICK |                             |              |
|---|-----------------------------|--------------|
| Rank  | Cause                       | #            |
| 1   | Fall, Unintentional         | 1,478        |
| 2   | Overexertion, Unintentional | 1,202        |
| 3   | MVT, Unintentional          | 1,152        |
| 4   | Struck, Unintentional       | 933          |
|   | Unspecified, Unintentional  | 675          |
| 5   |                             |              |
|   | Other                       | 2,753        |
| <b>TOTAL</b>  |                             | <b>8,193</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>BUNCOMBE |   |            |
|--|---|------------|
| Rank   | Cause   | #          |
| 1  | Poisoning, Unintentional; MVT,  | 31         |
| 2  | Firearm, Self inflicted   | 21         |
| 3  | Suffocation, Self inflicted   | 6          |
| 4  | Cut/pierce, Assault   | 4          |
|  | Poisoning, Self inflicted; Fall,<br>Unintentional; Drowning,<br>Unintentional | 3          |
| 5  | Other   | 14         |
| <b>TOTAL</b>   |   | <b>116</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>BUNCOMBE |                            |            |
|--|----------------------------|------------|
| Rank   | Cause                      | #          |
| 1  | MVT, Unintentional         | 164        |
| 2  | Poisoning, Self inflicted  | 152        |
| 3  | Fall, Unintentional        | 125        |
| 4  | Cut/pierce, Self inflicted | 58         |
|  | Poisoning, Unintentional   | 53         |
| 5  | Other                      | 343        |
| <b>TOTAL</b>   |                            | <b>895</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>BUNCOMBE |                             |              |
|--|-----------------------------|--------------|
| Rank   | Cause                       | #            |
| 1  | MVT, Unintentional          | 1,569        |
| 2  | Fall, Unintentional         | 1,372        |
| 3  | Struck, Unintentional       | 570          |
| 4  | Unspecified, Unintentional  | 546          |
|  | Overexertion, Unintentional | 534          |
| 5  | Other                       | 2,551        |
| <b>TOTAL</b>   |                             | <b>7,142</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>BURKE |                                  |           |
|---|----------------------------------|-----------|
| Rank  | Cause                            | #         |
| 1   | Poisoning, Unintentional         | 26        |
| 2   | MVT, Unintentional               | 14        |
| 3   | Firearm, Self inflicted          | 6         |
| 4   | Suffocation, Self inflicted      | 4         |
|   | Unspecified, Unintentional;      | 1         |
|   | Unspecified, Assault;            |           |
|   | Pedestrian,other, Unintentional; |           |
|   | Other spec/NEC, Self inflicted;  |           |
| 5   | Drowning, Unintentional          |           |
|   | Other                            | 0         |
| <b>TOTAL</b>  |                                  | <b>55</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>BURKE |                                 |            |
|---|---------------------------------|------------|
| Rank  | Cause                           | #          |
| 1   | Poisoning, Self inflicted       | 77         |
| 2   | MVT, Unintentional              | 40         |
| 3   | Poisoning, Unintentional        | 26         |
| 4   | Other spec/class, Unintentional | 23         |
|   | Fall, Unintentional             | 22         |
| 5   | Other                           | 133        |
| <b>TOTAL</b>  |                                 | <b>321</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>BURKE |                             |               |
|---|-----------------------------|---------------|
| Rank  | Cause                       | #             |
| 1   | Fall, Unintentional         | 1,990         |
| 2   | MVT, Unintentional          | 1,417         |
| 3   | Overexertion, Unintentional | 1,310         |
| 4   | Struck, Unintentional       | 1,260         |
|   | Unspecified, Unintentional  | 882           |
| 5   | Other                       | 3,490         |
| <b>TOTAL</b>  |                             | <b>10,349</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>CABARRUS |                             |           |
|--|-----------------------------|-----------|
| Rank   | Cause                       | #         |
| 1  | Poisoning, Unintentional    | 27        |
| 2  | MVT, Unintentional          | 15        |
| 3  | Firearm, Assault            | 9         |
| 4  | Suffocation, Self inflicted | 7         |
| 5  | Firearm, Self inflicted     | 6         |
|  | Other                       | 14        |
| <b>TOTAL</b>   |                             | <b>78</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>CABARRUS |                                 |            |
|--|---------------------------------|------------|
| Rank   | Cause                           | #          |
| 1  | MVT, Unintentional              | 100        |
| 2  | Poisoning, Self inflicted       | 84         |
| 3  | Poisoning, Unintentional        | 72         |
| 4  | Fall, Unintentional             | 50         |
| 5  | Other spec/class, Unintentional | 30         |
|  | Other                           | 170        |
| <b>TOTAL</b>   |                                 | <b>506</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>CABARRUS |                             |               |
|--|-----------------------------|---------------|
| Rank   | Cause                       | #             |
| 1  | MVT, Unintentional          | 2,483         |
| 2  | Fall, Unintentional         | 1,781         |
| 3  | Overexertion, Unintentional | 1,555         |
| 4  | Struck, Unintentional       | 1,309         |
| 5  | Unspecified, Unintentional  | 866           |
|  | Other                       | 3,913         |
| <b>TOTAL</b>   |                             | <b>11,907</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>CALDWELL |                                     |           |
|--|-------------------------------------|-----------|
| Rank   | Cause                               | #         |
| 1  | MVT, Unintentional                  | 17        |
| 2  | Poisoning, Unintentional            | 10        |
| 3  | Firearm, Self inflicted             | 9         |
| 4  | Poisoning, Self inflicted; Firearm, | 5         |
| 5  | Suffocation, Self inflicted         | 4         |
|  | Other                               | 9         |
| <b>TOTAL</b>   |                                     | <b>59</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>CALDWELL |                                 |            |
|--|---------------------------------|------------|
| Rank   | Cause                           | #          |
| 1  | Poisoning, Self inflicted       | 55         |
| 2  | MVT, Unintentional              | 54         |
| 3  | Poisoning, Unintentional        | 28         |
| 4  | Fall, Unintentional             | 24         |
| 5  | Other spec/class, Unintentional | 21         |
|  | Other                           | 81         |
| <b>TOTAL</b>   |                                 | <b>263</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>CALDWELL |                             |              |
|--|-----------------------------|--------------|
| Rank   | Cause                       | #            |
| 1  | Fall, Unintentional         | 2,128        |
| 2  | MVT, Unintentional          | 1,473        |
| 3  | Struck, Unintentional       | 1,216        |
| 4  | Overexertion, Unintentional | 1,179        |
| 5  | Cut/pierce, Unintentional   | 807          |
|  | Other                       | 3,158        |
| <b>TOTAL</b>   |                             | <b>9,961</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>CAMDEN |                         |          |
|--|-------------------------|----------|
| Rank   | Cause                   | #        |
| 1  | Firearm, Self inflicted | 1        |
| 2  |                         |          |
| 3  |                         |          |
| 4  |                         |          |
| 5  | Other                   | 0        |
| <b>TOTAL</b>   |                         | <b>1</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>CAMDEN |  |          |
|--|--|----------|
| Rank   | Cause  | #        |
| 1  | Poisoning, Self inflicted  | 4        |
|  | Unspecified, Unintentional; MVT,<br>Unintentional; Fall, Unintentional | 1        |
| 2  |  |          |
| 3  |  |          |
| 4  |  |          |
| 5  | Other  | 0        |
| <b>TOTAL</b>   |  | <b>7</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>CAMDEN |  |            |
|--|--|------------|
| Rank   | Cause  | #          |
| 1  | MVT, Unintentional                                       | 33         |
|  | Fall, Unintentional                                      | 16         |
| 2  |  |            |
| 3  | Unspecified, Unintentional                               | 11         |
| 4  | Transport,other, Unintentional<br>Struck, Unintentional; | 9<br>8     |
| 5  | Natural/Environ, Unintentional<br>Other                  | 23         |
| <b>TOTAL</b>   |  | <b>108</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>CARTERET |   |           |
|--|---|-----------|
| Rank   | Cause                                     | #         |
| 1  | Poisoning, Unintentional                  | 14        |
| 2  | MVT, Unintentional                        | 7         |
| 3  | Suffocation, Self inflicted               | 6         |
| 4  | Firearm, Self inflicted                   | 5         |
|  | Unspecified, Assault; Firearm,<br>Assault | 1         |
| 5  | Other                                     | 0         |
| <b>TOTAL</b>   |   | <b>34</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>CARTERET |  |            |
|--|--|------------|
| Rank   | Cause  | #          |
| 1  | Poisoning, Self inflicted  | 54         |
| 2  | MVT, Unintentional   | 39         |
| 3  | Fall, Unintentional  | 22         |
| 4  | Poisoning, Unintentional   | 16         |
|  | Unspecified, Unintentional;<br>Poisoning, Undetermined; Other<br>spec/class, Unintentional | 11         |
| 5  | Other  | 79         |
| <b>TOTAL</b>   |  | <b>243</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>CARTERET |   |              |
|--|---|--------------|
| Rank   | Cause   | #            |
| 1  | Fall, Unintentional                                       | 1,261        |
| 2  | Struck, Unintentional                                     | 889          |
| 3  | MVT, Unintentional  | 859          |
| 4  | Overexertion, Unintentional<br>Unspecified, Unintentional | 808<br>774   |
| 5  | Other   | 2,751        |
| <b>TOTAL</b>   |   | <b>7,342</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.



Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>CASWELL |                                      |          |
|---|--------------------------------------|----------|
| Rank  | Cause                                | #        |
| 1   | MVT, Unintentional                   | 5        |
| 2   | Firearm, Self inflicted              | 2        |
| 3   | Poisoning, Unintentional; Other land | 1        |
| 4   |                                      |          |
| 5   | Other                                | 0        |
| <b>TOTAL</b>  |                                      | <b>9</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>CASWELL |                                 |           |
|---|---------------------------------|-----------|
| Rank  | Cause                           | #         |
| 1   | MVT, Unintentional              | 15        |
| 2   | Poisoning, Self inflicted       | 7         |
| 3   | Fire/Burn, Unintentional        | 6         |
| 4   | Other spec/class, Unintentional | 4         |
|   | Transport,other, Unintentional; | 3         |
| 5   | Overexertion, Unintentional     |           |
|   | Other                           | 15        |
| <b>TOTAL</b>  |                                 | <b>53</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>CASWELL |                             |            |
|---|-----------------------------|------------|
| Rank  | Cause                       | #          |
| 1   | MVT, Unintentional          | 154        |
| 2   | Fall, Unintentional         | 150        |
| 3   | Overexertion, Unintentional | 114        |
| 4   | Struck, Unintentional       | 89         |
|   | Unspecified, Unintentional  | 88         |
| 5   | Other                       | 317        |
| <b>TOTAL</b>  |                             | <b>912</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>CATAWBA |                              |           |
|---|------------------------------|-----------|
| Rank  | Cause                        | #         |
| 1   | MVT, Unintentional           | 20        |
| 2   | Poisoning, Unintentional     | 18        |
| 3   | Firearm, Self inflicted      | 12        |
| 4   | Firearm, Assault             | 11        |
|   | Suffocation, Self inflicted; | 5         |
| 5   | Cut/pierce, Assault          |           |
|   | Other                        | 12        |
| <b>TOTAL</b>  |                              | <b>83</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>CATAWBA |                                 |            |
|---|---------------------------------|------------|
| Rank  | Cause                           | #          |
| 1   | MVT, Unintentional              | 115        |
| 2   | Poisoning, Self inflicted       | 104        |
| 3   | Cut/pierce, Self inflicted      | 42         |
| 4   | Fall, Unintentional             | 37         |
|   | Other spec/class, Unintentional | 35         |
| 5   | Other                           | 207        |
| <b>TOTAL</b>  |                                 | <b>540</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>CATAWBA |                             |               |
|---|-----------------------------|---------------|
| Rank  | Cause                       | #             |
| 1   | Fall, Unintentional         | 3,133         |
| 2   | MVT, Unintentional          | 2,511         |
| 3   | Overexertion, Unintentional | 1,845         |
| 4   | Struck, Unintentional       | 1,810         |
|   | Unspecified, Unintentional  | 1,465         |
| 5   | Other                       | 5,610         |
| <b>TOTAL</b>  |                             | <b>16,374</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>CHATHAM |                                       |           |
|---|---------------------------------------|-----------|
| Rank  | Cause                                 | #         |
| 1   | MVT, Unintentional                    | 15        |
| 2   | Poisoning, Unintentional              | 11        |
| 3   | Suffocation, Self inflicted; Firearm, | 2         |
| 4   | Poisoning, Self inflicted; Firearm,   | 1         |
| 5   | Other                                 | 0         |
| <b>TOTAL</b>  |                                       | <b>32</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>CHATHAM |                                  |            |
|---|----------------------------------|------------|
| Rank  | Cause                            | #          |
| 1   | MVT, Unintentional               | 36         |
| 2   | Poisoning, Unintentional         | 18         |
| 3   | Poisoning, Self inflicted        | 16         |
| 4   | Other spec/class, Unintentional; | 9          |
| 5   | Transport,other, Unintentional   | 8          |
|   | Other                            | 41         |
| <b>TOTAL</b>  |                                  | <b>137</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>CHATHAM |                             |              |
|---|-----------------------------|--------------|
| Rank  | Cause                       | #            |
| 1   | MVT, Unintentional          | 448          |
| 2   | Fall, Unintentional         | 386          |
| 3   | Overexertion, Unintentional | 297          |
| 4   | Struck, Unintentional       | 277          |
| 5   | Unspecified, Unintentional  | 244          |
|   | Other                       | 1,000        |
| <b>TOTAL</b>  |                             | <b>2,652</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>CHEROKEE |                             |           |
|--|-----------------------------|-----------|
| Rank   | Cause                       | #         |
| 1  | Poisoning, Unintentional    | 8         |
|  | MVT, Unintentional          | 3         |
| 2  | Firearm, Self inflicted     | 2         |
| 3  | Unspecified, Unintentional; | 1         |
| 4  | Other                       | 0         |
| <b>TOTAL</b>   |                             | <b>19</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>CHEROKEE |   |           |
|--|---|-----------|
| Rank   | Cause   | #         |
| 1  | Poisoning, Unintentional  | 19        |
|  | Poisoning, Self inflicted; Fall,<br>Unintentional   | 9         |
| 2  | Other spec/class, Unintentional;  | 6         |
| 3  | MVT, Unintentional  | 5         |
| 4  | Natural/Environ, Unintentional  | 2         |
|  | Unspecified, Unintentional;<br>Struck, Assault; Other<br>spec/notclass, Unintentional;<br>Other spec/notclass, Assault; | 8         |
| 5  | Cut/pierce, Self inflicted  | 8         |
|  | Other   | 8         |
| <b>TOTAL</b>   |   | <b>72</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>CHEROKEE |                             |            |
|--|-----------------------------|------------|
| Rank   | Cause                       | #          |
| 1  | Fall, Unintentional         | 198        |
|  | MVT, Unintentional          | 82         |
| 2  | Unspecified, Unintentional  | 74         |
| 3  | Struck, Unintentional       | 65         |
| 4  | Overexertion, Unintentional | 53         |
| 5  | Other                       | 278        |
| <b>TOTAL</b>   |                             | <b>750</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>CHOWAN |                            |          |
|--|----------------------------|----------|
| Rank   | Cause                      | #        |
| 1  | MVT, Unintentional         | 4        |
| 2  | Firearm, Assault           | 2        |
|  | Unspecified, Unintentional | 1        |
| 3  |                            |          |
| 4  |                            |          |
| 5  | Other                      | 0        |
| <b>TOTAL</b>   |                            | <b>7</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>CHOWAN |                                     |           |
|--|-------------------------------------|-----------|
| Rank   | Cause                               | #         |
| 1  | MVT, Unintentional                  | 9         |
| 2  | Poisoning, Self inflicted           | 5         |
|  | Poisoning, Unintentional; Firearm,  | 3         |
| 3  | Assault                             |           |
| 4  | Unspecified, Unintentional; Other   | 2         |
|  | Transport,other, Unintentional;     | 1         |
|  | Pedal cyclist,other, Unintentional; |           |
|  | Firearm, Unintentional; Fire/Burn,  |           |
|  | Unintentional                       |           |
| 5  | Other                               | 0         |
| <b>TOTAL</b>   |                                     | <b>34</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>CHOWAN |                             |              |
|--|-----------------------------|--------------|
| Rank   | Cause                       | #            |
| 1  | MVT, Unintentional          | 199          |
| 2  | Unspecified, Unintentional  | 197          |
|  | Fall, Unintentional         | 161          |
| 3  |                             |              |
| 4  | Overexertion, Unintentional | 128          |
|  | Struck, Unintentional       | 124          |
| 5  | Other                       | 410          |
| <b>TOTAL</b>   |                             | <b>1,219</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>CLAY |                          |          |
|--|--------------------------|----------|
| Rank   | Cause                    | #        |
|  | Poisoning, Unintentional | 3        |
| 1  | Firearm, Assault         | 1        |
| 2  |                          |          |
| 3  |                          |          |
| 4  |                          |          |
| 5  | Other                    | 0        |
| <b>TOTAL</b>   |                          | <b>4</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>CLAY |                                      |           |
|--|--------------------------------------|-----------|
| Rank   | Cause                                | #         |
|  | Transport,other, Unintentional;      | 2         |
|  | Poisoning, Unintentional;            |           |
|  | Poisoning, Self inflicted;           |           |
| 1  | Cut/pierce, Unintentional            |           |
|  | Unspecified, Unintentional; Other    | 1         |
|  | spec/notclass, Unintentional;        |           |
|  | Other spec/notclass, Self inflicted; |           |
|  | Natural/Environ, Unintentional;      |           |
|  | MVT, Unintentional; Firearm,         |           |
|  | Unintentional; Fall, Unintentional   |           |
| 2  |                                      |           |
| 3  |                                      |           |
| 4  |                                      |           |
| 5  | Other                                | 0         |
| <b>TOTAL</b>   |                                      | <b>15</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>CLAY |                             |            |
|--|-----------------------------|------------|
| Rank   | Cause                       | #          |
|  | Fall, Unintentional         | 43         |
| 1  | MVT, Unintentional          | 30         |
| 2  |                             |            |
| 3  | Overexertion, Unintentional | 18         |
| 4  | Unspecified, Unintentional  | 17         |
| 5  | Struck, Unintentional       | 10         |
|  | Other                       | 62         |
| <b>TOTAL</b>   |                             | <b>180</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>CLEVELAND |                             |           |
|---|-----------------------------|-----------|
| Rank  | Cause                       | #         |
| 1   | MVT, Unintentional          | 13        |
| 2   | Poisoning, Unintentional    | 11        |
| 3   | Firearm, Self inflicted     | 9         |
| 4   | Firearm, Assault            | 7         |
| 5   | Suffocation, Self inflicted | 6         |
|   | Other                       | 5         |
| <b>TOTAL</b>  |                             | <b>51</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>CLEVELAND |                                 |            |
|---|---------------------------------|------------|
| Rank  | Cause                           | #          |
| 1   | Poisoning, Self inflicted       | 85         |
| 2   | MVT, Unintentional              | 75         |
| 3   | Poisoning, Unintentional        | 43         |
| 4   | Fall, Unintentional             | 31         |
| 5   | Other spec/class, Unintentional | 21         |
|   | Other                           | 166        |
| <b>TOTAL</b>  |                                 | <b>421</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>CLEVELAND |                             |               |
|---|-----------------------------|---------------|
| Rank  | Cause                       | #             |
| 1   | Fall, Unintentional         | 2,157         |
| 2   | MVT, Unintentional          | 2,096         |
| 3   | Overexertion, Unintentional | 1,549         |
| 4   | Unspecified, Unintentional  | 1,334         |
| 5   | Struck, Unintentional       | 1,311         |
|   | Other                       | 4,574         |
| <b>TOTAL</b>  |                             | <b>13,021</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>COLUMBUS |   |           |
|--|---|-----------|
| Rank   | Cause   | #         |
| 1  | MVT, Unintentional  | 18        |
| 2  | Poisoning, Unintentional; Firearm,<br>Firearm, Self inflicted | 9         |
| 3  |   | 4         |
| 4  | Unspecified, Unintentional;                                   | 1         |
| 5  | Other   | 0         |
| <b>TOTAL</b>   |   | <b>46</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>COLUMBUS |   |            |
|--|---|------------|
| Rank   | Cause   | #          |
| 1  | MVT, Unintentional                                | 75         |
| 2  | Other spec/class, Unintentional                   | 28         |
| 3  | Poisoning, Self inflicted; Fall,<br>Unintentional | 25         |
| 4  | Poisoning, Unintentional                          | 24         |
| 5  | Unspecified, Unintentional                        | 14         |
|  | Other   | 94         |
| <b>TOTAL</b>   |   | <b>285</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>COLUMBUS |                             |              |
|--|-----------------------------|--------------|
| Rank   | Cause                       | #            |
| 1  | MVT, Unintentional          | 1,193        |
| 2  | Fall, Unintentional         | 817          |
|  | Overexertion, Unintentional | 791          |
| 3  |                             |              |
| 4  | Struck, Unintentional       | 552          |
| 5  | Unspecified, Unintentional  | 527          |
|  | Other                       | 1,983        |
| <b>TOTAL</b>   |                             | <b>5,863</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>CRAVEN |   |           |
|--|---|-----------|
| Rank   | Cause   | #         |
| 1  | MVT, Unintentional  | 16        |
| 2  | Poisoning, Unintentional; Firearm,<br>Suffocation, Self inflicted | 15        |
| 3  | Firearm, Assault  | 6         |
| 4  | Other land transport, Unintentional;                              | 5         |
| 5  | Fall, Unintentional   | 1         |
|  | Other   | 0         |
| <b>TOTAL</b>   |   | <b>59</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>CRAVEN |                                  |            |
|--|----------------------------------|------------|
| Rank   | Cause                            | #          |
| 1  | Poisoning, Self inflicted        | 126        |
| 2  | MVT, Unintentional               | 88         |
|  | Other spec/class, Unintentional; | 29         |
| 3  | Cut/pierce, Self inflicted       |            |
| 4  | Fall, Unintentional              | 28         |
|  | Poisoning, Unintentional         | 25         |
| 5  | Other                            | 165        |
| <b>TOTAL</b>   |                                  | <b>490</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>CRAVEN |                             |               |
|--|-----------------------------|---------------|
| Rank   | Cause                       | #             |
| 1  | Fall, Unintentional         | 1,664         |
| 2  | Overexertion, Unintentional | 1,468         |
|  | MVT, Unintentional          | 1,420         |
| 3  | Struck, Unintentional       | 1,414         |
| 4  | Unspecified, Unintentional  | 1,297         |
| 5  | Other                       | 4,065         |
| <b>TOTAL</b>   |                             | <b>11,328</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>CUMBERLAND |                             |            |
|--|-----------------------------|------------|
| Rank   | Cause                       | #          |
| 1  | MVT, Unintentional          | 76         |
| 2  | Firearm, Assault            | 59         |
| 3  | Firearm, Self inflicted     | 49         |
| 4  | Poisoning, Unintentional    | 47         |
| 5  | Suffocation, Self inflicted | 18         |
|  | Other                       | 54         |
| <b>TOTAL</b>   |                             | <b>303</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>CUMBERLAND |                            |              |
|--|----------------------------|--------------|
| Rank   | Cause                      | #            |
| 1  | MVT, Unintentional         | 361          |
| 2  | Poisoning, Self inflicted  | 281          |
| 3  | Unspecified, Unintentional | 175          |
| 4  | Fall, Unintentional        | 103          |
| 5  | Firearm, Assault           | 95           |
|  | Other                      | 774          |
| <b>TOTAL</b>   |                            | <b>1,789</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>CUMBERLAND |                             |               |
|--|-----------------------------|---------------|
| Rank   | Cause                       | #             |
| 1  | MVT, Unintentional          | 5,488         |
| 2  | Unspecified, Unintentional  | 3,088         |
| 3  | Fall, Unintentional         | 2,745         |
| 4  | Struck, Unintentional       | 1,989         |
| 5  | Overexertion, Unintentional | 1,892         |
|  | Other                       | 7,592         |
| <b>TOTAL</b>   |                             | <b>22,794</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>CURRITUCK |                                 |           |
|---|---------------------------------|-----------|
| Rank  | Cause                           | #         |
| 1   | MVT, Unintentional              | 5         |
| 2   | Transport,other, Unintentional; | 1         |
| 3   |                                 |           |
| 4   |                                 |           |
| 5   |                                 |           |
|   | Other                           | 0         |
| <b>TOTAL</b>  |                                 | <b>11</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>CURRITUCK |                                 |           |
|---|---------------------------------|-----------|
| Rank  | Cause                           | #         |
| 1   | Poisoning, Self inflicted       | 4         |
| 2   | Poisoning, Unintentional        | 3         |
| 3   | Transport,other, Unintentional; | 1         |
| 4   |                                 |           |
| 5   |                                 |           |
|   | Other                           | 0         |
| <b>TOTAL</b>  |                                 | <b>15</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>CURRITUCK |                             |            |
|---|-----------------------------|------------|
| Rank  | Cause                       | #          |
| 1   | Fall, Unintentional         | 106        |
| 2   | MVT, Unintentional          | 91         |
| 3   | Unspecified, Unintentional; | 53         |
| 4   | Struck, Unintentional       | 52         |
| 5   | Overexertion, Unintentional | 49         |
|   | Other                       | 142        |
| <b>TOTAL</b>  |                             | <b>546</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>DARE |                                   |           |
|--|-----------------------------------|-----------|
| Rank   | Cause                             | #         |
| 1  | Firearm, Self inflicted           | 5         |
|  | Poisoning, Unintentional          | 4         |
| 2  |                                   |           |
| 3  | Suffocation, Self inflicted; MVT, | 3         |
| 4  | Transport,other, Unintentional;   | 1         |
| 5  |                                   |           |
|  | Other                             | 0         |
| <b>TOTAL</b>   |                                   | <b>19</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>DARE |                                  |           |
|--|----------------------------------|-----------|
| Rank   | Cause                            | #         |
| 1  | Other spec/class, Unintentional; | 5         |
|  | Fall, Unintentional              |           |
|  | Unspecified, Unintentional;      | 4         |
|  | Poisoning, Self inflicted; MVT,  |           |
| 2  | Unintentional                    | 2         |
| 3  | Transport,other, Unintentional   | 2         |
| 4  | Poisoning, Undetermined; Other   | 1         |
| 5  |                                  |           |
|  | Other                            | 0         |
| <b>TOTAL</b>   |                                  | <b>28</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>DARE |                            |              |
|--|----------------------------|--------------|
| Rank   | Cause                      | #            |
| 1  | Fall, Unintentional        | 348          |
|  | MVT, Unintentional         | 208          |
| 2  |                            |              |
| 3  | Cut/pierce, Unintentional  | 193          |
| 4  | Struck, Unintentional      | 190          |
| 5  | Unspecified, Unintentional | 167          |
|  | Other                      | 681          |
| <b>TOTAL</b>   |                            | <b>1,787</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>DAVIDSON |                                       |           |
|--|---------------------------------------|-----------|
| Rank   | Cause                                 | #         |
| 1  | Poisoning, Unintentional              | 29        |
| 2  | MVT, Unintentional                    | 23        |
| 3  | Firearm, Self inflicted               | 8         |
| 4  | Suffocation, Self inflicted; Firearm, | 6         |
| 5  | Suffocation, Unintentional            | 3         |
|  | Other                                 | 14        |
| <b>TOTAL</b>   |                                       | <b>89</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>DAVIDSON |                                 |            |
|--|---------------------------------|------------|
| Rank   | Cause                           | #          |
| 1  | MVT, Unintentional              | 125        |
| 2  | Poisoning, Self inflicted       | 86         |
| 3  | Poisoning, Unintentional        | 45         |
| 4  | Fall, Unintentional             | 35         |
| 5  | Other spec/class, Unintentional | 27         |
|  | Other                           | 162        |
| <b>TOTAL</b>   |                                 | <b>480</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>DAVIDSON |                             |               |
|--|-----------------------------|---------------|
| Rank   | Cause                       | #             |
| 1  | Fall, Unintentional         | 3,443         |
| 2  | Overexertion, Unintentional | 3,064         |
| 3  | MVT, Unintentional          | 2,586         |
| 4  | Unspecified, Unintentional  | 2,452         |
| 5  | Struck, Unintentional       | 2,134         |
|  | Other                       | 6,029         |
| <b>TOTAL</b>   |                             | <b>19,708</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>DAVIE |                                     |           |
|---|-------------------------------------|-----------|
| Rank  | Cause                               | #         |
| 1   | MVT, Unintentional                  | 6         |
| 2   | Poisoning, Unintentional; Firearm,  | 4         |
| 3   | Suffocation, Self inflicted         | 2         |
| 4   | Poisoning, Self inflicted; Firearm, | 1         |
| 5   | Other                               | 0         |
| <b>TOTAL</b>  |                                     | <b>20</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>DAVIE |                                 |            |
|---|---------------------------------|------------|
| Rank  | Cause                           | #          |
| 1   | Poisoning, Self inflicted       | 23         |
| 2   | MVT, Unintentional              | 14         |
| 3   | Fall, Unintentional             | 13         |
| 4   | Poisoning, Unintentional        | 7          |
| 5   | Other spec/class, Unintentional | 6          |
|   | Other                           | 37         |
| <b>TOTAL</b>  |                                 | <b>100</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>DAVIE |                             |              |
|---|-----------------------------|--------------|
| Rank  | Cause                       | #            |
| 1   | Fall, Unintentional         | 357          |
| 2   | MVT, Unintentional          | 348          |
| 3   | Unspecified, Unintentional  | 200          |
| 4   | Overexertion, Unintentional | 194          |
| 5   | Struck, Unintentional       | 176          |
|   | Other                       | 609          |
| <b>TOTAL</b>  |                             | <b>1,884</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>DUPLIN |  |           |
|--|--|-----------|
| Rank   | Cause  | #         |
| 1  | MVT, Unintentional   | 9         |
| 2  | Poisoning, Unintentional   | 7         |
| 3  | Firearm, Self inflicted  | 4         |
| 4  | Suffocation, Self inflicted  | 3         |
|  | Suffocation, Unintentional;<br>Poisoning, Self inflicted; Firearm, | 1         |
| 5  | Assault  |           |
|  | Other  | 0         |
| <b>TOTAL</b>   |  | <b>26</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>DUPLIN |                                 |            |
|--|---------------------------------|------------|
| Rank   | Cause                           | #          |
| 1  | MVT, Unintentional              | 58         |
| 2  | Poisoning, Self inflicted       | 25         |
| 3  | Fall, Unintentional             | 15         |
| 4  | Fire/Burn, Unintentional        | 12         |
|  | Other spec/class, Unintentional | 11         |
| 5  |                                 |            |
|  | Other                           | 97         |
| <b>TOTAL</b>   |                                 | <b>218</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>DUPLIN |                             |              |
|--|-----------------------------|--------------|
| Rank   | Cause                       | #            |
| 1  | MVT, Unintentional          | 986          |
| 2  | Unspecified, Unintentional  | 657          |
| 3  | Fall, Unintentional         | 580          |
| 4  | Overexertion, Unintentional | 421          |
|  | Struck, Unintentional       | 331          |
| 5  |                             |              |
|  | Other                       | 1,367        |
| <b>TOTAL</b>   |                             | <b>4,342</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>DURHAM |                              |            |
|--|------------------------------|------------|
| Rank   | Cause                        | #          |
| 1  | Firearm, Assault             | 49         |
| 2  | MVT, Unintentional           | 27         |
| 3  | Poisoning, Unintentional     | 22         |
| 4  | Suffocation, Self inflicted; | 8          |
| 5  | Firearm, Self inflicted      | 7          |
|  | Other                        | 15         |
| <b>TOTAL</b>   |                              | <b>136</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>DURHAM |                                 |              |
|--|---------------------------------|--------------|
| Rank   | Cause                           | #            |
| 1  | MVT, Unintentional              | 185          |
| 2  | Poisoning, Self inflicted       | 151          |
| 3  | Fall, Unintentional             | 99           |
| 4  | Firearm, Assault                | 72           |
| 5  | Other spec/class, Unintentional | 58           |
|  | Other                           | 448          |
| <b>TOTAL</b>   |                                 | <b>1,013</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>DURHAM |                             |               |
|--|-----------------------------|---------------|
| Rank   | Cause                       | #             |
| 1  | MVT, Unintentional          | 4,550         |
| 2  | Fall, Unintentional         | 2,200         |
| 3  | Overexertion, Unintentional | 1,660         |
| 4  | Struck, Unintentional       | 1,456         |
| 5  | Unspecified, Unintentional  | 1,293         |
|  | Other                       | 6,158         |
| <b>TOTAL</b>   |                             | <b>17,317</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.



Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>EDGECOMBE |                           |           |
|---|---------------------------|-----------|
| Rank  | Cause                     | #         |
| 1   | Firearm, Assault          | 12        |
| 2   | MVT, Unintentional        | 7         |
| 3   | Poisoning, Unintentional  | 5         |
|   | Poisoning, Self inflicted | 3         |
| 4   |                           |           |
| 5   | Cut/pierce, Assault       | 2         |
|   | Other                     | 3         |
| <b>TOTAL</b>  |                           | <b>32</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>EDGECOMBE |                                 |            |
|---|---------------------------------|------------|
| Rank  | Cause                           | #          |
| 1   | MVT, Unintentional              | 60         |
| 2   | Poisoning, Self inflicted       | 59         |
| 3   | Firearm, Assault                | 26         |
|   | Poisoning, Unintentional; Other | 19         |
| 4   | spec/class, Unintentional       |            |
| 5   | Cut/pierce, Self inflicted      | 18         |
|   | Other                           | 99         |
| <b>TOTAL</b>  |                                 | <b>300</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>EDGECOMBE |                             |              |
|---|-----------------------------|--------------|
| Rank  | Cause                       | #            |
| 1   | MVT, Unintentional          | 636          |
| 2   | Fall, Unintentional         | 350          |
| 3   | Unspecified, Unintentional  | 320          |
|   | Overexertion, Unintentional | 267          |
| 4   |                             |              |
| 5   | Struck, Unintentional       | 246          |
|   | Other                       | 1,096        |
| <b>TOTAL</b>  |                             | <b>2,915</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>FORSYTH |                             |            |
|---|-----------------------------|------------|
| Rank  | Cause                       | #          |
| 1   | MVT, Unintentional          | 40         |
| 2   | Poisoning, Unintentional    | 34         |
| 3   | Firearm, Assault            | 24         |
| 4   | Firearm, Self inflicted     | 12         |
| 5   | Suffocation, Self inflicted | 10         |
|   | Other                       | 26         |
| <b>TOTAL</b>  |                             | <b>146</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>FORSYTH |                           |              |
|---|---------------------------|--------------|
| Rank  | Cause                     | #            |
| 1   | MVT, Unintentional        | 279          |
| 2   | Poisoning, Self inflicted | 247          |
| 3   | Fall, Unintentional       | 112          |
| 4   | Poisoning, Unintentional  | 72           |
| 5   | Poisoning, Undetermined   | 58           |
|   | Other                     | 476          |
| <b>TOTAL</b>  |                           | <b>1,244</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>FORSYTH |                             |               |
|---|-----------------------------|---------------|
| Rank  | Cause                       | #             |
| 1   | MVT, Unintentional          | 4,907         |
| 2   | Fall, Unintentional         | 4,087         |
| 3   | Overexertion, Unintentional | 3,040         |
| 4   | Struck, Unintentional       | 2,701         |
| 5   | Unspecified, Unintentional  | 2,495         |
|   | Other                       | 8,809         |
| <b>TOTAL</b>  |                             | <b>26,039</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>FRANKLIN |   |           |
|--|---|-----------|
| Rank   | Cause                                   | #         |
| 1  | MVT, Unintentional                      | 12        |
| 2  | Poisoning, Unintentional; Firearm,      | 7         |
| 3  | Firearm, Assault                        | 6         |
| 4  | Suffocation, Self inflicted; Fire/Burn, | 2         |
|  | Other spec/NEC, Self inflicted;         | 1         |
|  | Other land transport, Unintentional;    |           |
|  | Drowning, Unintentional                 |           |
| 5  | Other                                   | 0         |
| <b>TOTAL</b>   |   | <b>39</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>FRANKLIN |                           |            |
|--|---------------------------|------------|
| Rank   | Cause                     | #          |
| 1  | MVT, Unintentional        | 33         |
| 2  | Poisoning, Self inflicted | 25         |
| 3  | Poisoning, Unintentional  | 16         |
| 4  | Fire/Burn, Unintentional  | 13         |
|  | Fall, Unintentional       | 12         |
| 5  | Other                     | 68         |
| <b>TOTAL</b>   |                           | <b>167</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>FRANKLIN |                             |              |
|--|-----------------------------|--------------|
| Rank   | Cause                       | #            |
| 1  | MVT, Unintentional          | 774          |
| 2  | Fall, Unintentional         | 494          |
| 3  | Overexertion, Unintentional | 463          |
| 4  | Unspecified, Unintentional  | 438          |
|  | Struck, Unintentional       | 384          |
| 5  | Other                       | 1,141        |
| <b>TOTAL</b>   |                             | <b>3,694</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>GASTON |                             |            |
|--|-----------------------------|------------|
| Rank   | Cause                       | #          |
| 1  | Poisoning, Unintentional    | 40         |
| 2  | MVT, Unintentional          | 28         |
| 3  | Firearm, Assault            | 13         |
| 4  | Suffocation, Self inflicted | 6          |
| 5  | Firearm, Self inflicted     | 5          |
|  | Other                       | 15         |
| <b>TOTAL</b>   |                             | <b>107</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>GASTON |                                 |            |
|--|---------------------------------|------------|
| Rank   | Cause                           | #          |
| 1  | Poisoning, Self inflicted       | 253        |
| 2  | MVT, Unintentional              | 132        |
| 3  | Poisoning, Unintentional        | 86         |
| 4  | Fall, Unintentional             | 76         |
| 5  | Other spec/class, Unintentional | 50         |
|  | Other                           | 329        |
| <b>TOTAL</b>   |                                 | <b>926</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>GASTON |                             |               |
|--|-----------------------------|---------------|
| Rank   | Cause                       | #             |
| 1  | MVT, Unintentional          | 3,991         |
| 2  | Fall, Unintentional         | 3,988         |
| 3  | Overexertion, Unintentional | 2,747         |
| 4  | Struck, Unintentional       | 2,372         |
| 5  | Unspecified, Unintentional  | 1,711         |
|  | Other                       | 7,117         |
| <b>TOTAL</b>   |                             | <b>21,926</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>GATES |                            |          |
|---|----------------------------|----------|
| Rank  | Cause                      | #        |
| 1   | MVT, Unintentional         | 2        |
| 2   | Poisoning, Self inflicted; | 1        |
| 3   |                            |          |
| 4   |                            |          |
| 5   |                            |          |
|   | Other                      | 0        |
| <b>TOTAL</b>  |                            | <b>4</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>GATES |  |           |
|---|--|-----------|
| Rank  | Cause  | #         |
| 1   | Poisoning, Unintentional   | 3         |
| 2   | Poisoning, Self inflicted; MVT,<br>Suffocation, Unintentional; Other<br>spec/class, Unintentional; | 2         |
| 3   | Natural/Environ, Unintentional   | 1         |
| 4   |  |           |
| 5   |  |           |
|   | Other  | 0         |
| <b>TOTAL</b>  |  | <b>10</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>GATES |  |            |
|---|--|------------|
| Rank  | Cause  | #          |
| 1   | Struck, Unintentional                                  | 43         |
| 2   | MVT, Unintentional; Fall,<br>Cut/pierce, Unintentional | 39         |
|   |  | 28         |
| 3   |  |            |
| 4   | Overexertion, Unintentional                            | 24         |
| 5   | Natural/Environ, Unintentional                         | 23         |
|   | Other  | 81         |
| <b>TOTAL</b>  |  | <b>277</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>GRAHAM |                                |           |
|--|--------------------------------|-----------|
| Rank   | Cause                          | #         |
| 1  | Poisoning, Unintentional       | 5         |
|  | Firearm, Self inflicted        | 2         |
| 2  |                                |           |
| 3  | Poisoning, Undetermined; Other | 1         |
| 4  |                                |           |
| 5  |                                |           |
|  | Other                          | 0         |
| <b>TOTAL</b>   |                                | <b>12</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>GRAHAM |                                 |           |
|--|---------------------------------|-----------|
| Rank   | Cause                           | #         |
| 1  | MVT, Unintentional              | 10        |
|  | Poisoning, Unintentional;       | 9         |
| 2  | Poisoning, Self inflicted       |           |
| 3  | Other spec/class, Unintentional | 8         |
| 4  | Unspecified, Unintentional      | 5         |
|  | Other spec/notclass,            | 3         |
| 5  | Unintentional                   |           |
|  | Other                           | 11        |
| <b>TOTAL</b>   |                                 | <b>55</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>GRAHAM |                             |            |
|--|-----------------------------|------------|
| Rank   | Cause                       | #          |
| 1  | Fall, Unintentional         | 124        |
|  | MVT, Unintentional          | 98         |
| 2  |                             |            |
| 3  | Overexertion, Unintentional | 93         |
| 4  | Unspecified, Unintentional  | 66         |
|  | Struck, Unintentional       | 62         |
| 5  |                             |            |
|  | Other                       | 210        |
| <b>TOTAL</b>   |                             | <b>653</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>GRANVILLE |                             |           |
|---|-----------------------------|-----------|
| Rank  | Cause                       | #         |
| 1   | MVT, Unintentional          | 9         |
| 2   | Poisoning, Unintentional    | 7         |
| 3   | Firearm, Self inflicted     | 4         |
| 4   | Firearm, Assault            | 3         |
| 5   | Suffocation, Self inflicted | 1         |
|   | Other                       | 0         |
| <b>TOTAL</b>  |                             | <b>24</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>GRANVILLE |                                 |            |
|---|---------------------------------|------------|
| Rank  | Cause                           | #          |
| 1   | MVT, Unintentional              | 47         |
| 2   | Poisoning, Self inflicted       | 26         |
| 3   | Other spec/class, Unintentional | 20         |
| 4   | Fall, Unintentional             | 13         |
| 5   | Poisoning, Unintentional        | 12         |
|   | Other                           | 68         |
| <b>TOTAL</b>  |                                 | <b>186</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>GRANVILLE |                             |              |
|---|-----------------------------|--------------|
| Rank  | Cause                       | #            |
| 1   | MVT, Unintentional          | 667          |
| 2   | Fall, Unintentional         | 546          |
| 3   | Overexertion, Unintentional | 448          |
| 4   | Struck, Unintentional       | 384          |
| 5   | Cut/pierce, Unintentional   | 256          |
|   | Other                       | 1,266        |
| <b>TOTAL</b>  |                             | <b>3,567</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>GREENE |                                       |           |
|--|---------------------------------------|-----------|
| Rank   | Cause                                 | #         |
| 1  | MVT, Unintentional                    | 5         |
| 2  | Firearm, Assault                      | 4         |
| 3  | Poisoning, Unintentional              | 3         |
| 4  | Suffocation, Self inflicted; Firearm, | 1         |
| 5  | Other                                 | 0         |
| <b>TOTAL</b>   |                                       | <b>16</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>GREENE |                                 |           |
|--|---------------------------------|-----------|
| Rank   | Cause                           | #         |
| 1  | MVT, Unintentional              | 21        |
| 2  | Poisoning, Self inflicted       | 12        |
| 3  | Other spec/class, Unintentional | 10        |
| 4  | Fall, Unintentional             | 8         |
| 5  | Transport,other, Unintentional  | 4         |
|  | Other                           | 34        |
| <b>TOTAL</b>   |                                 | <b>89</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>GREENE |                             |              |
|--|-----------------------------|--------------|
| Rank   | Cause                       | #            |
| 1  | MVT, Unintentional          | 283          |
| 2  | Fall, Unintentional         | 199          |
| 3  | Overexertion, Unintentional | 168          |
| 4  | Unspecified, Unintentional  | 157          |
| 5  | Struck, Unintentional       | 139          |
|  | Other                       | 528          |
| <b>TOTAL</b>   |                             | <b>1,474</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>GUILFORD |                             |            |
|--|-----------------------------|------------|
| Rank   | Cause                       | #          |
| 1  | MVT, Unintentional          | 62         |
| 2  | Poisoning, Unintentional    | 49         |
| 3  | Firearm, Assault            | 48         |
| 4  | Firearm, Self inflicted     | 26         |
| 5  | Suffocation, Self inflicted | 13         |
|  | Other                       | 43         |
| <b>TOTAL</b>   |                             | <b>241</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>GUILFORD |                            |              |
|--|----------------------------|--------------|
| Rank   | Cause                      | #            |
| 1  | Poisoning, Self inflicted  | 586          |
| 2  | MVT, Unintentional         | 297          |
| 3  | Fall, Unintentional        | 179          |
| 4  | Poisoning, Unintentional   | 99           |
| 5  | Unspecified, Unintentional | 85           |
|  | Other                      | 782          |
| <b>TOTAL</b>   |                            | <b>2,028</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>GUILFORD |                             |               |
|--|-----------------------------|---------------|
| Rank   | Cause                       | #             |
| 1  | MVT, Unintentional          | 4,959         |
| 2  | Fall, Unintentional         | 3,468         |
| 3  | Unspecified, Unintentional  | 2,382         |
| 4  | Struck, Unintentional       | 2,235         |
| 5  | Overexertion, Unintentional | 1,878         |
|  | Other                       | 8,856         |
| <b>TOTAL</b>   |                             | <b>23,778</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>HALIFAX |   |           |
|---|---|-----------|
| Rank  | Cause   | #         |
| 1   | Firearm, Assault  | 18        |
| 2   | MVT, Unintentional  | 16        |
| 3   | Firearm, Self inflicted   | 6         |
| 4   | Poisoning, Unintentional  | 4         |
|   | Other spec/class, Unintentional;<br>Fire/Burn, Unintentional; Cut/pierce, | 2         |
| 5   | Assault   |           |
|   | Other   | 4         |
| <b>TOTAL</b>  |   | <b>54</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>HALIFAX |                            |            |
|---|----------------------------|------------|
| Rank  | Cause                      | #          |
| 1   | Poisoning, Self inflicted  | 72         |
| 2   | MVT, Unintentional         | 59         |
| 3   | Cut/pierce, Self inflicted | 21         |
| 4   | Firearm, Assault           | 20         |
|   | Fall, Unintentional        | 15         |
| 5   |                            |            |
|   | Other                      | 121        |
| <b>TOTAL</b>  |                            | <b>308</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>HALIFAX |                                    |              |
|---|------------------------------------|--------------|
| Rank  | Cause                              | #            |
| 1   | MVT, Unintentional                 | 1,278        |
| 2   | Unspecified, Unintentional         | 1,018        |
| 3   | Fall, Unintentional                | 925          |
| 4   | Other spec/notclass, Unintentional | 605          |
|   | Struck, Unintentional              | 554          |
| 5   |                                    |              |
|   | Other                              | 2,806        |
| <b>TOTAL</b>  |                                    | <b>7,186</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>HARNETT |                             |           |
|---|-----------------------------|-----------|
| Rank  | Cause                       | #         |
| 1   | MVT, Unintentional          | 20        |
| 2   | Firearm, Assault            | 19        |
| 3   | Firearm, Self inflicted     | 12        |
| 4   | Poisoning, Unintentional    | 11        |
| 5   | Suffocation, Self inflicted | 4         |
|   | Other                       | 11        |
| <b>TOTAL</b>  |                             | <b>77</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>HARNETT |   |            |
|---|---|------------|
| Rank  | Cause   | #          |
| 1   | Poisoning, Self inflicted; MVT, Unintentional | 75         |
| 2   | Poisoning, Unintentional                      | 45         |
| 3   | Other spec/class, Unintentional               | 42         |
| 4   | Fall, Unintentional                           | 26         |
| 5   | Natural/Environ, Unintentional                | 20         |
|   | Other   | 163        |
| <b>TOTAL</b>  |   | <b>446</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>HARNETT |                             |              |
|---|-----------------------------|--------------|
| Rank  | Cause                       | #            |
| 1   | MVT, Unintentional          | 1,514        |
| 2   | Unspecified, Unintentional  | 1,399        |
| 3   | Fall, Unintentional         | 1,223        |
| 4   | Overexertion, Unintentional | 971          |
| 5   | Struck, Unintentional       | 815          |
|   | Other                       | 2,722        |
| <b>TOTAL</b>  |                             | <b>8,644</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>HAYWOOD |   |           |
|---|---|-----------|
| Rank  | Cause   | #         |
| 1   | Poisoning, Unintentional  | 15        |
| 2   | MVT, Unintentional  | 7         |
| 3   | Firearm, Self inflicted   | 6         |
| 4   | Suffocation, Self inflicted; Firearm, Suffocation, Unintentional; | 2         |
|   | Natural/Environ, Unintentional;                                   | 1         |
| 5   | Fire/Burn, Unintentional  |           |
|   | Other   | 0         |
| <b>TOTAL</b>  |   | <b>35</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>HAYWOOD |                           |            |
|---|---------------------------|------------|
| Rank  | Cause                     | #          |
| 1   | Poisoning, Self inflicted | 42         |
| 2   | MVT, Unintentional        | 35         |
| 3   | Fall, Unintentional       | 16         |
| 4   | Poisoning, Unintentional  | 14         |
|   | Poisoning, Undetermined   | 12         |
| 5   |                           |            |
|   | Other                     | 79         |
| <b>TOTAL</b>  |                           | <b>198</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>HAYWOOD |                             |              |
|---|-----------------------------|--------------|
| Rank  | Cause                       | #            |
| 1   | Fall, Unintentional         | 962          |
| 2   | Unspecified, Unintentional  | 712          |
| 3   | MVT, Unintentional          | 629          |
| 4   | Overexertion, Unintentional | 480          |
|   | Cut/pierce, Unintentional   | 408          |
| 5   |                             |              |
|   | Other                       | 1,713        |
| <b>TOTAL</b>  |                             | <b>4,904</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>HENDERSON |   |           |
|---|---|-----------|
| Rank  | Cause   | #         |
| 1   | Poisoning, Unintentional  | 22        |
| 2   | MVT, Unintentional  | 12        |
| 3   | Firearm, Self inflicted   | 6         |
| 4   | Suffocation, Self inflicted   | 3         |
|   | Poisoning, Undetermined; Firearm,<br>Assault; Drowning, Unintentional | 2         |
| 5   | Other   | 4         |
| <b>TOTAL</b>  |   | <b>53</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>HENDERSON |                           |            |
|---|---------------------------|------------|
| Rank  | Cause                     | #          |
| 1   | Poisoning, Self inflicted | 134        |
| 2   | MVT, Unintentional        | 54         |
| 3   | Poisoning, Undetermined   | 34         |
| 4   | Fall, Unintentional       | 32         |
|   | Poisoning, Unintentional  | 26         |
| 5   | Other                     | 107        |
| <b>TOTAL</b>  |                           | <b>387</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>HENDERSON |                             |              |
|---|-----------------------------|--------------|
| Rank  | Cause                       | #            |
| 1   | Fall, Unintentional         | 908          |
| 2   | MVT, Unintentional          | 861          |
| 3   | Overexertion, Unintentional | 398          |
| 4   | Struck, Unintentional       | 386          |
|   | Unspecified, Unintentional  | 348          |
| 5   | Other                       | 1,326        |
| <b>TOTAL</b>  |                             | <b>4,227</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>HERTFORD |   |           |
|--|---|-----------|
| Rank   | Cause   | #         |
| 1  | MVT, Unintentional  | 5         |
| 2  | Poisoning, Unintentional; Firearm,<br>Fall, Unintentional | 2         |
|  |   | 1         |
| 3  |   |           |
| 4  |   |           |
| 5  | Other   | 0         |
| <b>TOTAL</b>   |   | <b>12</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>HERTFORD |  |           |
|--|--|-----------|
| Rank   | Cause  | #         |
| 1  | MVT, Unintentional   | 23        |
| 2  | Poisoning, Self inflicted  | 9         |
|  | Unspecified, Unintentional;<br>Struck, Assault; Firearm, Assault   | 5         |
| 3  |  |           |
| 4  | Poisoning, Unintentional; Other  | 3         |
|  | Transport, other, Unintentional;<br>Firearm, Unintentional;<br>Cut/pierce, Unintentional;<br>Cut/pierce, Self inflicted; | 2         |
| 5  | Cut/pierce, Assault  |           |
|  | Other  | 3         |
| <b>TOTAL</b>   |  | <b>72</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>HERTFORD |                            |              |
|--|----------------------------|--------------|
| Rank   | Cause                      | #            |
| 1  | MVT, Unintentional         | 396          |
| 2  | Fall, Unintentional        | 290          |
|  | Struck, Unintentional      | 215          |
| 3  |                            |              |
| 4  | Unspecified, Unintentional | 174          |
|  | Cut/pierce, Unintentional  | 168          |
| 5  | Other                      | 769          |
| <b>TOTAL</b>   |                            | <b>2,012</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>HOKE |   |           |
|--|---|-----------|
| Rank   | Cause   | #         |
| 1  | MVT, Unintentional  | 10        |
| 2  | Firearm, Self inflicted   | 6         |
| 3  | Poisoning, Unintentional; Firearm,  | 4         |
| 4  | Firearm, Unintentional  | 2         |
|  | Suffocation, Self inflicted; Struck,<br>Unintentional; Poisoning, Self<br>inflicted | 1         |
| 5  | Other   | 0         |
| <b>TOTAL</b>   |   | <b>29</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>HOKE |  |            |
|--|--|------------|
| Rank   | Cause  | #          |
| 1  | MVT, Unintentional                                     | 50         |
| 2  | Poisoning, Self inflicted                              | 22         |
| 3  | Other spec/class, Unintentional;                       | 13         |
| 4  | Unspecified, Unintentional<br>Poisoning, Unintentional | 12<br>10   |
| 5  | Other  | 60         |
| <b>TOTAL</b>   |  | <b>180</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>HOKE |   |              |
|--|---|--------------|
| Rank   | Cause   | #            |
| 1  | MVT, Unintentional                                  | 767          |
| 2  | Fall, Unintentional                                 | 415          |
| 3  | Overexertion, Unintentional                         | 320          |
| 4  | Unspecified, Unintentional<br>Struck, Unintentional | 292<br>250   |
| 5  | Other   | 899          |
| <b>TOTAL</b>   |   | <b>2,943</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>HYDE |                    |          |
|--|--------------------|----------|
| Rank   | Cause              | #        |
| 1  | MVT, Unintentional | 2        |
| 2  |                    |          |
| 3  |                    |          |
| 4  |                    |          |
| 5  | Other              | 0        |
| <b>TOTAL</b>   |                    | <b>2</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>HYDE |   |           |
|--|---|-----------|
| Rank   | Cause   | #         |
| 1  | Transport,other, Unintentional;   | 3         |
| 2  | Poisoning, Self inflicted   | 2         |
| 3  | Fire/Burn, Unintentional  | 1         |
| 4  | Other spec/notclass, Assault;<br>MVT, Unintentional; Fall,<br>Unintentional |           |
| 5  | Other   | 0         |
| <b>TOTAL</b>   |   | <b>11</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>HYDE |  |            |
|--|--|------------|
| Rank   | Cause  | #          |
| 1  | Fall, Unintentional                              | 59         |
| 2  | MVT, Unintentional<br>Unspecified, Unintentional | 52<br>47   |
| 3  |  |            |
| 4  | Struck, Unintentional                            | 38         |
| 5  | Overexertion, Unintentional<br>Other             | 34<br>145  |
| <b>TOTAL</b>   |  | <b>375</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.



Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>IREDELL |                             |           |
|---|-----------------------------|-----------|
| Rank  | Cause                       | #         |
| 1   | Poisoning, Unintentional    | 29        |
| 2   | MVT, Unintentional          | 21        |
| 3   | Suffocation, Self inflicted | 7         |
| 4   | Firearm, Self inflicted     | 6         |
| 5   | Poisoning, Self inflicted   | 5         |
|   | Other                       | 7         |
| <b>TOTAL</b>  |                             | <b>75</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>IREDELL |                                 |            |
|---|---------------------------------|------------|
| Rank  | Cause                           | #          |
| 1   | MVT, Unintentional              | 101        |
| 2   | Poisoning, Self inflicted       | 88         |
| 3   | Fall, Unintentional             | 58         |
| 4   | Poisoning, Unintentional        | 51         |
| 5   | Other spec/class, Unintentional | 43         |
|   | Other                           | 206        |
| <b>TOTAL</b>  |                                 | <b>547</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>IREDELL |                             |               |
|---|-----------------------------|---------------|
| Rank  | Cause                       | #             |
| 1   | MVT, Unintentional          | 2,566         |
| 2   | Fall, Unintentional         | 2,329         |
| 3   | Overexertion, Unintentional | 1,874         |
| 4   | Unspecified, Unintentional  | 1,534         |
| 5   | Struck, Unintentional       | 1,461         |
|   | Other                       | 4,636         |
| <b>TOTAL</b>  |                             | <b>14,400</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>JACKSON |                                     |           |
|---|-------------------------------------|-----------|
| Rank  | Cause                               | #         |
| 1   | Poisoning, Unintentional            | 8         |
| 2   | Suffocation, Self inflicted         | 3         |
| 3   | Poisoning, Self inflicted; Firearm, | 2         |
| 4   | Struck, Unintentional; MVT,         | 1         |
| 5   | Other                               | 0         |
| <b>TOTAL</b>  |                                     | <b>21</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>JACKSON |  |           |
|---|--|-----------|
| Rank  | Cause  | #         |
| 1   | Poisoning, Self inflicted; MVT, Unintentional; Fall, Unintentional | 15        |
| 2   | Poisoning, Unintentional   | 9         |
| 3   | Other spec/class, Unintentional                                    | 7         |
| 4   | Unspecified, Unintentional;  | 3         |
| 5   | Transport,other, Unintentional;                                    | 2         |
|   | Other  | 4         |
| <b>TOTAL</b>  |  | <b>83</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>JACKSON |                             |              |
|---|-----------------------------|--------------|
| Rank  | Cause                       | #            |
| 1   | Fall, Unintentional         | 558          |
| 2   | Overexertion, Unintentional | 384          |
| 3   | MVT, Unintentional          | 363          |
| 4   | Unspecified, Unintentional  | 320          |
| 5   | Struck, Unintentional       | 292          |
|   | Other                       | 917          |
| <b>TOTAL</b>  |                             | <b>2,834</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>JOHNSTON |                             |           |
|--|-----------------------------|-----------|
| Rank   | Cause                       | #         |
| 1  | MVT, Unintentional          | 29        |
| 2  | Poisoning, Unintentional    | 22        |
| 3  | Firearm, Assault            | 7         |
| 4  | Firearm, Self inflicted     | 6         |
| 5  | Suffocation, Self inflicted | 4         |
|  | Other                       | 21        |
| <b>TOTAL</b>   |                             | <b>89</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>JOHNSTON |                                 |            |
|--|---------------------------------|------------|
| Rank   | Cause                           | #          |
| 1  | MVT, Unintentional              | 94         |
| 2  | Poisoning, Self inflicted       | 92         |
| 3  | Other spec/class, Unintentional | 53         |
| 4  | Fall, Unintentional             | 36         |
| 5  | Cut/pierce, Self inflicted      | 35         |
|  | Other                           | 266        |
| <b>TOTAL</b>   |                                 | <b>576</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>JOHNSTON |                             |               |
|--|-----------------------------|---------------|
| Rank   | Cause                       | #             |
| 1  | Unspecified, Unintentional  | 2,208         |
| 2  | Fall, Unintentional         | 2,187         |
| 3  | MVT, Unintentional          | 2,182         |
| 4  | Overexertion, Unintentional | 1,442         |
| 5  | Struck, Unintentional       | 1,201         |
|  | Other                       | 5,155         |
| <b>TOTAL</b>   |                             | <b>14,375</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>JONES |                         |          |
|---|-------------------------|----------|
| Rank  | Cause                   | #        |
| 1   | MVT, Unintentional      | 2        |
| 2   | Firearm, Self inflicted | 1        |
| 3   |                         |          |
| 4   |                         |          |
| 5   | Other                   | 0        |
| <b>TOTAL</b>  |                         | <b>3</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>JONES |   |           |
|---|---|-----------|
| Rank  | Cause   | #         |
| 1   | MVT, Unintentional  | 11        |
| 2   | Poisoning, Self inflicted                                 | 5         |
| 3   | Fire/Burn, Unintentional                                  | 4         |
| 4   | Poisoning, Unintentional; Other spec/class, Unintentional | 3         |
| 5   | Fall, Unintentional; Cut/pierce, Unintentional            | 2         |
|   | Other   | 7         |
| <b>TOTAL</b>  |   | <b>37</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>JONES |                             |              |
|---|-----------------------------|--------------|
| Rank  | Cause                       | #            |
| 1   | MVT, Unintentional          | 189          |
| 2   | Fall, Unintentional         | 170          |
| 3   | Overexertion, Unintentional | 150          |
|   | Unspecified, Unintentional  | 138          |
| 4   | Struck, Unintentional       | 100          |
| 5   | Other                       | 342          |
| <b>TOTAL</b>  |                             | <b>1,089</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>LEE |  |           |
|---|--|-----------|
| Rank  | Cause  | #         |
| 1   | MVT, Unintentional                             | 22        |
| 2   | Poisoning, Unintentional                       | 12        |
| 3   | Firearm, Assault                               | 11        |
| 4   | Firearm, Self inflicted<br>Cut/pierce, Assault | 6<br>2    |
| 5   | Other  | 2         |
| <b>TOTAL</b>  |  | <b>55</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>LEE |  |            |
|---|--|------------|
| Rank  | Cause  | #          |
| 1   | MVT, Unintentional   | 85         |
| 2   | Poisoning, Self inflicted  | 32         |
| 3   | Poisoning, Unintentional   | 24         |
| 4   | Fall, Unintentional<br>Firearm, Assault; Fire/Burn,<br>Unintentional | 22<br>19   |
| 5   | Other  | 89         |
| <b>TOTAL</b>  |  | <b>290</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>LEE |   |              |
|---|---|--------------|
| Rank  | Cause   | #            |
| 1   | MVT, Unintentional  | 685          |
| 2   | Fall, Unintentional   | 287          |
| 3   | Unspecified, Unintentional                                    | 236          |
| 4   | Natural/Environ, Unintentional<br>Overexertion, Unintentional | 186<br>161   |
| 5   | Other   | 718          |
| <b>TOTAL</b>  |   | <b>2,273</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>LENOIR |                                    |           |
|--|------------------------------------|-----------|
| Rank   | Cause                              | #         |
| 1  | MVT, Unintentional                 | 14        |
| 2  | Firearm, Assault                   | 9         |
| 3  | Poisoning, Unintentional           | 4         |
| 4  | Unspecified, Assault; Suffocation, | 1         |
| 5  | Other                              | 0         |
| <b>TOTAL</b>   |                                    | <b>35</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>LENOIR |  |            |
|--|--|------------|
| Rank   | Cause  | #          |
| 1  | MVT, Unintentional   | 61         |
| 2  | Poisoning, Self inflicted  | 19         |
| 3  | Fall, Unintentional  | 15         |
| 4  | Poisoning, Unintentional; Firearm,<br>Other spec/class, Unintentional; | 14<br>9    |
| 5  | Fire/Burn, Unintentional<br>Other                                      | 66<br>66   |
| <b>TOTAL</b>   |  | <b>207</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>LENOIR |   |              |
|--|---|--------------|
| Rank   | Cause   | #            |
| 1  | MVT, Unintentional                                  | 1,316        |
| 2  | Fall, Unintentional                                 | 1,133        |
| 3  | Overexertion, Unintentional                         | 1,039        |
| 4  | Unspecified, Unintentional<br>Struck, Unintentional | 1,031<br>734 |
| 5  | Other   | 2,414        |
| <b>TOTAL</b>   |   | <b>7,667</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>LINCOLN |                                       |           |
|---|---------------------------------------|-----------|
| Rank  | Cause                                 | #         |
| 1   | MVT, Unintentional                    | 12        |
| 2   | Poisoning, Unintentional              | 10        |
| 3   | Suffocation, Self inflicted; Firearm, | 3         |
| 4   | Suffocation, Assault; Other land      | 1         |
| 5   | Other                                 | 0         |
| <b>TOTAL</b>  |                                       | <b>31</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>LINCOLN |                                 |            |
|---|---------------------------------|------------|
| Rank  | Cause                           | #          |
| 1   | MVT, Unintentional              | 63         |
| 2   | Poisoning, Self inflicted       | 45         |
| 3   | Poisoning, Undetermined; Fall,  | 21         |
| 4   | Other spec/class, Unintentional | 20         |
| 5   | Poisoning, Unintentional        | 15         |
|   | Other                           | 74         |
| <b>TOTAL</b>  |                                 | <b>259</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>LINCOLN |                             |              |
|---|-----------------------------|--------------|
| Rank  | Cause                       | #            |
| 1   | Fall, Unintentional         | 1,875        |
| 2   | Overexertion, Unintentional | 1,361        |
| 3   | MVT, Unintentional          | 1,240        |
| 4   | Struck, Unintentional       | 1,084        |
| 5   | Cut/pierce, Unintentional   | 663          |
|   | Other                       | 2,647        |
| <b>TOTAL</b>  |                             | <b>8,870</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>McDOWELL |                                       |           |
|--|---------------------------------------|-----------|
| Rank   | Cause                                 | #         |
| 1  | MVT, Unintentional                    | 4         |
| 2  | Suffocation, Self inflicted; Firearm, | 2         |
| 3  | Unspecified, Unintentional;           | 1         |
| 4  |                                       |           |
| 5  | Other                                 | 0         |
| <b>TOTAL</b>   |                                       | <b>13</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>McDOWELL |                                   |            |
|--|-----------------------------------|------------|
| Rank   | Cause                             | #          |
| 1  | MVT, Unintentional                | 36         |
| 2  | Poisoning, Self inflicted         | 21         |
| 3  | Fall, Unintentional               | 14         |
| 4  | Poisoning, Unintentional          | 12         |
|  | Unspecified, Unintentional; Other | 11         |
| 5  | spec/class, Unintentional         |            |
|  | Other                             | 56         |
| <b>TOTAL</b>   |                                   | <b>161</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>McDOWELL |                             |              |
|--|-----------------------------|--------------|
| Rank   | Cause                       | #            |
| 1  | MVT, Unintentional          | 538          |
| 2  | Fall, Unintentional         | 524          |
| 3  | Overexertion, Unintentional | 306          |
| 4  | Struck, Unintentional       | 275          |
|  | Struck, Assault             | 202          |
| 5  | Other                       | 894          |
| <b>TOTAL</b>   |                             | <b>2,739</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>MACON |                                       |           |
|---|---------------------------------------|-----------|
| Rank  | Cause                                 | #         |
| 1   | MVT, Unintentional                    | 5         |
| 2   | Poisoning, Unintentional              | 3         |
| 3   | Firearm, Unintentional; Firearm, Self | 1         |
| 4   |                                       |           |
| 5   |                                       |           |
|   | Other                                 | 0         |
| <b>TOTAL</b>  |                                       | <b>12</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>MACON |                                 |           |
|---|---------------------------------|-----------|
| Rank  | Cause                           | #         |
| 1   | MVT, Unintentional              | 21        |
| 2   | Fall, Unintentional             | 13        |
| 3   | Poisoning, Undetermined         | 8         |
| 4   | Poisoning, Unintentional        | 5         |
| 5   | Other spec/class, Unintentional | 4         |
|   | Other                           | 23        |
| <b>TOTAL</b>  |                                 | <b>74</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>MACON |                             |              |
|---|-----------------------------|--------------|
| Rank  | Cause                       | #            |
| 1   | Fall, Unintentional         | 410          |
| 2   | Overexertion, Unintentional | 307          |
| 3   | Cut/pierce, Unintentional   | 252          |
| 4   | MVT, Unintentional          | 251          |
| 5   | Struck, Unintentional       | 246          |
|   | Other                       | 782          |
| <b>TOTAL</b>  |                             | <b>2,248</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>MADISON |                                   |           |
|---|-----------------------------------|-----------|
| Rank  | Cause                             | #         |
| 1   | Poisoning, Unintentional          | 6         |
| 2   | MVT, Unintentional; Firearm, Self | 1         |
| 3   |                                   |           |
| 4   |                                   |           |
| 5   |                                   |           |
|   | Other                             | 0         |
| <b>TOTAL</b>  |                                   | <b>10</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>MADISON |  |           |
|---|--|-----------|
| Rank  | Cause  | #         |
| 1   | MVT, Unintentional   | 12        |
| 2   | Fall, Unintentional  | 8         |
| 3   | Poisoning, Self inflicted<br>Other spec/notclass,<br>Unintentional | 7         |
| 4   |  | 5         |
| 5   | Unspecified, Unintentional   | 3         |
|   | Other  | 12        |
| <b>TOTAL</b>  |  | <b>47</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>MADISON |   |            |
|---|---|------------|
| Rank  | Cause   | #          |
| 1   | MVT, Unintentional  | 112        |
| 2   | Fall, Unintentional                                       | 90         |
| 3   | Overexertion, Unintentional<br>Unspecified, Unintentional | 37         |
| 4   |   | 36         |
| 5   | Struck, Unintentional                                     | 35         |
|   | Other   | 180        |
| <b>TOTAL</b>  |   | <b>490</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>MARTIN |                                 |           |
|--|---------------------------------|-----------|
| Rank   | Cause                           | #         |
| 1  | Firearm, Assault                | 3         |
|  | MVT, Unintentional              | 2         |
| 2  |                                 |           |
| 3  | Transport,other, Unintentional; | 1         |
| 4  |                                 |           |
| 5  | Other                           | 0         |
| <b>TOTAL</b>   |                                 | <b>11</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>MARTIN |  |           |
|--|--|-----------|
| Rank   | Cause  | #         |
| 1  | MVT, Unintentional   | 18        |
|  | Other spec/class, Unintentional;   | 7         |
| 2  | Firearm, Assault   |           |
| 3  | Fall, Unintentional  | 6         |
|  | Struck, Assault; Poisoning,<br>Undetermined; Machinery,<br>Unintentional | 4         |
| 4  |  |           |
|  | Unspecified, Unintentional;<br>Poisoning, Self inflicted;                | 3         |
| 5  | Cut/pierce, Assault  |           |
|  | Other  | 18        |
| <b>TOTAL</b>   |  | <b>77</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>MARTIN |                             |              |
|--|-----------------------------|--------------|
| Rank   | Cause                       | #            |
| 1  | MVT, Unintentional          | 274          |
|  | Fall, Unintentional         | 191          |
| 2  |                             |              |
| 3  | Unspecified, Unintentional  | 163          |
|  | Struck, Unintentional       | 153          |
| 4  |                             |              |
|  | Overexertion, Unintentional | 108          |
| 5  | Other                       | 430          |
| <b>TOTAL</b>   |                             | <b>1,319</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>MECKLENBURG |                             |            |
|---|-----------------------------|------------|
| Rank  | Cause                       | #          |
| 1   | Firearm, Assault            | 105        |
| 2   | MVT, Unintentional          | 88         |
| 3   | Poisoning, Unintentional    | 75         |
| 4   | Firearm, Self inflicted     | 43         |
| 5   | Suffocation, Self inflicted | 22         |
|   | Other                       | 73         |
| <b>TOTAL</b>  |                             | <b>406</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>MECKLENBURG |                                 |              |
|---|---------------------------------|--------------|
| Rank  | Cause                           | #            |
| 1   | MVT, Unintentional              | 557          |
| 2   | Poisoning, Self inflicted       | 410          |
| 3   | Fall, Unintentional             | 284          |
| 4   | Other spec/class, Unintentional | 168          |
| 5   | Poisoning, Unintentional        | 159          |
|   | Other                           | 1,065        |
| <b>TOTAL</b>  |                                 | <b>2,643</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>MECKLENBURG |                             |               |
|---|-----------------------------|---------------|
| Rank  | Cause                       | #             |
| 1   | MVT, Unintentional          | 15,188        |
| 2   | Fall, Unintentional         | 8,809         |
| 3   | Unspecified, Unintentional  | 6,819         |
| 4   | Struck, Unintentional       | 6,121         |
| 5   | Overexertion, Unintentional | 5,355         |
|   | Other                       | 21,012        |
| <b>TOTAL</b>  |                             | <b>63,304</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>MITCHELL |                                       |          |
|--|---------------------------------------|----------|
| Rank   | Cause                                 | #        |
| 1  | Poisoning, Unintentional              | 3        |
|  | MVT, Unintentional                    | 2        |
| 2  |                                       |          |
| 3  | Suffocation, Self inflicted; Firearm, | 1        |
| 4  |                                       |          |
| 5  | Other                                 | 0        |
| <b>TOTAL</b>   |                                       | <b>7</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>MITCHELL |                                    |            |
|--|------------------------------------|------------|
| Rank   | Cause                              | #          |
| 1  | MVT, Unintentional                 | 21         |
|  | Poisoning, Unintentional;          | 19         |
| 2  | Poisoning, Self inflicted          |            |
| 3  | Fall, Unintentional                | 13         |
| 4  | Unspecified, Unintentional         | 8          |
|  | Struck, Unintentional; Cut/pierce, | 4          |
| 5  | Self inflicted                     |            |
|  | Other                              | 27         |
| <b>TOTAL</b>   |                                    | <b>115</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>MITCHELL |                             |            |
|--|-----------------------------|------------|
| Rank   | Cause                       | #          |
| 1  | Fall, Unintentional         | 140        |
|  | MVT, Unintentional          | 123        |
| 2  |                             |            |
| 3  | Overexertion, Unintentional | 85         |
| 4  | Struck, Unintentional       | 57         |
|  | Struck, Assault             | 47         |
| 5  | Other                       | 245        |
| <b>TOTAL</b>   |                             | <b>697</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>MONTGOMERY |                                      |           |
|--|--------------------------------------|-----------|
| Rank   | Cause                                | #         |
| 1  | MVT, Unintentional                   | 9         |
| 2  | Firearm, Assault                     | 5         |
| 3  | Poisoning, Unintentional             | 3         |
| 4  | Firearm, Self inflicted; Cut/pierce, | 2         |
| 5  | Other                                | 0         |
| <b>TOTAL</b>   |                                      | <b>21</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>MONTGOMERY |                                 |            |
|--|---------------------------------|------------|
| Rank   | Cause                           | #          |
| 1  | MVT, Unintentional              | 24         |
| 2  | Poisoning, Self inflicted       | 22         |
| 3  | Fall, Unintentional             | 8          |
| 4  | Unspecified, Unintentional      | 7          |
|  | Struck, Assault; Poisoning,     | 5          |
|  | Unintentional; Cut/pierce, Self |            |
| 5  | inflicted                       |            |
|  | Other                           | 29         |
| <b>TOTAL</b>   |                                 | <b>105</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>MONTGOMERY |                             |              |
|--|-----------------------------|--------------|
| Rank   | Cause                       | #            |
| 1  | MVT, Unintentional          | 313          |
| 2  | Fall, Unintentional         | 309          |
| 3  | Overexertion, Unintentional | 297          |
| 4  | Struck, Unintentional       | 231          |
|  | Unspecified, Unintentional  | 206          |
| 5  | Other                       | 823          |
| <b>TOTAL</b>   |                             | <b>2,179</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>MOORE |                                    |           |
|---|------------------------------------|-----------|
| Rank  | Cause                              | #         |
| 1   | MVT, Unintentional; Firearm,       | 13        |
| 2   | Firearm, Self inflicted            | 9         |
| 3   | Poisoning, Unintentional           | 8         |
| 4   | Suffocation, Self inflicted        | 3         |
|   | Unspecified, Unintentional;        | 1         |
|   | Transport,other, Unintentional;    |           |
|   | Suffocation, Assault; Poisoning,   |           |
|   | Undetermined; Other spec/class,    |           |
| 5   | Unintentional; Fire/Burn, Self     |           |
|   | inflicted; Drowning, Unintentional |           |
|   | Other                              | 0         |
| <b>TOTAL</b>  |                                    | <b>53</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>MOORE |                            |            |
|---|----------------------------|------------|
| Rank  | Cause                      | #          |
| 1   | MVT, Unintentional         | 72         |
| 2   | Poisoning, Self inflicted  | 66         |
| 3   | Poisoning, Unintentional   | 35         |
| 4   | Fall, Unintentional        | 20         |
|   | Cut/pierce, Self inflicted | 19         |
| 5   | Other                      | 100        |
| <b>TOTAL</b>  |                            | <b>312</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>MOORE |                             |              |
|---|-----------------------------|--------------|
| Rank  | Cause                       | #            |
| 1   | MVT, Unintentional          | 1,367        |
| 2   | Fall, Unintentional         | 939          |
| 3   | Overexertion, Unintentional | 741          |
| 4   | Struck, Unintentional       | 614          |
|   | Unspecified, Unintentional  | 536          |
| 5   | Other                       | 2,085        |
| <b>TOTAL</b>  |                             | <b>6,282</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>NASH |                             |           |
|--|-----------------------------|-----------|
| Rank   | Cause                       | #         |
| 1  | MVT, Unintentional          | 20        |
| 2  | Poisoning, Unintentional    | 11        |
| 3  | Firearm, Assault            | 9         |
| 4  | Firearm, Self inflicted     | 6         |
| 5  | Suffocation, Self inflicted | 3         |
|  | Other                       | 9         |
| <b>TOTAL</b>   |                             | <b>58</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>NASH |                                 |            |
|--|---------------------------------|------------|
| Rank   | Cause                           | #          |
| 1  | MVT, Unintentional              | 99         |
| 2  | Poisoning, Self inflicted       | 92         |
| 3  | Other spec/class, Unintentional | 34         |
| 4  | Cut/pierce, Self inflicted      | 29         |
| 5  | Poisoning, Unintentional        | 24         |
|  | Other                           | 158        |
| <b>TOTAL</b>   |                                 | <b>436</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>NASH |                             |              |
|--|-----------------------------|--------------|
| Rank   | Cause                       | #            |
| 1  | MVT, Unintentional          | 759          |
| 2  | Fall, Unintentional         | 362          |
| 3  | Overexertion, Unintentional | 339          |
| 4  | Unspecified, Unintentional  | 257          |
| 5  | Struck, Unintentional       | 209          |
|  | Other                       | 1,043        |
| <b>TOTAL</b>   |                             | <b>2,969</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.



Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>NEW HANOVER |                                       |            |
|---|---------------------------------------|------------|
| Rank  | Cause                                 | #          |
| 1   | Poisoning, Unintentional              | 41         |
| 2   | MVT, Unintentional                    | 18         |
| 3   | Suffocation, Self inflicted; Firearm, | 11         |
| 4   | Firearm, Assault                      | 10         |
| 5   | Unspecified, Assault                  | 2          |
|   | Other                                 | 12         |
| <b>TOTAL</b>  |                                       | <b>105</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>NEW HANOVER |                            |            |
|---|----------------------------|------------|
| Rank  | Cause                      | #          |
| 1   | Poisoning, Self inflicted  | 170        |
| 2   | MVT, Unintentional         | 155        |
| 3   | Poisoning, Unintentional   | 101        |
| 4   | Fall, Unintentional        | 85         |
| 5   | Cut/pierce, Self inflicted | 42         |
|   | Other                      | 327        |
| <b>TOTAL</b>  |                            | <b>880</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>NEW HANOVER |                             |               |
|---|-----------------------------|---------------|
| Rank  | Cause                       | #             |
| 1   | MVT, Unintentional          | 2,252         |
| 2   | Fall, Unintentional         | 1,889         |
| 3   | Struck, Unintentional       | 1,095         |
| 4   | Unspecified, Unintentional  | 1,063         |
| 5   | Overexertion, Unintentional | 1,029         |
|   | Other                       | 3,978         |
| <b>TOTAL</b>  |                             | <b>11,306</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>NORTHAMPTON |                                     |           |
|---|-------------------------------------|-----------|
| Rank  | Cause                               | #         |
| 1   | MVT, Unintentional; Firearm, Self   | 4         |
| 2   | Poisoning, Unintentional; Drowning, | 1         |
| 3   |                                     |           |
| 4   |                                     |           |
| 5   |                                     |           |
|   | Other                               | 0         |
| <b>TOTAL</b>  |                                     | <b>10</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>NORTHAMPTON |                            |           |
|---|----------------------------|-----------|
| Rank  | Cause                      | #         |
| 1   | MVT, Unintentional         | 20        |
| 2   | Poisoning, Self inflicted  | 13        |
| 3   | Fall, Unintentional        | 5         |
| 4   | Cut/pierce, Unintentional  | 4         |
| 5   | Unspecified, Unintentional | 3         |
|   | Other                      | 18        |
| <b>TOTAL</b>  |                            | <b>63</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>NORTHAMPTON |                            |              |
|---|----------------------------|--------------|
| Rank  | Cause                      | #            |
| 1   | MVT, Unintentional         | 385          |
| 2   | Fall, Unintentional        | 277          |
| 3   | Unspecified, Unintentional | 247          |
| 4   | Struck, Unintentional      | 180          |
| 5   | Struck, Assault            | 176          |
|   | Other                      | 855          |
| <b>TOTAL</b>  |                            | <b>2,120</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>ONslow |                             |            |
|--|-----------------------------|------------|
| Rank   | Cause                       | #          |
| 1  | Firearm, Self inflicted     | 35         |
| 2  | MVT, Unintentional          | 34         |
| 3  | Poisoning, Unintentional    | 29         |
| 4  | Suffocation, Self inflicted | 13         |
| 5  | Firearm, Assault            | 11         |
|  | Other                       | 21         |
| <b>TOTAL</b>   |                             | <b>143</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>ONslow |                                 |            |
|--|---------------------------------|------------|
| Rank   | Cause                           | #          |
| 1  | MVT, Unintentional              | 183        |
| 2  | Poisoning, Self inflicted       | 61         |
| 3  | Fall, Unintentional             | 53         |
| 4  | Fire/Burn, Unintentional        | 43         |
| 5  | Other spec/class, Unintentional | 31         |
|  | Other                           | 231        |
| <b>TOTAL</b>   |                                 | <b>602</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>ONslow |                             |               |
|--|-----------------------------|---------------|
| Rank   | Cause                       | #             |
| 1  | Fall, Unintentional         | 2,998         |
| 2  | MVT, Unintentional          | 2,761         |
| 3  | Unspecified, Unintentional  | 2,000         |
| 4  | Struck, Unintentional       | 1,908         |
| 5  | Overexertion, Unintentional | 1,715         |
|  | Other                       | 5,719         |
| <b>TOTAL</b>   |                             | <b>17,101</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>ORANGE |                                       |           |
|--|---------------------------------------|-----------|
| Rank   | Cause                                 | #         |
| 1  | Poisoning, Unintentional; MVT,        | 11        |
| 2  | Poisoning, Self inflicted             | 6         |
| 3  | Suffocation, Self inflicted; Firearm, | 5         |
| 4  | Firearm, Assault                      | 3         |
|  | Other spec/NEC, Unintentional;        | 1         |
|  | Other spec/NEC, Self inflicted;       |           |
|  | Other land transport, Unintentional;  |           |
|  | Natural/Environ, Unintentional; Fall, |           |
| 5  | Unintentional                         |           |
|  | Other                                 | 0         |
| <b>TOTAL</b>   |                                       | <b>46</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>ORANGE |                            |            |
|--|----------------------------|------------|
| Rank   | Cause                      | #          |
| 1  | Poisoning, Self inflicted  | 82         |
| 2  | MVT, Unintentional         | 80         |
| 3  | Fall, Unintentional        | 60         |
| 4  | Cut/pierce, Self inflicted | 46         |
|  | Fire/Burn, Unintentional   | 37         |
| 5  |                            |            |
|  | Other                      | 182        |
| <b>TOTAL</b>   |                            | <b>487</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>ORANGE |                            |              |
|--|----------------------------|--------------|
| Rank   | Cause                      | #            |
| 1  | MVT, Unintentional         | 750          |
| 2  | Fall, Unintentional        | 747          |
| 3  | Struck, Unintentional      | 473          |
| 4  | Cut/pierce, Unintentional  | 441          |
|  | Unspecified, Unintentional | 421          |
| 5  |                            |              |
|  | Other                      | 1,823        |
| <b>TOTAL</b>   |                            | <b>4,655</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>PAMLICO |                          |          |
|---|--------------------------|----------|
| Rank  | Cause                    | #        |
| 1   | Poisoning, Unintentional | 2        |
| 2   | Drowning, Unintentional  | 1        |
| 3   |                          |          |
| 4   |                          |          |
| 5   | Other                    | 0        |
| <b>TOTAL</b>  |                          | <b>3</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>PAMLICO |  |           |
|---|--|-----------|
| Rank  | Cause  | #         |
| 1   | MVT, Unintentional   | 13        |
| 2   | Poisoning, Self inflicted<br>Unspecified, Unintentional;<br>Fire/Burn, Unintentional; Fall,<br>Unintentional         | 10<br>3   |
| 3   | Poisoning, Unintentional; Firearm,<br>Assault; Drowning, Unintentional   | 2         |
| 4   | Struck, Unintentional; Struck,<br>Assault; Other spec/notclass,<br>Unintentional; Other spec/class,<br>Unintentional | 1         |
| 5   | Other  | 0         |
| <b>TOTAL</b>  |  | <b>42</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>PAMLICO |  |            |
|---|--|------------|
| Rank  | Cause  | #          |
| 1   | MVT, Unintentional                                 | 109        |
| 2   | Fall, Unintentional<br>Overexertion, Unintentional | 108<br>87  |
| 3   | Struck, Unintentional                              | 81         |
| 4   | Unspecified, Unintentional                         | 67         |
| 5   | Other  | 245        |
| <b>TOTAL</b>  |  | <b>697</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>PASQUOTANK |   |           |
|--|---|-----------|
| Rank   | Cause                                   | #         |
| 1  | MVT, Unintentional                      | 8         |
| 2  | Firearm, Assault                        | 4         |
| 3  | Poisoning, Unintentional; Firearm,      | 2         |
| 4  | Suffocation, Self inflicted; Other land | 1         |
| 5  | Other                                   | 0         |
| <b>TOTAL</b>   |   | <b>20</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>PASQUOTANK |  |           |
|--|--|-----------|
| Rank   | Cause  | #         |
| 1  | Poisoning, Self inflicted  | 21        |
| 2  | Fall, Unintentional  | 7         |
| 3  | Poisoning, Unintentional   | 6         |
| 4  | Natural/Environ, Unintentional<br>Unspecified, Unintentional; MVT,<br>Unintentional; Cut/pierce, Self<br>inflicted | 4<br>3    |
| 5  | Other  | 13        |
| <b>TOTAL</b>   |  | <b>60</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>PASQUOTANK |   |            |
|--|---|------------|
| Rank   | Cause   | #          |
| 1  | MVT, Unintentional                                      | 338        |
| 2  | Unspecified, Unintentional                              | 119        |
| 3  | Fall, Unintentional                                     | 109        |
| 4  | Struck, Unintentional<br>Natural/Environ, Unintentional | 79<br>54   |
| 5  | Other   | 245        |
| <b>TOTAL</b>   |   | <b>944</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>PENDER |  |           |
|--|--|-----------|
| Rank   | Cause  | #         |
| 1  | MVT, Unintentional   | 11        |
| 2  | Poisoning, Unintentional   | 10        |
| 3  | Firearm, Self inflicted  | 3         |
| 4  | Suffocation, Self inflicted; Firearm,<br>Unspecified, Unintentional; | 2         |
|  | Poisoning, Undetermined;   | 1         |
|  | Machinery, Unintentional; Firearm,                                   |           |
| 5  | Assault; Drowning, Unintentional<br>Other                            | 0         |
| <b>TOTAL</b>   |  | <b>33</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>PENDER |   |            |
|--|---|------------|
| Rank   | Cause   | #          |
| 1  | MVT, Unintentional  | 41         |
| 2  | Poisoning, Self inflicted                                     | 39         |
| 3  | Poisoning, Unintentional                                      | 23         |
| 4  | Other spec/class, Unintentional<br>Cut/pierce, Self inflicted | 13         |
|  |   | 12         |
| 5  | Other   | 66         |
| <b>TOTAL</b>   |   | <b>194</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>PENDER |  |              |
|--|--|--------------|
| Rank   | Cause  | #            |
| 1  | MVT, Unintentional                                   | 619          |
| 2  | Fall, Unintentional                                  | 449          |
| 3  | Unspecified, Unintentional                           | 307          |
| 4  | Struck, Unintentional<br>Overexertion, Unintentional | 229          |
|  |  | 227          |
| 5  | Other  | 884          |
| <b>TOTAL</b>   |  | <b>2,715</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>PERQUIMANS |                                    |          |
|--|------------------------------------|----------|
| Rank   | Cause                              | #        |
| 1  | MVT, Unintentional; Firearm,       | 2        |
| 2  | Poisoning, Unintentional; Firearm, | 1        |
| 3  |                                    |          |
| 4  |                                    |          |
| 5  | Other                              | 0        |
| <b>TOTAL</b>   |                                    | <b>7</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>PERQUIMANS |   |           |
|--|---|-----------|
| Rank   | Cause   | #         |
| 1  | Poisoning, Self inflicted   | 8         |
| 2  | MVT, Unintentional  | 7         |
| 3  | Other spec/class, Unintentional   | 5         |
| 4  | Unspecified, Unintentional<br>Poisoning, Unintentional; Other<br>spec/notclass, Unintentional; Fall,<br>Unintentional | 3         |
|  |   | 2         |
| 5  | Other   | 7         |
| <b>TOTAL</b>   |   | <b>36</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>PERQUIMANS |  |            |
|--|--|------------|
| Rank   | Cause  | #          |
| 1  | MVT, Unintentional                                 | 88         |
| 2  | Unspecified, Unintentional                         | 58         |
| 3  | Struck, Unintentional                              | 55         |
| 4  | Fall, Unintentional<br>Overexertion, Unintentional | 54         |
|  |  | 43         |
| 5  | Other  | 153        |
| <b>TOTAL</b>   |  | <b>451</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>PERSON |                                    |           |
|--|------------------------------------|-----------|
| Rank   | Cause                              | #         |
| 1  | MVT, Unintentional                 | 10        |
| 2  | Poisoning, Unintentional; Firearm, | 4         |
| 3  | Drowning, Unintentional            | 2         |
| 4  | Unspecified, Assault; Suffocation, | 1         |
| 5  | Other                              | 0         |
| <b>TOTAL</b>   |                                    | <b>23</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>PERSON |                                 |            |
|--|---------------------------------|------------|
| Rank   | Cause                           | #          |
| 1  | MVT, Unintentional              | 42         |
| 2  | Poisoning, Self inflicted       | 22         |
| 3  | Other spec/class, Unintentional | 16         |
| 4  | Fall, Unintentional             | 11         |
| 5  | Fire/Burn, Unintentional        | 10         |
|  | Other                           | 50         |
| <b>TOTAL</b>   |                                 | <b>151</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>PERSON |                             |              |
|--|-----------------------------|--------------|
| Rank   | Cause                       | #            |
| 1  | MVT, Unintentional          | 796          |
| 2  | Fall, Unintentional         | 638          |
| 3  | Overexertion, Unintentional | 476          |
| 4  | Struck, Unintentional       | 377          |
| 5  | Unspecified, Unintentional  | 283          |
|  | Other                       | 1,325        |
| <b>TOTAL</b>   |                             | <b>3,895</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>PITT |                             |           |
|--|-----------------------------|-----------|
| Rank   | Cause                       | #         |
| 1  | MVT, Unintentional          | 29        |
| 2  | Firearm, Assault            | 17        |
| 3  | Poisoning, Unintentional    | 12        |
| 4  | Firearm, Self inflicted     | 7         |
| 5  | Suffocation, Self inflicted | 5         |
|  | Other                       | 15        |
| <b>TOTAL</b>   |                             | <b>85</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>PITT |                           |            |
|--|---------------------------|------------|
| Rank   | Cause                     | #          |
| 1  | Poisoning, Self inflicted | 137        |
| 2  | MVT, Unintentional        | 114        |
| 3  | Poisoning, Unintentional  | 57         |
| 4  | Fall, Unintentional       | 52         |
| 5  | Firearm, Assault          | 37         |
|  | Other                     | 264        |
| <b>TOTAL</b>   |                           | <b>661</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>PITT |                             |               |
|--|-----------------------------|---------------|
| Rank   | Cause                       | #             |
| 1  | MVT, Unintentional          | 2,823         |
| 2  | Fall, Unintentional         | 1,812         |
| 3  | Struck, Unintentional       | 1,349         |
| 4  | Overexertion, Unintentional | 1,307         |
| 5  | Cut/pierce, Unintentional   | 998           |
|  | Other                       | 4,669         |
| <b>TOTAL</b>   |                             | <b>12,958</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>POLK |                                       |           |
|--|---------------------------------------|-----------|
| Rank   | Cause                                 | #         |
| 1  | Poisoning, Unintentional              | 5         |
|  | MVT, Unintentional                    | 3         |
| 2  |                                       |           |
| 3  | Suffocation, Self inflicted; Firearm, | 1         |
| 4  |                                       |           |
| 5  | Other                                 | 0         |
| <b>TOTAL</b>   |                                       | <b>10</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>POLK |  |           |
|--|--|-----------|
| Rank   | Cause  | #         |
| 1  | Poisoning, Self inflicted                                    | 7         |
|  | Other spec/class, Unintentional;                             | 5         |
| 2  | MVT, Unintentional   |           |
| 3  | Struck, Assault; Poisoning,<br>Unspecified, Unintentional;   | 3         |
|  | Struck, Unintentional; Other<br>spec/hotclass, Unintentional | 2         |
| 4  | Overexertion, Unintentional;                                 | 1         |
|  | Machinery, Unintentional;                                    |           |
| 5  | Cut/pierce, Self inflicted                                   |           |
|  | Other  | 0         |
| <b>TOTAL</b>   |  | <b>32</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>POLK |                             |            |
|--|-----------------------------|------------|
| Rank   | Cause                       | #          |
| 1  | Fall, Unintentional         | 189        |
|  | MVT, Unintentional          | 160        |
| 2  |                             |            |
| 3  | Overexertion, Unintentional | 102        |
|  | Struck, Unintentional       | 96         |
| 4  |                             |            |
|  | Unspecified, Unintentional  | 59         |
| 5  |                             |            |
|  | Other                       | 329        |
| <b>TOTAL</b>   |                             | <b>935</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>RANDOLPH |                             |           |
|--|-----------------------------|-----------|
| Rank   | Cause                       | #         |
| 1  | Poisoning, Unintentional    | 27        |
| 2  | MVT, Unintentional          | 20        |
| 3  | Firearm, Self inflicted     | 10        |
| 4  | Suffocation, Self inflicted | 7         |
| 5  | Firearm, Assault            | 6         |
|  | Other                       | 17        |
| <b>TOTAL</b>   |                             | <b>87</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>RANDOLPH |                                 |            |
|--|---------------------------------|------------|
| Rank   | Cause                           | #          |
| 1  | Poisoning, Self inflicted       | 94         |
| 2  | MVT, Unintentional              | 89         |
| 3  | Fall, Unintentional             | 40         |
| 4  | Poisoning, Unintentional        | 39         |
| 5  | Other spec/class, Unintentional | 23         |
|  | Other                           | 168        |
| <b>TOTAL</b>   |                                 | <b>453</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>RANDOLPH |                             |               |
|--|-----------------------------|---------------|
| Rank   | Cause                       | #             |
| 1  | Fall, Unintentional         | 2,286         |
| 2  | MVT, Unintentional          | 1,945         |
| 3  | Unspecified, Unintentional  | 1,186         |
| 4  | Overexertion, Unintentional | 1,181         |
| 5  | Struck, Unintentional       | 1,116         |
|  | Other                       | 4,154         |
| <b>TOTAL</b>   |                             | <b>11,868</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>RICHMOND |   |           |
|--|---|-----------|
| Rank   | Cause                                   | #         |
| 1  | Poisoning, Unintentional; MVT,          | 9         |
| 2  | Firearm, Self inflicted                 | 6         |
| 3  | Firearm, Assault                        | 5         |
| 4  | Suffocation, Self inflicted; Poisoning, | 1         |
| 5  | Other                                   | 0         |
| <b>TOTAL</b>   |   | <b>33</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>RICHMOND |                           |            |
|--|---------------------------|------------|
| Rank   | Cause                     | #          |
| 1  | MVT, Unintentional        | 60         |
| 2  | Poisoning, Self inflicted | 40         |
| 3  | Poisoning, Undetermined   | 18         |
| 4  | Fall, Unintentional       | 15         |
| 5  | Poisoning, Unintentional  | 13         |
|  | Other                     | 104        |
| <b>TOTAL</b>   |                           | <b>250</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>RICHMOND |                             |              |
|--|-----------------------------|--------------|
| Rank   | Cause                       | #            |
| 1  | MVT, Unintentional          | 1,050        |
| 2  | Unspecified, Unintentional  | 921          |
| 3  | Fall, Unintentional         | 772          |
| 4  | Overexertion, Unintentional | 540          |
| 5  | Struck, Unintentional       | 463          |
|  | Other                       | 1,859        |
| <b>TOTAL</b>   |                             | <b>5,605</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>ROBESON |                             |            |
|---|-----------------------------|------------|
| Rank  | Cause                       | #          |
| 1   | MVT, Unintentional          | 52         |
| 2   | Firearm, Assault            | 48         |
| 3   | Poisoning, Unintentional    | 21         |
| 4   | Firearm, Self inflicted     | 7          |
| 5   | Suffocation, Self inflicted | 6          |
|   | Other                       | 15         |
| <b>TOTAL</b>  |                             | <b>149</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>ROBESON |                            |              |
|---|----------------------------|--------------|
| Rank  | Cause                      | #            |
| 1   | Unspecified, Unintentional | 268          |
| 2   | MVT, Unintentional         | 183          |
| 3   | Poisoning, Self inflicted  | 140          |
| 4   | Poisoning, Unintentional   | 101          |
| 5   | Fall, Unintentional        | 53           |
|   | Other                      | 382          |
| <b>TOTAL</b>  |                            | <b>1,127</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>ROBESON |                             |               |
|---|-----------------------------|---------------|
| Rank  | Cause                       | #             |
| 1   | MVT, Unintentional          | 3,173         |
| 2   | Fall, Unintentional         | 2,061         |
| 3   | Overexertion, Unintentional | 1,678         |
| 4   | Unspecified, Unintentional  | 1,424         |
| 5   | Struck, Unintentional       | 1,387         |
|   | Other                       | 6,134         |
| <b>TOTAL</b>  |                             | <b>15,857</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>ROCKINGHAM |   |           |
|--|---|-----------|
| Rank   | Cause   | #         |
| 1  | MVT, Unintentional  | 20        |
| 2  | Poisoning, Unintentional  | 13        |
| 3  | Firearm, Assault  | 7         |
| 4  | Firearm, Self inflicted   | 4         |
|  | Suffocation, Self inflicted;<br>Suffocation, Assault; Poisoning,<br>Undetermined; Poisoning, Self<br>inflicted; Other spec/class,<br>Unintentional; Machinery,<br>Unintentional; Fall, Unintentional; | 1         |
| 5  | Cut/pierce, Assault   |           |
|  | Other   | 0         |
| <b>TOTAL</b>   |   | <b>52</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>ROCKINGHAM |                                 |            |
|--|---------------------------------|------------|
| Rank   | Cause                           | #          |
| 1  | Poisoning, Self inflicted       | 97         |
| 2  | MVT, Unintentional              | 68         |
| 3  | Poisoning, Unintentional        | 51         |
| 4  | Fall, Unintentional             | 23         |
|  | Other spec/class, Unintentional | 18         |
| 5  | Other                           | 159        |
| <b>TOTAL</b>   |                                 | <b>416</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>ROCKINGHAM |                             |              |
|--|-----------------------------|--------------|
| Rank   | Cause                       | #            |
| 1  | Fall, Unintentional         | 1,274        |
| 2  | MVT, Unintentional          | 984          |
| 3  | Struck, Unintentional       | 731          |
| 4  | Overexertion, Unintentional | 652          |
|  | Unspecified, Unintentional  | 636          |
| 5  | Other                       | 2,666        |
| <b>TOTAL</b>   |                             | <b>6,943</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>ROWAN |   |           |
|---|---|-----------|
| Rank  | Cause   | #         |
| 1   | MVT, Unintentional  | 29        |
| 2   | Poisoning, Unintentional  | 25        |
| 3   | Firearm, Assault  | 15        |
| 4   | Suffocation, Self inflicted; Firearm,<br>Unspecified, Undetermined; | 7         |
|   |   | 2         |
| 5   | Drowning, Unintentional   |           |
|   | Other   | 4         |
| <b>TOTAL</b>  |   | <b>91</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>ROWAN |                            |            |
|---|----------------------------|------------|
| Rank  | Cause                      | #          |
| 1   | MVT, Unintentional         | 112        |
| 2   | Poisoning, Self inflicted  | 84         |
| 3   | Poisoning, Unintentional   | 48         |
| 4   | Unspecified, Unintentional | 32         |
|   | Fall, Unintentional        | 31         |
| 5   | Other                      | 217        |
| <b>TOTAL</b>  |                            | <b>524</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>ROWAN |                             |               |
|---|-----------------------------|---------------|
| Rank  | Cause                       | #             |
| 1   | MVT, Unintentional          | 2,558         |
| 2   | Fall, Unintentional         | 2,367         |
| 3   | Overexertion, Unintentional | 1,881         |
| 4   | Unspecified, Unintentional  | 1,723         |
|   | Struck, Unintentional       | 1,561         |
| 5   | Other                       | 4,706         |
| <b>TOTAL</b>  |                             | <b>14,796</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.



Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>RUTHERFORD |   |           |
|--|---|-----------|
| Rank   | Cause                                   | #         |
| 1  | MVT, Unintentional                      | 6         |
| 2  | Firearm, Self inflicted                 | 5         |
| 3  | Poisoning, Unintentional                | 4         |
| 4  | Firearm, Assault                        | 3         |
|  | Suffocation, Self inflicted; Other land | 2         |
| 5  | transport, Unintentional                |           |
|  | Other                                   | 6         |
| <b>TOTAL</b>   |   | <b>28</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>RUTHERFORD |                                 |            |
|--|---------------------------------|------------|
| Rank   | Cause                           | #          |
| 1  | Poisoning, Self inflicted       | 59         |
| 2  | MVT, Unintentional              | 36         |
| 3  | Fall, Unintentional             | 20         |
| 4  | Poisoning, Unintentional        | 16         |
|  | Other spec/class, Unintentional | 15         |
| 5  |                                 |            |
|  | Other                           | 72         |
| <b>TOTAL</b>   |                                 | <b>218</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>RUTHERFORD |                             |              |
|--|-----------------------------|--------------|
| Rank   | Cause                       | #            |
| 1  | Fall, Unintentional         | 1,250        |
| 2  | MVT, Unintentional          | 975          |
| 3  | Overexertion, Unintentional | 795          |
| 4  | Unspecified, Unintentional  | 748          |
|  | Struck, Unintentional       | 657          |
| 5  |                             |              |
|  | Other                       | 2,004        |
| <b>TOTAL</b>   |                             | <b>6,429</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>SAMPSON |                                      |           |
|---|--------------------------------------|-----------|
| Rank  | Cause                                | #         |
| 1   | MVT, Unintentional                   | 13        |
| 2   | Firearm, Assault                     | 10        |
| 3   | Poisoning, Unintentional             | 9         |
| 4   | Suffocation, Self inflicted          | 2         |
|   | Unspecified, Unintentional;          | 1         |
|   | Suffocation, Unintentional; Firearm, |           |
|   | Self inflicted; Fall, Unintentional; |           |
|   | Fall, Self inflicted; Drowning,      |           |
| 5   | Unintentional                        |           |
|   | Other                                | 0         |
| <b>TOTAL</b>  |                                      | <b>40</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>SAMPSON |                                 |            |
|---|---------------------------------|------------|
| Rank  | Cause                           | #          |
| 1   | MVT, Unintentional              | 62         |
| 2   | Poisoning, Self inflicted       | 30         |
| 3   | Other spec/class, Unintentional | 15         |
| 4   | Fall, Unintentional             | 13         |
|   | Struck, Assault                 | 10         |
| 5   |                                 |            |
|   | Other                           | 104        |
| <b>TOTAL</b>  |                                 | <b>234</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>SAMPSON |                             |              |
|---|-----------------------------|--------------|
| Rank  | Cause                       | #            |
| 1   | MVT, Unintentional          | 1,216        |
| 2   | Unspecified, Unintentional  | 1,017        |
| 3   | Fall, Unintentional         | 882          |
| 4   | Overexertion, Unintentional | 715          |
|   | Struck, Unintentional       | 671          |
| 5   |                             |              |
|   | Other                       | 2,168        |
| <b>TOTAL</b>  |                             | <b>6,669</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>SCOTLAND |                             |           |
|--|-----------------------------|-----------|
| Rank   | Cause                       | #         |
| 1  | Firearm, Assault            | 10        |
| 2  | MVT, Unintentional          | 9         |
| 3  | Poisoning, Unintentional    | 3         |
| 4  | Suffocation, Unintentional; | 1         |
| 5  | Other                       | 0         |
| <b>TOTAL</b>   |                             | <b>27</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>SCOTLAND |                                 |            |
|--|---------------------------------|------------|
| Rank   | Cause                           | #          |
| 1  | MVT, Unintentional              | 32         |
| 2  | Poisoning, Self inflicted       | 22         |
| 3  | Other spec/class, Unintentional | 20         |
| 4  | Firearm, Assault                | 16         |
| 5  | Poisoning, Unintentional        | 15         |
|  | Other                           | 111        |
| <b>TOTAL</b>   |                                 | <b>216</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>SCOTLAND |                             |              |
|--|-----------------------------|--------------|
| Rank   | Cause                       | #            |
| 1  | MVT, Unintentional          | 929          |
| 2  | Fall, Unintentional         | 723          |
| 3  | Overexertion, Unintentional | 679          |
| 4  | Struck, Unintentional       | 480          |
| 5  | Unspecified, Unintentional  | 463          |
|  | Other                       | 1,879        |
| <b>TOTAL</b>   |                             | <b>5,153</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>STANLY |                                      |           |
|--|--------------------------------------|-----------|
| Rank   | Cause                                | #         |
| 1  | Poisoning, Unintentional             | 17        |
| 2  | Firearm, Self inflicted              | 11        |
| 3  | MVT, Unintentional                   | 10        |
| 4  | Suffocation, Self inflicted          | 3         |
|  | Other land transport, Unintentional; | 1         |
|  | Firearm, Assault; Drowning,          |           |
| 5  | Unintentional                        |           |
|  | Other                                | 0         |
| <b>TOTAL</b>   |                                      | <b>44</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>STANLY |                                |            |
|--|--------------------------------|------------|
| Rank   | Cause                          | #          |
| 1  | MVT, Unintentional             | 45         |
| 2  | Poisoning, Self inflicted      | 26         |
| 3  | Fall, Unintentional            | 16         |
| 4  | Poisoning, Undetermined        | 14         |
|  | Transport,other, Unintentional | 13         |
| 5  | Other                          | 85         |
| <b>TOTAL</b>   |                                | <b>199</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>STANLY |                             |              |
|--|-----------------------------|--------------|
| Rank   | Cause                       | #            |
| 1  | Fall, Unintentional         | 543          |
| 2  | MVT, Unintentional          | 522          |
| 3  | Unspecified, Unintentional  | 424          |
| 4  | Struck, Unintentional       | 308          |
|  | Overexertion, Unintentional | 279          |
| 5  | Other                       | 1,168        |
| <b>TOTAL</b>   |                             | <b>3,244</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>STOKES |   |           |
|--|---|-----------|
| Rank   | Cause                                   | #         |
| 1  | MVT, Unintentional                      | 7         |
| 2  | Poisoning, Unintentional                | 6         |
| 3  | Firearm, Self inflicted; Drowning,      | 3         |
| 4  | Other spec/class, Unintentional         | 2         |
|  | Suffocation, Unintentional;             | 1         |
|  | Suffocation, Self inflicted; Poisoning, |           |
|  | Self inflicted; Firearm, Assault        |           |
| 5  | Other                                   | 0         |
| <b>TOTAL</b>   |   | <b>25</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>STOKES |                                 |            |
|--|---------------------------------|------------|
| Rank   | Cause                           | #          |
| 1  | MVT, Unintentional              | 53         |
| 2  | Poisoning, Self inflicted       | 27         |
| 3  | Poisoning, Unintentional; Fall, | 14         |
| 4  | Transport,other, Unintentional  | 11         |
|  | Poisoning, Undetermined;        | 9          |
|  | Cut/pierce, Self inflicted      |            |
| 5  | Other                           | 42         |
| <b>TOTAL</b>   |                                 | <b>179</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>STOKES |                             |              |
|--|-----------------------------|--------------|
| Rank   | Cause                       | #            |
| 1  | Fall, Unintentional         | 742          |
| 2  | MVT, Unintentional          | 574          |
| 3  | Struck, Unintentional       | 416          |
| 4  | Overexertion, Unintentional | 395          |
|  | Unspecified, Unintentional  | 356          |
| 5  | Other                       | 1,289        |
| <b>TOTAL</b>   |                             | <b>3,772</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>SURRY |                                      |           |
|---|--------------------------------------|-----------|
| Rank  | Cause                                | #         |
| 1   | Poisoning, Unintentional             | 18        |
| 2   | MVT, Unintentional                   | 14        |
| 3   | Firearm, Self inflicted              | 3         |
| 4   | Poisoning, Self inflicted; Fall,     | 2         |
|   | Other spec/class, Unintentional;     | 1         |
|   | Other spec/class, Self inflicted;    |           |
|   | Other land transport, Unintentional; |           |
| 5   | Firearm, Assault                     |           |
|   | Other                                | 0         |
| <b>TOTAL</b>  |                                      | <b>43</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>SURRY |                                |            |
|---|--------------------------------|------------|
| Rank  | Cause                          | #          |
| 1   | MVT, Unintentional             | 80         |
| 2   | Poisoning, Self inflicted      | 76         |
| 3   | Poisoning, Unintentional       | 43         |
| 4   | Fall, Unintentional            | 21         |
|   | Poisoning, Undetermined; Other | 18         |
|   | spec/class, Unintentional      |            |
| 5   | Other                          | 91         |
| <b>TOTAL</b>  |                                | <b>347</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>SURRY |                             |              |
|---|-----------------------------|--------------|
| Rank  | Cause                       | #            |
| 1   | Fall, Unintentional         | 1,303        |
| 2   | MVT, Unintentional          | 1,098        |
| 3   | Overexertion, Unintentional | 864          |
| 4   | Struck, Unintentional       | 751          |
|   | Unspecified, Unintentional  | 676          |
| 5   | Other                       | 2,637        |
| <b>TOTAL</b>  |                             | <b>7,329</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>SWAIN |                                    |           |
|---|------------------------------------|-----------|
| Rank  | Cause                              | #         |
| 1   | Poisoning, Unintentional           | 5         |
| 2   | MVT, Unintentional                 | 2         |
| 3   | Unspecified, Assault; Suffocation, | 1         |
| 4   |                                    |           |
| 5   | Other                              | 0         |
| <b>TOTAL</b>  |                                    | <b>11</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>SWAIN |   |           |
|---|---|-----------|
| Rank  | Cause   | #         |
| 1   | Poisoning, Unintentional; Fall, Unintentional               | 15        |
| 2   | MVT, Unintentional  | 13        |
| 3   | Poisoning, Self inflicted                                   | 7         |
| 4   | Struck, Assault; Natural/Environ, Unintentional             | 6         |
| 5   | Unspecified, Unintentional; Other spec/class, Unintentional | 5         |
|   | Other   | 19        |
| <b>TOTAL</b>  |   | <b>91</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>SWAIN |                             |              |
|---|-----------------------------|--------------|
| Rank  | Cause                       | #            |
| 1   | Fall, Unintentional         | 439          |
| 2   | Overexertion, Unintentional | 411          |
| 3   | Unspecified, Unintentional  | 254          |
| 4   | Struck, Unintentional       | 245          |
| 5   | MVT, Unintentional          | 213          |
|   | Other                       | 609          |
| <b>TOTAL</b>  |                             | <b>2,171</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>TRANSYLVANIA |                            |           |
|--|----------------------------|-----------|
| Rank   | Cause                      | #         |
| 1  | Poisoning, Unintentional   | 8         |
| 2  | Firearm, Self inflicted    | 3         |
| 3  | MVT, Unintentional         | 2         |
| 4  | Poisoning, Self inflicted; | 1         |
| 5  | Other                      | 0         |
| <b>TOTAL</b>   |                            | <b>18</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>TRANSYLVANIA |  |           |
|--|--|-----------|
| Rank   | Cause  | #         |
| 1  | Poisoning, Self inflicted  | 23        |
| 2  | MVT, Unintentional   | 20        |
| 3  | Poisoning, Undetermined  | 12        |
| 4  | Poisoning, Unintentional   | 5         |
|  | Unspecified, Unintentional; Other spec/notclass, Unintentional; Natural/Environ, Unintentional | 4         |
| 5  | Other  | 25        |
| <b>TOTAL</b>   |  | <b>97</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>TRANSYLVANIA |                             |              |
|--|-----------------------------|--------------|
| Rank   | Cause                       | #            |
| 1  | Fall, Unintentional         | 492          |
| 2  | MVT, Unintentional          | 379          |
| 3  | Overexertion, Unintentional | 370          |
| 4  | Struck, Unintentional       | 353          |
|  | Unspecified, Unintentional  | 313          |
| 5  | Other                       | 963          |
| <b>TOTAL</b>   |                             | <b>2,870</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>TYRRELL |                                     |          |
|---|-------------------------------------|----------|
| Rank  | Cause                               | #        |
| 1   | MVT, Unintentional                  | 3        |
| 2   | Poisoning, Self inflicted; Firearm, | 1        |
| 3   |                                     |          |
| 4   |                                     |          |
| 5   |                                     |          |
|   | Other                               | 0        |
| <b>TOTAL</b>  |                                     | <b>5</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>TYRRELL |   |           |
|---|---|-----------|
| Rank  | Cause   | #         |
| 1   | MVT, Unintentional  | 4         |
| 2   | Other spec/class, Unintentional<br>Struck, Assault; Other<br>spec/notclass, Unintentional;<br>Fire/Burn, Unintentional; Fall,<br>Unintentional; Cut/pierce, Assault | 2<br>1    |
| 3   |   |           |
| 4   |   |           |
| 5   |   |           |
|   | Other   | 0         |
| <b>TOTAL</b>  |   | <b>11</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>TYRRELL |  |            |
|---|--|------------|
| Rank  | Cause  | #          |
| 1   | MVT, Unintentional                                 | 31         |
| 2   | Overexertion, Unintentional<br>Fall, Unintentional | 30<br>29   |
| 3   |  |            |
| 4   | Unspecified, Unintentional                         | 26         |
| 5   | Struck, Unintentional                              | 25         |
|   | Other  | 87         |
| <b>TOTAL</b>  |  | <b>228</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>UNION |                             |           |
|---|-----------------------------|-----------|
| Rank  | Cause                       | #         |
| 1   | MVT, Unintentional          | 21        |
| 2   | Poisoning, Unintentional    | 15        |
| 3   | Firearm, Self inflicted     | 9         |
| 4   | Suffocation, Self inflicted | 7         |
| 5   | Firearm, Assault            | 5         |
|   | Other                       | 6         |
| <b>TOTAL</b>  |                             | <b>63</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>UNION |                                 |            |
|---|---------------------------------|------------|
| Rank  | Cause                           | #          |
| 1   | MVT, Unintentional              | 116        |
| 2   | Poisoning, Self inflicted       | 68         |
| 3   | Fall, Unintentional             | 50         |
| 4   | Poisoning, Unintentional        | 41         |
| 5   | Other spec/class, Unintentional | 35         |
|   | Other                           | 156        |
| <b>TOTAL</b>  |                                 | <b>466</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>UNION |                             |               |
|---|-----------------------------|---------------|
| Rank  | Cause                       | #             |
| 1   | MVT, Unintentional          | 2,363         |
| 2   | Fall, Unintentional         | 1,610         |
| 3   | Overexertion, Unintentional | 1,467         |
| 4   | Struck, Unintentional       | 1,027         |
| 5   | Cut/pierce, Unintentional   | 1,009         |
|   | Other                       | 3,698         |
| <b>TOTAL</b>  |                             | <b>11,174</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>VANCE |   |           |
|---|---|-----------|
| Rank  | Cause                                   | #         |
| 1   | Firearm, Assault                        | 15        |
| 2   | MVT, Unintentional                      | 12        |
| 3   | Poisoning, Unintentional; Firearm,      | 8         |
| 4   | Unspecified, Assault                    | 2         |
|   | Suffocation, Self inflicted; Other land | 1         |
| 5   | Unintentional                           |           |
|   | Other                                   | 0         |
| <b>TOTAL</b>  |   | <b>48</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>VANCE |                                   |            |
|---|-----------------------------------|------------|
| Rank  | Cause                             | #          |
| 1   | MVT, Unintentional                | 63         |
| 2   | Fall, Unintentional               | 29         |
| 3   | Poisoning, Self inflicted;        | 15         |
| 4   | Other spec/class, Unintentional   | 14         |
|   | Struck, Assault; Firearm, Assault | 13         |
| 5   |                                   |            |
|   | Other                             | 70         |
| <b>TOTAL</b>  |                                   | <b>232</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>VANCE |                             |              |
|---|-----------------------------|--------------|
| Rank  | Cause                       | #            |
| 1   | MVT, Unintentional          | 1,013        |
| 2   | Fall, Unintentional         | 719          |
| 3   | Overexertion, Unintentional | 664          |
| 4   | Unspecified, Unintentional  | 492          |
|   | Struck, Unintentional       | 419          |
| 5   |                             |              |
|   | Other                       | 1,746        |
| <b>TOTAL</b>  |                             | <b>5,053</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>WAKE |                             |            |
|--|-----------------------------|------------|
| Rank   | Cause                       | #          |
| 1  | MVT, Unintentional          | 100        |
| 2  | Poisoning, Unintentional    | 63         |
| 3  | Firearm, Self inflicted     | 35         |
| 4  | Firearm, Assault            | 34         |
| 5  | Suffocation, Self inflicted | 27         |
|  | Other                       | 63         |
| <b>TOTAL</b>   |                             | <b>322</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>WAKE |                                 |              |
|--|---------------------------------|--------------|
| Rank   | Cause                           | #            |
| 1  | MVT, Unintentional              | 455          |
| 2  | Poisoning, Self inflicted       | 345          |
| 3  | Fall, Unintentional             | 244          |
| 4  | Other spec/class, Unintentional | 230          |
| 5  | Poisoning, Unintentional        | 168          |
|  | Other                           | 1,040        |
| <b>TOTAL</b>   |                                 | <b>2,482</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>WAKE |                             |               |
|--|-----------------------------|---------------|
| Rank   | Cause                       | #             |
| 1  | MVT, Unintentional          | 10,164        |
| 2  | Fall, Unintentional         | 6,036         |
| 3  | Struck, Unintentional       | 4,270         |
| 4  | Overexertion, Unintentional | 3,797         |
| 5  | Cut/pierce, Unintentional   | 3,162         |
|  | Other                       | 14,552        |
| <b>TOTAL</b>   |                             | <b>41,981</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>WARREN |                                     |          |
|--|-------------------------------------|----------|
| Rank   | Cause                               | #        |
| 1  | MVT, Unintentional                  | 7        |
| 2  | Firearm, Unintentional; Cut/pierce, | 1        |
| 3  |                                     |          |
| 4  |                                     |          |
| 5  | Other                               | 0        |
| <b>TOTAL</b>   |                                     | <b>9</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>WARREN |                                  |           |
|--|----------------------------------|-----------|
| Rank   | Cause                            | #         |
| 1  | MVT, Unintentional               | 16        |
| 2  | Poisoning, Self inflicted        | 7         |
|  | Other spec/class, Unintentional; | 4         |
| 3  | Firearm, Assault                 |           |
|  | Fall, Unintentional; Cut/pierce, | 3         |
| 4  | Assault                          |           |
|  | Unspecified, Unintentional;      | 2         |
|  | Transport,other, Unintentional;  |           |
|  | Other spec/notclass,             |           |
|  | Unintentional; Other             |           |
|  | spec/notclass, Undetermined;     |           |
|  | Natural/Environ, Unintentional;  |           |
| 5  | Firearm, Unintentional           |           |
|  | Other                            | 3         |
| <b>TOTAL</b>   |                                  | <b>52</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>WARREN |                             |              |
|--|-----------------------------|--------------|
| Rank   | Cause                       | #            |
| 1  | MVT, Unintentional          | 285          |
| 2  | Overexertion, Unintentional | 208          |
|  | Fall, Unintentional         | 181          |
| 3  |                             |              |
|  | Unspecified, Unintentional  | 136          |
| 4  |                             |              |
|  | Struck, Unintentional       | 125          |
| 5  |                             |              |
|  | Other                       | 483          |
| <b>TOTAL</b>   |                             | <b>1,418</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death |       |          |
|--------------------------------|-------|----------|
| WASHINGTON                     |       |          |
| Rank                           | Cause | #        |
| 1                              |       | 0        |
| 2                              |       | 0        |
| 3                              |       | 0        |
| 4                              |       | 0        |
| 5                              |       | 0        |
|                                | Other | 0        |
| <b>TOTAL</b>                   |       | <b>0</b> |

| Leading Causes of Injury Hospitalization** |   |           |
|--|---|-----------|
| Ages 19-34: 2010 to 2013                   |   |           |
| WASHINGTON                                 |   |           |
| Rank                                       | Cause   | #         |
| 1  | MVT, Unintentional  | 8         |
| 2  | Poisoning, Self inflicted; Firearm, Assault   | 3         |
| 3  | Cut/pierce, Assault   | 2         |
|  | Unspecified, Unintentional; Struck, Unintentional; Poisoning, Unintentional; Other spec/notclass, Unintentional; Other spec/class, Unintentional; Fire/Burn, Unintentional; Fall, Unintentional | 1         |
| 4  |   |           |
| 5  |   |           |
|  | Other   | 0         |
| <b>TOTAL</b>                               |   | <b>23</b> |

| Leading Causes of Injury ED Visits** |                             |            |
|--------------------------------------|-----------------------------|------------|
| Ages 19-34: 2010 to 2013             |                             |            |
| WASHINGTON                           |                             |            |
| Rank                                 | Cause                       | #          |
| 1                                    | MVT, Unintentional          | 129        |
| 2                                    | Fall, Unintentional         | 122        |
| 3                                    | Overexertion, Unintentional | 69         |
|                                      | Struck, Unintentional       | 64         |
| 4                                    |                             |            |
| 5                                    | Unspecified, Unintentional  | 58         |
|                                      | Other                       | 204        |
| <b>TOTAL</b>                         |                             | <b>646</b> |

| Leading Causes of Injury Death |                                     |           |
|--------------------------------|-------------------------------------|-----------|
| Ages 19-34: 2010 to 2013       |                                     |           |
| WATAUGA                        |                                     |           |
| Rank                           | Cause                               | #         |
| 1                              | MVT, Unintentional                  | 4         |
| 2                              | Poisoning, Unintentional; Firearm,  | 3         |
| 3                              | Fire/Burn, Unintentional; Drowning, | 1         |
| 4                              |                                     |           |
| 5                              |                                     |           |
|                                | Other                               | 0         |
| <b>TOTAL</b>                   |                                     | <b>12</b> |

| Leading Causes of Injury Hospitalization** |                           |            |
|--|---------------------------|------------|
| Ages 19-34: 2010 to 2013                   |                           |            |
| WATAUGA                                    |                           |            |
| Rank                                       | Cause                     | #          |
| 1  | MVT, Unintentional        | 18         |
| 2  | Poisoning, Self inflicted | 16         |
| 3  | Fall, Unintentional       | 11         |
| 4  | Poisoning, Unintentional  | 9          |
| 5  | Cut/pierce, Unintentional | 6          |
|  | Other                     | 41         |
| <b>TOTAL</b>                               |                           | <b>101</b> |

| Leading Causes of Injury ED Visits** |                                 |              |
|--------------------------------------|---------------------------------|--------------|
| Ages 19-34: 2010 to 2013             |                                 |              |
| WATAUGA                              |                                 |              |
| Rank                                 | Cause                           | #            |
| 1                                    | Fall, Unintentional             | 587          |
| 2                                    | Struck, Unintentional           | 370          |
| 3                                    | MVT, Unintentional              | 352          |
| 4                                    | Overexertion, Unintentional;    | 325          |
| 5                                    | Other spec/class, Unintentional | 139          |
|                                      | Other                           | 751          |
| <b>TOTAL</b>                         |                                 | <b>2,849</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.



Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>WAYNE |                          |           |
|---|--------------------------|-----------|
| Rank  | Cause                    | #         |
| 1   | MVT, Unintentional       | 22        |
| 2   | Firearm, Assault         | 14        |
| 3   | Firearm, Self inflicted  | 9         |
| 4   | Poisoning, Unintentional | 8         |
| 5   | Drowning, Unintentional  | 4         |
|   | Other                    | 11        |
| <b>TOTAL</b>  |                          | <b>68</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>WAYNE |                                 |            |
|---|---------------------------------|------------|
| Rank  | Cause                           | #          |
| 1   | MVT, Unintentional              | 124        |
| 2   | Poisoning, Self inflicted       | 100        |
| 3   | Other spec/class, Unintentional | 42         |
| 4   | Fall, Unintentional             | 38         |
| 5   | Unspecified, Unintentional      | 35         |
|   | Other                           | 234        |
| <b>TOTAL</b>  |                                 | <b>573</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>WAYNE |                             |               |
|---|-----------------------------|---------------|
| Rank  | Cause                       | #             |
| 1   | MVT, Unintentional          | 2,534         |
| 2   | Unspecified, Unintentional  | 2,020         |
| 3   | Fall, Unintentional         | 1,714         |
| 4   | Overexertion, Unintentional | 1,356         |
| 5   | Struck, Unintentional       | 1,281         |
|   | Other                       | 5,359         |
| <b>TOTAL</b>  |                             | <b>14,264</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>WILKES |   |           |
|--|---|-----------|
| Rank   | Cause   | #         |
| 1  | Poisoning, Unintentional  | 14        |
| 2  | MVT, Unintentional  | 10        |
| 3  | Suffocation, Self inflicted   | 3         |
| 4  | Unspecified, Unintentional; Firearm,<br>Struck, Unintentional; Struck,<br>Assault; Poisoning, Self inflicted;<br>Natural/Environ, Unintentional;<br>Firearm, Self inflicted; Drowning,<br>Unintentional | 2         |
| 5  | Other   | 1         |
|  | Other   | 0         |
| <b>TOTAL</b>   |   | <b>39</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>WILKES |                           |            |
|--|---------------------------|------------|
| Rank   | Cause                     | #          |
| 1  | MVT, Unintentional        | 60         |
| 2  | Poisoning, Self inflicted | 39         |
| 3  | Poisoning, Undetermined   | 25         |
| 4  | Fall, Unintentional       | 16         |
|  | Poisoning, Unintentional  | 14         |
| 5  | Other                     | 84         |
| <b>TOTAL</b>   |                           | <b>238</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>WILKES |                             |              |
|--|-----------------------------|--------------|
| Rank   | Cause                       | #            |
| 1  | MVT, Unintentional          | 240          |
| 2  | Fall, Unintentional         | 231          |
| 3  | Unspecified, Unintentional  | 100          |
| 4  | Struck, Unintentional       | 93           |
|  | Overexertion, Unintentional | 86           |
| 5  | Other                       | 386          |
| <b>TOTAL</b>   |                             | <b>1,136</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>WILSON |  |           |
|--|--|-----------|
| Rank   | Cause  | #         |
| 1  | MVT, Unintentional   | 18        |
| 2  | Firearm, Assault   | 11        |
|  | Firearm, Self inflicted  | 5         |
| 3  |  |           |
| 4  | Poisoning, Unintentional   | 3         |
|  | Unspecified, Assault; Suffocation,<br>Self inflicted; Poisoning, Self<br>inflicted; Fire/Burn, Unintentional | 1         |
| 5  | Other  | 0         |
| <b>TOTAL</b>   |  | <b>41</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>WILSON |  |            |
|--|--|------------|
| Rank   | Cause  | #          |
| 1  | MVT, Unintentional                               | 76         |
| 2  | Poisoning, Self inflicted                        | 34         |
|  | Poisoning, Unintentional; Fall,<br>Unintentional | 15         |
| 3  |  |            |
| 4  | Fire/Burn, Unintentional                         | 14         |
|  | Other spec/class, Unintentional                  | 13         |
| 5  |  |            |
|  | Other  | 97         |
| <b>TOTAL</b>   |  | <b>264</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>WILSON |                             |              |
|--|-----------------------------|--------------|
| Rank   | Cause                       | #            |
| 1  | MVT, Unintentional          | 1,679        |
| 2  | Overexertion, Unintentional | 1,327        |
|  | Fall, Unintentional         | 945          |
| 3  |                             |              |
| 4  | Unspecified, Unintentional  | 903          |
|  | Struck, Unintentional       | 645          |
| 5  |                             |              |
|  | Other                       | 2,722        |
| <b>TOTAL</b>   |                             | <b>8,221</b> |

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>YADKIN |                             |           |
|--|-----------------------------|-----------|
| Rank   | Cause                       | #         |
| 1  | Poisoning, Unintentional    | 12        |
| 2  | MVT, Unintentional          | 4         |
| 3  | Firearm, Self inflicted     | 3         |
| 4  | Suffocation, Unintentional; | 1         |
| 5  |                             |           |
|  | Other                       | 0         |
| <b>TOTAL</b>   |                             | <b>23</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>YADKIN |                           |            |
|--|---------------------------|------------|
| Rank   | Cause                     | #          |
| 1  | MVT, Unintentional        | 37         |
| 2  | Poisoning, Self inflicted | 22         |
| 3  | Fall, Unintentional       | 15         |
| 4  | Poisoning, Unintentional  | 12         |
| 5  | Poisoning, Undetermined   | 7          |
|  | Other                     | 40         |
| <b>TOTAL</b>   |                           | <b>133</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>YADKIN |                             |              |
|--|-----------------------------|--------------|
| Rank   | Cause                       | #            |
| 1  | Fall, Unintentional         | 399          |
| 2  | MVT, Unintentional          | 301          |
| 3  | Overexertion, Unintentional | 288          |
| 4  | Struck, Unintentional       | 198          |
| 5  | Unspecified, Unintentional  | 151          |
|  | Other                       | 708          |
| <b>TOTAL</b>   |                             | <b>2,045</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

| Leading Causes of Injury Death<br>Ages 19-34: 2010 to 2013<br>YANCEY |                             |           |
|--|-----------------------------|-----------|
| Rank   | Cause                       | #         |
| 1  | Poisoning, Unintentional    | 3         |
| 2  | MVT, Unintentional          | 2         |
| 3  | Unspecified, Unintentional; | 1         |
| 4  |                             |           |
| 5  | Other                       | 0         |
| <b>TOTAL</b>   |                             | <b>10</b> |

| Leading Causes of Injury Hospitalization**<br>Ages 19-34: 2010 to 2013<br>YANCEY |  |           |
|--|--|-----------|
| Rank   | Cause  | #         |
| 1  | MVT, Unintentional                                 | 10        |
| 2  | Poisoning, Self inflicted                          | 7         |
| 3  | Fall, Unintentional                                | 5         |
| 4  | Poisoning, Unintentional                           | 4         |
|  | Transport,other, Unintentional;                    | 2         |
|  | Struck, Assault; Poisoning,<br>Undetermined; Other |           |
| 5  | spec/notclass, Unintentional                       |           |
|  | Other  | 8         |
| <b>TOTAL</b>   |  | <b>42</b> |

| Leading Causes of Injury ED Visits**<br>Ages 19-34: 2010 to 2013<br>YANCEY |   |            |
|--|---|------------|
| Rank   | Cause   | #          |
| 1  | MVT, Unintentional  | 111        |
| 2  | Fall, Unintentional   | 106        |
| 3  | Struck, Unintentional   | 39         |
| 4  | Struck, Assault; Overexertion,<br>Other spec/class, Unintentional | 33         |
|  |   | 23         |
| 5  | Other   | 142        |
| <b>TOTAL</b>   |   | <b>487</b> |

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.