

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 ALAMANCE		
Rank	Cause	#
1	Poisoning, Unintentional	40
2	MVT, Unintentional	25
3	Firearm, Self inflicted	21
4	Poisoning, Self inflicted	10
5	Suffocation, Self inflicted; Firearm, Other	6 25
TOTAL		139

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 ALAMANCE		
Rank	Cause	#
1	Fall, Unintentional	422
2	Poisoning, Self inflicted	307
3	MVT, Unintentional	193
4	Poisoning, Unintentional	163
5	Unspecified, Unintentional Other	101 514
TOTAL		1,700

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 ALAMANCE		
Rank	Cause	#
1	Fall, Unintentional	2,912
2	MVT, Unintentional	1,959
3	Unspecified, Unintentional	1,445
4	Overexertion, Unintentional	1,041
5	Struck, Unintentional Other	759 3,714
TOTAL		11,830

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 ALEXANDER		
Rank	Cause	#
1	Poisoning, Unintentional	22
2	MVT, Unintentional	13
3	Firearm, Self inflicted	8
4	Suffocation, Self inflicted; Fall,	3
5	Poisoning, Undetermined; Other	2 6
TOTAL		63

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 ALEXANDER		
Rank	Cause	#
1	Fall, Unintentional	102
2	Poisoning, Self inflicted	45
3	Poisoning, Unintentional	43
4	MVT, Unintentional	35
5	Other spec/class, Unintentional Other	27 126
TOTAL		378

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 ALEXANDER		
Rank	Cause	#
1	Fall, Unintentional	1,307
2	MVT, Unintentional	557
3	Overexertion, Unintentional	472
4	Unspecified, Unintentional	436
5	Struck, Unintentional Other	355 1,478
TOTAL		4,605

*NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 ALLEGHANY		
Rank	Cause	#
1	Poisoning, Unintentional; MVT,	4
2	Unspecified, Unintentional;	1
3		
4		
5		
	Other	0
TOTAL		18

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 ALLEGHANY		
Rank	Cause	#
1	Fall, Unintentional	39
2	Unspecified, Unintentional	13
3	MVT, Unintentional	12
4	Poisoning, Undetermined	10
	Poisoning, Unintentional;	7
5	Poisoning, Self inflicted	
	Other	24
TOTAL		112

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 ALLEGHANY		
Rank	Cause	#
1	Fall, Unintentional	252
2	Unspecified, Unintentional	101
3	Struck, Unintentional	58
4	MVT, Unintentional	52
	Cut/pierce, Unintentional	44
5		
	Other	248
TOTAL		755

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 ANSON		
Rank	Cause	#
1	MVT, Unintentional	11
2	Poisoning, Unintentional	5
3	Unspecified, Unintentional;	3
4	Other spec/NEC, Unintentional	2
5	Unspecified, Assault; Suffocation,	1
	Other	0
TOTAL		32

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 ANSON		
Rank	Cause	#
1	Fall, Unintentional	65
2	MVT, Unintentional	41
3	Other spec/class, Unintentional	26
4	Unspecified, Unintentional	20
5	Natural/Environ, Unintentional	19
	Other	90
TOTAL		261

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 ANSON		
Rank	Cause	#
1	Fall, Unintentional	719
2	MVT, Unintentional	481
3	Overexertion, Unintentional	338
4	Unspecified, Unintentional	333
5	Struck, Unintentional	249
	Other	904
TOTAL		3,024

*NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 ASHE		
Rank	Cause	#
1	Poisoning, Unintentional	15
2	Firearm, Self inflicted	11
3	MVT, Unintentional	5
4	Fall, Unintentional	3
5	Other land transport, Unintentional; Other	2 6
TOTAL		44

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 ASHE		
Rank	Cause	#
1	Fall, Unintentional	69
2	MVT, Unintentional	28
3	Poisoning, Self inflicted	20
4	Other spec/class, Unintentional	15
5	Unspecified, Unintentional Other	12 75
TOTAL		219

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 ASHE		
Rank	Cause	#
1	Fall, Unintentional	999
2	Unspecified, Unintentional	376
3	MVT, Unintentional	332
4	Overexertion, Unintentional	322
5	Struck, Unintentional Other	311 1,019
TOTAL		3,359

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 AVERY		
Rank	Cause	#
1	Firearm, Self inflicted	8
2	Poisoning, Unintentional Suffocation, Unintentional	6 2
3		
4	Unspecified, Unintentional;	1
5	Other	0
TOTAL		21

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 AVERY		
Rank	Cause	#
1	Fall, Unintentional	67
2	MVT, Unintentional Unspecified, Unintentional;	14 11
3	Poisoning, Unintentional	
4	Poisoning, Self inflicted	9
5	Other spec/class, Unintentional Other	7 34
TOTAL		153

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 AVERY		
Rank	Cause	#
1	Fall, Unintentional	819
2	Overexertion, Unintentional Cut/pierce, Unintentional	380 255
3		
4	MVT, Unintentional	253
5	Struck, Unintentional Other	245 749
TOTAL		2,701

*NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 BEAUFORT		
Rank	Cause	#
1	Poisoning, Unintentional	19
2	Firearm, Self inflicted	12
3	MVT, Unintentional	10
4	Poisoning, Self inflicted	4
5	Suffocation, Self inflicted	3
	Other	18
TOTAL		66

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 BEAUFORT		
Rank	Cause	#
1	Fall, Unintentional	106
2	MVT, Unintentional	76
3	Poisoning, Self inflicted	65
4	Poisoning, Unintentional	39
5	Other spec/class, Unintentional	28
	Other	152
TOTAL		466

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 BEAUFORT		
Rank	Cause	#
1	Fall, Unintentional	1,738
2	Unspecified, Unintentional	1,006
3	MVT, Unintentional	936
4	Overexertion, Unintentional	709
5	Struck, Unintentional	559
	Other	2,196
TOTAL		7,144

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 BERTIE		
Rank	Cause	#
1	Natural/Environ, Unintentional	7
2	MVT, Unintentional	6
3	Fire/Burn, Unintentional	3
4	Suffocation, Self inflicted; Poisoning, Unspecified, Self inflicted; Other land transport, Unintentional;	2
		1
5	Drowning, Unintentional	
	Other	0
TOTAL		27

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 BERTIE		
Rank	Cause	#
1	Fall, Unintentional	45
2	MVT, Unintentional	29
3	Unspecified, Unintentional	22
4	Other spec/class, Unintentional	19
	Natural/Environ, Unintentional	11
5	Other	56
TOTAL		182

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 BERTIE		
Rank	Cause	#
1	Fall, Unintentional	541
2	MVT, Unintentional	375
3	Unspecified, Unintentional	308
4	Struck, Unintentional	230
	Cut/pierce, Unintentional	224
5	Other	867
TOTAL		2,545

*NC Residents based on county and state
 **Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 BLADEN		
Rank	Cause	#
1	MVT, Unintentional	21
2	Poisoning, Unintentional	13
3	Firearm, Self inflicted	6
4	Fall, Unintentional	4
5	Fire/Burn, Unintentional	3
	Other	18
TOTAL		65

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 BLADEN		
Rank	Cause	#
1	Unspecified, Unintentional	100
2	Fall, Unintentional	79
3	Poisoning, Unintentional	49
4	MVT, Unintentional	41
5	Other spec/class, Unintentional	33
	Other	131
TOTAL		433

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 BLADEN		
Rank	Cause	#
1	Fall, Unintentional	1,091
2	MVT, Unintentional	766
3	Unspecified, Unintentional	703
4	Struck, Unintentional	414
5	Overexertion, Unintentional	399
	Other	1,375
TOTAL		4,748

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 BRUNSWICK		
Rank	Cause	#
1	Poisoning, Unintentional	79
2	MVT, Unintentional	30
3	Firearm, Self inflicted	20
4	Suffocation, Self inflicted; Poisoning,	9
5	Fire/Burn, Unintentional	6
	Other	24
TOTAL		177

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 BRUNSWICK		
Rank	Cause	#
1	Fall, Unintentional	255
2	Poisoning, Self inflicted	120
3	MVT, Unintentional	113
4	Poisoning, Unintentional	100
5	Unspecified, Unintentional	86
	Other	318
TOTAL		992

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 BRUNSWICK		
Rank	Cause	#
1	Fall, Unintentional	3,414
2	Overexertion, Unintentional	1,552
3	MVT, Unintentional	1,470
4	Unspecified, Unintentional	1,083
5	Struck, Unintentional	1,018
	Other	3,484
TOTAL		12,021

*NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 BUNCOMBE		
Rank	Cause	#
1	Poisoning, Unintentional	47
2	Firearm, Self inflicted	46
3	MVT, Unintentional	37
4	Poisoning, Self inflicted	34
	Suffocation, Self inflicted; Fall,	21
5	Unintentional Other	82
TOTAL		288

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 BUNCOMBE		
Rank	Cause	#
1	Fall, Unintentional	849
2	Poisoning, Self inflicted	329
3	MVT, Unintentional	298
4	Unspecified, Unintentional	183
	Poisoning, Unintentional	182
5	Other	794
TOTAL		2,635

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 BUNCOMBE		
Rank	Cause	#
1	Fall, Unintentional	2,659
2	MVT, Unintentional	1,573
3	Unspecified, Unintentional	753
4	Overexertion, Unintentional	638
	Struck, Unintentional	538
5	Other	2,563
TOTAL		8,724

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 BURKE		
Rank	Cause	#
1	Poisoning, Unintentional	60
2	Firearm, Self inflicted	25
3	MVT, Unintentional	16
4	Poisoning, Self inflicted	11
	Firearm, Assault; Fall, Unintentional	6
5	Other	20
TOTAL		144

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 BURKE		
Rank	Cause	#
1	Fall, Unintentional	267
2	MVT, Unintentional	131
3	Poisoning, Self inflicted	130
4	Poisoning, Unintentional	101
	Unspecified, Unintentional	86
5	Other	309
TOTAL		1,024

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 BURKE		
Rank	Cause	#
1	Fall, Unintentional	3,963
2	MVT, Unintentional	1,646
3	Overexertion, Unintentional	1,477
4	Unspecified, Unintentional	1,267
	Struck, Unintentional	1,210
5	Other	3,900
TOTAL		13,463

*NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 CABARRUS		
Rank	Cause	#
1	Poisoning, Unintentional	43
2	Firearm, Self inflicted	33
3	MVT, Unintentional	23
4	Poisoning, Self inflicted	17
5	Fall, Unintentional	13
	Other	47
TOTAL		176

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 CABARRUS		
Rank	Cause	#
1	Fall, Unintentional	371
2	Poisoning, Self inflicted	167
3	MVT, Unintentional	159
4	Poisoning, Unintentional	148
5	Unspecified, Unintentional	141
	Other	496
TOTAL		1,482

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 CABARRUS		
Rank	Cause	#
1	Fall, Unintentional	3,811
2	MVT, Unintentional	2,546
3	Overexertion, Unintentional	1,792
4	Struck, Unintentional	1,377
5	Unspecified, Unintentional	1,204
	Other	4,366
TOTAL		15,096

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 CALDWELL		
Rank	Cause	#
1	Poisoning, Unintentional	32
2	MVT, Unintentional; Firearm, Self	19
3	Suffocation, Self inflicted	7
4	Fire/Burn, Unintentional	6
5	Drowning, Unintentional	5
	Other	26
TOTAL		114

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 CALDWELL		
Rank	Cause	#
1	Fall, Unintentional	241
2	Poisoning, Self inflicted	111
3	Poisoning, Unintentional	96
4	Unspecified, Unintentional	93
5	MVT, Unintentional	80
	Other	214
TOTAL		835

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 CALDWELL		
Rank	Cause	#
1	Fall, Unintentional	3,733
2	MVT, Unintentional	1,543
3	Overexertion, Unintentional	1,302
4	Struck, Unintentional	1,085
5	Cut/pierce, Unintentional	966
	Other	3,705
TOTAL		12,334

*NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 CAMDEN		
Rank	Cause	#
1	Firearm, Self inflicted	4
2	Suffocation, Unintentional;	1
3		
4		
5	Other	0
TOTAL		10

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 CAMDEN		
Rank	Cause	#
1	Fall, Unintentional	10
2	Poisoning, Self inflicted	6
3	MVT, Unintentional	4
4	Poisoning, Undetermined	2
	Unspecified, Unintentional; Struck, Assault; Poisoning, Unintentional; Other spec/notclass, Unintentional; Other spec/class, Unintentional; Machinery, Unintentional; Fire/Burn,	1
5	Unintentional	
	Other	0
TOTAL		29

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 CAMDEN		
Rank	Cause	#
1	MVT, Unintentional	48
2	Fall, Unintentional	34
3	Natural/Environ, Unintentional	22
4	Unspecified, Unintentional	19
	Overexertion, Unintentional	13
5	Other	46
TOTAL		182

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 CARTERET		
Rank	Cause	#
1	Poisoning, Unintentional	36
2	MVT, Unintentional	13
3	Firearm, Self inflicted	11
4	Poisoning, Self inflicted	10
5	Suffocation, Self inflicted	6
	Other	20
TOTAL		96

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 CARTERET		
Rank	Cause	#
1	Fall, Unintentional	182
2	Poisoning, Unintentional	77
3	Poisoning, Self inflicted	71
4	MVT, Unintentional	64
5	Other spec/class, Unintentional	29
	Other	192
TOTAL		615

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 CARTERET		
Rank	Cause	#
1	Fall, Unintentional	2,668
2	Unspecified, Unintentional	1,052
3	Overexertion, Unintentional	1,004
4	MVT, Unintentional	985
5	Struck, Unintentional	875
	Other	3,346
TOTAL		9,930

*NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 CASWELL		
Rank	Cause	#
1	MVT, Unintentional	12
2	Firearm, Self inflicted	6
3	Poisoning, Unintentional	3
4	Fall, Unintentional	2
	Suffocation, Unintentional; Suffocation, Undetermined; Poisoning, Self inflicted; Other spec/class, Unintentional; Firearm, Unintentional; Drowning, Unintentional; Cut/pierce, Assault Other	1 0
TOTAL		30

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 CASWELL		
Rank	Cause	#
1	Fall, Unintentional	34
2	MVT, Unintentional	20
3	Poisoning, Unintentional	15
4	Poisoning, Self inflicted Other spec/class, Unintentional	14 13
5	Other	42
TOTAL		138

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 CASWELL		
Rank	Cause	#
1	Fall, Unintentional	388
2	MVT, Unintentional	198
3	Overexertion, Unintentional	139
4	Unspecified, Unintentional Natural/Environ, Unintentional	122 116
5	Other	473
TOTAL		1,436

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 CATAWBA		
Rank	Cause	#
1	Poisoning, Unintentional	65
2	MVT, Unintentional	46
3	Firearm, Self inflicted	30
4	Poisoning, Self inflicted	21
5	Firearm, Assault Other	13 51
TOTAL		226

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 CATAWBA		
Rank	Cause	#
1	Fall, Unintentional	353
2	Poisoning, Self inflicted	222
3	MVT, Unintentional	193
4	Poisoning, Unintentional	113
5	Other spec/class, Unintentional Other	98 420
TOTAL		1,399

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 CATAWBA		
Rank	Cause	#
1	Fall, Unintentional	6,059
2	MVT, Unintentional	2,850
3	Overexertion, Unintentional	2,136
4	Unspecified, Unintentional	2,025
5	Struck, Unintentional Other	1,667 6,591
TOTAL		21,328

*NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 CHATHAM		
Rank	Cause	#
1	MVT, Unintentional; Firearm, Self	8
2	Suffocation, Self inflicted	7
3	Poisoning, Unintentional	4
4	Poisoning, Self inflicted; Drowning,	2
5	Unspecified, Unintentional;	1
	Other	0
TOTAL		40

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 CHATHAM		
Rank	Cause	#
1	Fall, Unintentional	90
2	MVT, Unintentional	71
3	Poisoning, Unintentional	44
4	Poisoning, Self inflicted	43
5	Other spec/class, Unintentional	25
	Other	143
TOTAL		416

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 CHATHAM		
Rank	Cause	#
1	Fall, Unintentional	929
2	MVT, Unintentional	488
3	Overexertion, Unintentional	414
4	Unspecified, Unintentional	364
5	Natural/Environ, Unintentional	314
	Other	1,346
TOTAL		3,855

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 CHEROKEE		
Rank	Cause	#
1	Poisoning, Unintentional	27
2	MVT, Unintentional	9
3	Firearm, Self inflicted	7
4	Poisoning, Self inflicted	4
	Unspecified, Unintentional; Struck,	2
	Unintentional; Natural/Environ,	
5	Unintentional	
	Other	8
TOTAL		61

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 CHEROKEE		
Rank	Cause	#
1	Fall, Unintentional	68
2	Poisoning, Unintentional	40
3	Poisoning, Self inflicted	29
4	Other spec/class, Unintentional	22
	Unspecified, Unintentional	15
5		
	Other	62
TOTAL		236

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 CHEROKEE		
Rank	Cause	#
1	Fall, Unintentional	458
2	Unspecified, Unintentional	115
3	MVT, Unintentional	93
4	Struck, Unintentional	57
	Struck, Assault; Overexertion,	52
	Unintentional	
5		
	Other	315
TOTAL		1,142

*NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 CHOWAN		
Rank	Cause	#
1	Poisoning, Unintentional	5
2	MVT, Unintentional	4
3	Transport,other, Unintentional;	2
4	Firearm, Unintentional; Firearm, Self	1
5	Other	0
TOTAL		17

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 CHOWAN		
Rank	Cause	#
1	Fall, Unintentional	46
2	MVT, Unintentional	18
3	Poisoning, Self inflicted	14
4	Poisoning, Unintentional Unspecified, Unintentional;	10 6
5	Poisoning, Undetermined Other	26
TOTAL		126

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 CHOWAN		
Rank	Cause	#
1	Fall, Unintentional	462
2	Unspecified, Unintentional	300
3	MVT, Unintentional	198
4	Overexertion, Unintentional Struck, Unintentional	147 130
5	Other	484
TOTAL		1,721

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 CLAY		
Rank	Cause	#
1	Poisoning, Unintentional	6
2	Poisoning, Self inflicted; MVT,	2
3	Unspecified, Unintentional;	1
4		
5	Other	0
TOTAL		16

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 CLAY		
Rank	Cause	#
1	Fall, Unintentional	25
2	Poisoning, Unintentional	11
3	Poisoning, Self inflicted	10
4	MVT, Unintentional Unspecified, Unintentional; Other	5 4
5	spec/class, Unintentional Other	11
TOTAL		70

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 CLAY		
Rank	Cause	#
1	Fall, Unintentional	127
2	Unspecified, Unintentional	42
3	MVT, Unintentional	26
4	Overexertion, Unintentional Struck, Unintentional	25 19
5	Other	100
TOTAL		339

*NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 CLEVELAND		
Rank	Cause	#
1	Poisoning, Unintentional	44
2	MVT, Unintentional	25
3	Firearm, Self inflicted	22
4	Poisoning, Self inflicted; Firearm,	6
5	Fire/Burn, Unintentional	5
	Other	27
TOTAL		135

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 CLEVELAND		
Rank	Cause	#
1	Fall, Unintentional	297
2	Poisoning, Self inflicted	160
3	MVT, Unintentional	157
4	Poisoning, Unintentional	146
5	Other spec/class, Unintentional	90
	Other	389
TOTAL		1,239

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 CLEVELAND		
Rank	Cause	#
1	Fall, Unintentional	4,421
2	MVT, Unintentional	2,215
3	Unspecified, Unintentional	1,800
4	Overexertion, Unintentional	1,736
5	Struck, Unintentional	1,333
	Other	5,070
TOTAL		16,575

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 COLUMBUS		
Rank	Cause	#
1	MVT, Unintentional	40
2	Poisoning, Unintentional	31
3	Firearm, Self inflicted	10
4	Firearm, Assault	9
5	Poisoning, Self inflicted	6
	Other	20
TOTAL		116

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 COLUMBUS		
Rank	Cause	#
1	Fall, Unintentional	169
2	MVT, Unintentional	108
3	Poisoning, Unintentional	73
4	Other spec/class, Unintentional	66
5	Poisoning, Self inflicted	63
	Other	229
TOTAL		708

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 COLUMBUS		
Rank	Cause	#
1	Fall, Unintentional	1,899
2	MVT, Unintentional	1,347
3	Overexertion, Unintentional	925
4	Unspecified, Unintentional	709
5	Struck, Unintentional	606
	Other	2,087
TOTAL		7,573

*NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 CRAVEN		
Rank	Cause	#
1	Poisoning, Unintentional	34
2	MVT, Unintentional	24
3	Firearm, Self inflicted	19
4	Poisoning, Undetermined; Fall, Unspecified, Unintentional; Other spec/class, Unintentional; Firearm, Assault; Drowning, Unintentional	4
5	Other	3
	Other	10
TOTAL		107

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 CRAVEN		
Rank	Cause	#
1	Fall, Unintentional	253
2	Poisoning, Self inflicted	154
3	Poisoning, Unintentional	130
4	MVT, Unintentional	112
	Unspecified, Unintentional	76
5	Other	360
TOTAL		1,085

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 CRAVEN		
Rank	Cause	#
1	Fall, Unintentional	2,516
2	Overexertion, Unintentional	1,469
3	Unspecified, Unintentional	1,447
4	MVT, Unintentional	1,212
	Struck, Unintentional	1,071
5	Other	3,485
TOTAL		11,200

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 CUMBERLAND		
Rank	Cause	#
1	Poisoning, Unintentional	97
2	MVT, Unintentional	81
3	Firearm, Self inflicted	44
4	Firearm, Assault	28
5	Fall, Unintentional	22
	Other	73
TOTAL		345

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 CUMBERLAND		
Rank	Cause	#
1	Unspecified, Unintentional	611
2	Fall, Unintentional	593
3	MVT, Unintentional	395
4	Poisoning, Self inflicted	354
5	Poisoning, Unintentional	315
	Other	1,148
TOTAL		3,416

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 CUMBERLAND		
Rank	Cause	#
1	MVT, Unintentional	5,136
2	Fall, Unintentional	4,961
3	Unspecified, Unintentional	3,470
4	Overexertion, Unintentional	1,989
5	Struck, Unintentional	1,499
	Other	6,632
TOTAL		23,687

*NC Residents based on county and state
 **Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 CURRITUCK		
Rank	Cause	#
1	Firearm, Self inflicted	11
2	Poisoning, Unintentional	8
3	MVT, Unintentional	4
4	Poisoning, Undetermined; Fall, Poisoning, Self inflicted; Drowning, Unintentional	3
5	Other	2
		5
TOTAL		38

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 CURRITUCK		
Rank	Cause	#
1	Poisoning, Self inflicted	13
2	Fall, Unintentional	9
3	MVT, Unintentional	6
4	Unspecified, Unintentional; Poisoning, Unintentional; Natural/Environ, Unintentional;	4
5	Cut/pierce, Self inflicted	2
	Other	7
TOTAL		53

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 CURRITUCK		
Rank	Cause	#
1	Fall, Unintentional	151
2	MVT, Unintentional	81
3	Unspecified, Unintentional	55
4	Overexertion, Unintentional Cut/pierce, Unintentional	54
5	Other	45
		178
TOTAL		564

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 DARE		
Rank	Cause	#
1	Poisoning, Unintentional	19
2	MVT, Unintentional	10
3	Fall, Unintentional	8
4	Firearm, Self inflicted	6
5	Suffocation, Self inflicted	4
	Other	8
TOTAL		55

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 DARE		
Rank	Cause	#
1	Fall, Unintentional	40
2	Poisoning, Self inflicted	11
3	Unspecified, Unintentional	7
4	MVT, Unintentional	6
5	Poisoning, Unintentional	5
	Other	26
TOTAL		95

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 DARE		
Rank	Cause	#
1	Fall, Unintentional	827
2	Overexertion, Unintentional	284
3	MVT, Unintentional	280
4	Cut/pierce, Unintentional	259
5	Unspecified, Unintentional	231
	Other	900
TOTAL		2,781

*NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 DAVIDSON		
Rank	Cause	#
1	Poisoning, Unintentional	73
2	MVT, Unintentional	53
3	Firearm, Self inflicted	27
4	Poisoning, Self inflicted	12
5	Firearm, Assault	8
	Other	39
TOTAL		212

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 DAVIDSON		
Rank	Cause	#
1	Fall, Unintentional	323
2	MVT, Unintentional	209
3	Poisoning, Self inflicted	150
4	Poisoning, Unintentional	145
5	Unspecified, Unintentional	113
	Other	434
TOTAL		1,374

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 DAVIDSON		
Rank	Cause	#
1	Fall, Unintentional	6,215
2	Overexertion, Unintentional	3,438
3	Unspecified, Unintentional	3,292
4	MVT, Unintentional	2,923
5	Struck, Unintentional	1,961
	Other	6,545
TOTAL		24,374

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 DAVIE		
Rank	Cause	#
1	MVT, Unintentional	12
2	Firearm, Self inflicted	9
3	Poisoning, Unintentional	8
4	Poisoning, Self inflicted	5
5	Suffocation, Self inflicted; Fall, Unintentional	4
	Other	8
TOTAL		50

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 DAVIE		
Rank	Cause	#
1	Fall, Unintentional	96
2	MVT, Unintentional	50
3	Poisoning, Self inflicted	49
4	Unspecified, Unintentional	34
	Poisoning, Unintentional	22
5	Other	91
TOTAL		342

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 DAVIE		
Rank	Cause	#
1	Fall, Unintentional	877
2	MVT, Unintentional	396
3	Unspecified, Unintentional	315
4	Overexertion, Unintentional	247
	Struck, Unintentional	203
5	Other	813
TOTAL		2,851

*NC Residents based on county and state
 **Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 DUPLIN		
Rank	Cause	#
1	MVT, Unintentional	23
2	Poisoning, Unintentional	10
3	Suffocation, Self inflicted	7
4	Firearm, Self inflicted	6
5	Firearm, Assault	5
	Other	17
TOTAL		68

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 DUPLIN		
Rank	Cause	#
1	Fall, Unintentional	127
2	MVT, Unintentional	88
3	Poisoning, Self inflicted	50
4	Unspecified, Unintentional	43
5	Other spec/class, Unintentional	38
	Other	186
TOTAL		532

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 DUPLIN		
Rank	Cause	#
1	Fall, Unintentional	1,253
2	MVT, Unintentional	1,013
3	Unspecified, Unintentional	819
4	Overexertion, Unintentional	480
5	Struck, Unintentional	350
	Other	1,452
TOTAL		5,367

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 DURHAM		
Rank	Cause	#
1	Poisoning, Unintentional	56
2	MVT, Unintentional	38
3	Poisoning, Self inflicted; Firearm,	22
4	Suffocation, Self inflicted	12
5	Cut/pierce, Assault	9
	Other	44
TOTAL		225

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 DURHAM		
Rank	Cause	#
1	Fall, Unintentional	498
2	MVT, Unintentional	273
3	Poisoning, Unintentional	235
4	Poisoning, Self inflicted	219
5	Other spec/class, Unintentional	189
	Other	858
TOTAL		2,272

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 DURHAM		
Rank	Cause	#
1	Fall, Unintentional	3,982
2	MVT, Unintentional	3,883
3	Overexertion, Unintentional	2,029
4	Unspecified, Unintentional	1,765
5	Struck, Unintentional	1,307
	Other	5,758
TOTAL		18,724

*NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 EDGECOMBE		
Rank	Cause	#
1	Poisoning, Unintentional	19
2	MVT, Unintentional; Firearm, Self Firearm, Assault; Fall, Unintentional	8
3	Unspecified, Unintentional;	3
4	Unspecified, Assault; Suffocation, Unintentional; Suffocation, Self inflicted; Other spec/class, Unintentional; Other land transport, Unintentional; Fire/Burn, Undetermined; Fire/Burn, Self inflicted; Drowning, Unintentional	2
5	Other	1
		0
TOTAL		55

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 EDGECOMBE		
Rank	Cause	#
1	Fall, Unintentional	131
2	MVT, Unintentional Poisoning, Unintentional	63
3	Poisoning, Unintentional	59
4	Poisoning, Self inflicted Other spec/class, Unintentional	51
5	Other	37
		232
TOTAL		573

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 EDGECOMBE		
Rank	Cause	#
1	Fall, Unintentional	889
2	MVT, Unintentional Unspecified, Unintentional	535
3	Overexertion, Unintentional	469
4	Struck, Unintentional; Natural/Environ, Unintentional	330
5	Other	279
		1,053
TOTAL		3,834

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 FORSYTH		
Rank	Cause	#
1	Poisoning, Unintentional	95
2	MVT, Unintentional	62
3	Firearm, Self inflicted	47
4	Firearm, Assault Suffocation, Self inflicted; Poisoning, Self inflicted; Fall, Unintentional	19
5	Other	18
		62
TOTAL		339

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 FORSYTH		
Rank	Cause	#
1	Fall, Unintentional	877
2	Poisoning, Self inflicted	465
3	MVT, Unintentional	385
4	Poisoning, Unintentional Unspecified, Unintentional	319
5	Other	305
		1,076
TOTAL		3,427

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 FORSYTH		
Rank	Cause	#
1	Fall, Unintentional	9,736
2	MVT, Unintentional	5,399
3	Unspecified, Unintentional	4,292
4	Overexertion, Unintentional Struck, Unintentional	3,933
5	Other	2,673
		10,400
TOTAL		36,433

*NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 FRANKLIN		
Rank	Cause	#
1	MVT, Unintentional	23
2	Poisoning, Unintentional	16
3	Firearm, Self inflicted	13
4	Unspecified, Unintentional;	4
5	Other spec/class, Unintentional	2
	Other	9
TOTAL		83

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 FRANKLIN		
Rank	Cause	#
1	Fall, Unintentional	116
2	MVT, Unintentional	81
3	Other spec/class, Unintentional	55
4	Poisoning, Unintentional	47
5	Poisoning, Self inflicted	41
	Other	181
TOTAL		521

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 FRANKLIN		
Rank	Cause	#
1	Fall, Unintentional	1,186
2	MVT, Unintentional	895
3	Unspecified, Unintentional	648
4	Overexertion, Unintentional	519
5	Struck, Unintentional	372
	Other	1,354
TOTAL		4,974

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 GASTON		
Rank	Cause	#
1	Poisoning, Unintentional	117
2	Firearm, Self inflicted	40
3	MVT, Unintentional	39
4	Poisoning, Self inflicted; Fall,	15
5	Suffocation, Self inflicted	10
	Other	56
TOTAL		292

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 GASTON		
Rank	Cause	#
1	Fall, Unintentional	664
2	Poisoning, Self inflicted	428
3	Poisoning, Unintentional	320
4	MVT, Unintentional	264
5	Unspecified, Unintentional	226
	Other	815
TOTAL		2,717

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 GASTON		
Rank	Cause	#
1	Fall, Unintentional	6,952
2	MVT, Unintentional	4,025
3	Overexertion, Unintentional	2,660
4	Unspecified, Unintentional	2,059
5	Struck, Unintentional	1,984
	Other	7,354
TOTAL		25,034

*NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 GATES		
Rank	Cause	#
1	MVT, Unintentional	3
2	Poisoning, Unintentional	2
3	Suffocation, Unintentional; Firearm,	1
4		
5	Other	0
TOTAL		7

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 GATES		
Rank	Cause	#
1	Unspecified, Unintentional	9
2	Fall, Unintentional	5
3	Poisoning, Unintentional;	4
4	MVT, Unintentional	3
5	Poisoning, Self inflicted	2
	Other	5
TOTAL		32

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 GATES		
Rank	Cause	#
1	Fall, Unintentional	98
2	Unspecified, Unintentional	50
3	Cut/pierce, Unintentional	44
4	Struck, Unintentional	42
5	MVT, Unintentional	37
	Other	123
TOTAL		394

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 GRAHAM		
Rank	Cause	#
1	Poisoning, Unintentional	7
	Firearm, Self inflicted	3
2		
3	Unspecified, Unintentional;	2
4	Struck, Unintentional; Firearm,	1
5		
	Other	0
TOTAL		18

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 GRAHAM		
Rank	Cause	#
1	Fall, Unintentional	24
	Poisoning, Unintentional;	14
2	Poisoning, Self inflicted	
3	Other spec/class, Unintentional	12
4	Unspecified, Unintentional	9
5	MVT, Unintentional	4
	Other	27
TOTAL		104

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 GRAHAM		
Rank	Cause	#
1	Fall, Unintentional	220
	Overexertion, Unintentional	94
2		
3	Unspecified, Unintentional	79
4	MVT, Unintentional	66
5	Struck, Unintentional	56
	Other	231
TOTAL		746

*NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 GRANVILLE		
Rank	Cause	#
1	MVT, Unintentional	22
2	Firearm, Self inflicted	12
3	Poisoning, Unintentional	11
4	Unspecified, Unintentional; Suffocation, Self inflicted; Other land transport, Unintentional; Firearm, Assault; Cut/pierce, Assault	3
5	Other	2
	Other	6
TOTAL		68

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 GRANVILLE		
Rank	Cause	#
1	Fall, Unintentional	128
2	MVT, Unintentional	62
3	Other spec/class, Unintentional	59
4	Poisoning, Unintentional Poisoning, Self inflicted	58
		46
5	Other	189
TOTAL		542

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 GRANVILLE		
Rank	Cause	#
1	Fall, Unintentional	1,270
2	MVT, Unintentional	706
3	Overexertion, Unintentional	587
4	Struck, Unintentional Unspecified, Unintentional	404
		376
5	Other	1,576
TOTAL		4,919

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 GREENE		
Rank	Cause	#
1	MVT, Unintentional	7
2	Suffocation, Unintentional;	2
3	Suffocation, Self inflicted;	1
4		
5		
	Other	0
TOTAL		21

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 GREENE		
Rank	Cause	#
1	Fall, Unintentional	35
2	Poisoning, Unintentional	23
3	MVT, Unintentional	20
4	Poisoning, Self inflicted	17
5	Other spec/class, Unintentional Other	15
		71
TOTAL		181

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 GREENE		
Rank	Cause	#
1	Fall, Unintentional	409
2	MVT, Unintentional	317
3	Unspecified, Unintentional;	194
4	Struck, Unintentional	165
5	Natural/Environ, Unintentional Other	108
		546
TOTAL		1,933

*NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 GUILFORD		
Rank	Cause	#
1	Poisoning, Unintentional	98
2	MVT, Unintentional	69
3	Firearm, Self inflicted	50
4	Poisoning, Self inflicted	27
5	Firearm, Assault	26
	Other	132
TOTAL		402

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 GUILFORD		
Rank	Cause	#
1	Fall, Unintentional	1,291
2	Poisoning, Self inflicted	821
3	MVT, Unintentional	476
4	Poisoning, Unintentional	428
5	Unspecified, Unintentional	334
	Other	1,427
TOTAL		4,777

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 GUILFORD		
Rank	Cause	#
1	Fall, Unintentional	7,268
2	MVT, Unintentional	4,990
3	Unspecified, Unintentional	3,515
4	Overexertion, Unintentional	2,168
5	Struck, Unintentional	2,129
	Other	9,298
TOTAL		29,368

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 HALIFAX		
Rank	Cause	#
1	MVT, Unintentional	15
2	Poisoning, Unintentional	12
3	Firearm, Self inflicted	7
4	Firearm, Assault; Fire/Burn, Unspecified, Assault; Poisoning, Self inflicted; Pedal cyclist, other,	4
5	Unintentional; Fall, Unintentional Other	2
		5
TOTAL		55

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 HALIFAX		
Rank	Cause	#
1	Fall, Unintentional	142
2	MVT, Unintentional	83
3	Poisoning, Self inflicted	74
4	Unspecified, Unintentional Poisoning, Undetermined	47
		35
5	Other	215
TOTAL		596

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 HALIFAX		
Rank	Cause	#
1	Fall, Unintentional	2,079
2	Unspecified, Unintentional	1,388
3	MVT, Unintentional	1,263
4	Other spec/notclass, Unintentional Overexertion, Unintentional	762
		642
5	Other	2,897
TOTAL		9,031

*NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 HARNETT		
Rank	Cause	#
1	Poisoning, Unintentional	36
2	MVT, Unintentional	28
3	Firearm, Self inflicted	15
4	Firearm, Assault	9
5	Poisoning, Self inflicted	8
	Other	29
TOTAL		125

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 HARNETT		
Rank	Cause	#
1	Fall, Unintentional	288
2	Poisoning, Unintentional	157
3	MVT, Unintentional	143
4	Poisoning, Self inflicted	133
5	Unspecified, Unintentional	104
	Other	401
TOTAL		1,226

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 HARNETT		
Rank	Cause	#
1	Fall, Unintentional	2,151
2	MVT, Unintentional	1,493
3	Unspecified, Unintentional	1,492
4	Overexertion, Unintentional	985
5	Struck, Unintentional	718
	Other	2,549
TOTAL		9,388

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 HAYWOOD		
Rank	Cause	#
1	Poisoning, Unintentional	34
2	Firearm, Self inflicted	19
3	MVT, Unintentional	13
4	Suffocation, Self inflicted	7
5	Firearm, Assault	4
	Other	12
TOTAL		89

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 HAYWOOD		
Rank	Cause	#
1	Fall, Unintentional	229
2	Poisoning, Self inflicted	83
3	Poisoning, Unintentional	81
4	MVT, Unintentional	80
5	Unspecified, Unintentional	69
	Other	231
TOTAL		773

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 HAYWOOD		
Rank	Cause	#
1	Fall, Unintentional	2,179
2	Unspecified, Unintentional	1,156
3	MVT, Unintentional	693
4	Overexertion, Unintentional	578
5	Cut/pierce, Unintentional	477
	Other	2,182
TOTAL		7,265

*NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 HENDERSON		
Rank	Cause	#
1	Poisoning, Unintentional	36
2	Firearm, Self inflicted	33
3	MVT, Unintentional	16
4	Poisoning, Self inflicted	11
	Suffocation, Self inflicted; Fall,	7
5	Unintentional Other	23
TOTAL		133

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 HENDERSON		
Rank	Cause	#
1	Fall, Unintentional	306
2	Poisoning, Self inflicted	187
3	MVT, Unintentional	110
4	Poisoning, Unintentional	108
	Unspecified, Unintentional	85
5	Other	319
TOTAL		1,115

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 HENDERSON		
Rank	Cause	#
1	Fall, Unintentional	1,896
2	MVT, Unintentional	978
3	Overexertion, Unintentional	443
4	Unspecified, Unintentional	441
	Struck, Unintentional	387
5	Other	1,525
TOTAL		5,670

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 HERTFORD		
Rank	Cause	#
1	MVT, Unintentional	7
2	Poisoning, Unintentional; Firearm,	3
3	Drowning, Unintentional	2
4	Other spec/NEC, Self inflicted;	1
5	Other	0
TOTAL		20

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 HERTFORD		
Rank	Cause	#
1	Fall, Unintentional	40
2	Unspecified, Unintentional	36
3	MVT, Unintentional	15
4	Poisoning, Self inflicted	14
5	Poisoning, Unintentional	11
	Other	47
TOTAL		163

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 HERTFORD		
Rank	Cause	#
1	Fall, Unintentional	682
2	MVT, Unintentional	338
3	Unspecified, Unintentional	315
4	Struck, Unintentional	219
5	Overexertion, Unintentional	214
	Other	840
TOTAL		2,608

*NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 HOKE		
Rank	Cause	#
1	MVT, Unintentional	19
2	Poisoning, Unintentional	13
	Firearm, Assault	11
3		
4	Firearm, Self inflicted	7
	Unspecified, Assault; Suffocation,	2
5	Self inflicted	
	Other	6
TOTAL		60

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 HOKE		
Rank	Cause	#
1	Fall, Unintentional	78
2	MVT, Unintentional	49
	Unspecified, Unintentional;	48
3	Poisoning, Unintentional	
4	Poisoning, Self inflicted	39
	Other spec/class, Unintentional	13
5		
	Other	83
TOTAL		358

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 HOKE		
Rank	Cause	#
1	Fall, Unintentional	789
2	MVT, Unintentional	722
	Unspecified, Unintentional	355
3		
4	Overexertion, Unintentional	347
	Struck, Unintentional	249
5		
	Other	849
TOTAL		3,311

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 HYDE		
Rank	Cause	#
1	Drowning, Unintentional	2
2	Poisoning, Unintentional; MVT,	1
3		
4		
5		
	Other	0
TOTAL		4

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 HYDE		
Rank	Cause	#
1	MVT, Unintentional; Fall, Unintentional	5
2	Suffocation, Unintentional; Unspecified, Unintentional; Pedestrian, other, Unintentional; Overexertion, Unintentional; Other spec/notclass, Assault; Natural/Environ, Unintentional; Machinery, Unintentional; Fire/Burn, Unintentional;	1
3	Cut/pierce, Self inflicted	
4		
5		
	Other	0
TOTAL		26

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 HYDE		
Rank	Cause	#
1	Fall, Unintentional	156
2	Unspecified, Unintentional; MVT, Unintentional	85
3		
4	Overexertion, Unintentional	50
5	Natural/Environ, Unintentional	37
	Other	169
TOTAL		592

*NC Residents based on county and state
 **Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 IREDELL		
Rank	Cause	#
1	Poisoning, Unintentional	60
2	MVT, Unintentional	38
3	Firearm, Self inflicted	31
4	Suffocation, Self inflicted	16
5	Poisoning, Self inflicted	8
	Other	46
TOTAL		199

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 IREDELL		
Rank	Cause	#
1	Fall, Unintentional	451
2	Poisoning, Unintentional	199
3	MVT, Unintentional	191
4	Poisoning, Self inflicted	167
5	Other spec/class, Unintentional	119
	Other	507
TOTAL		1,634

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 IREDELL		
Rank	Cause	#
1	Fall, Unintentional	4,917
2	MVT, Unintentional	2,632
3	Overexertion, Unintentional	2,237
4	Unspecified, Unintentional	2,045
5	Struck, Unintentional	1,493
	Other	5,533
TOTAL		18,857

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 JACKSON		
Rank	Cause	#
1	Poisoning, Unintentional	18
2	Firearm, Self inflicted	10
3	MVT, Unintentional	7
4	Fall, Unintentional	5
5	Unspecified, Unintentional; Other	1
	Other	0
TOTAL		48

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 JACKSON		
Rank	Cause	#
1	Fall, Unintentional	96
2	MVT, Unintentional	42
3	Poisoning, Self inflicted	33
4	Unspecified, Unintentional	28
5	Poisoning, Unintentional	27
	Other	69
TOTAL		295

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 JACKSON		
Rank	Cause	#
1	Fall, Unintentional	1,043
2	Unspecified, Unintentional;	429
3	MVT, Unintentional	372
4	Struck, Unintentional	301
5	Cut/pierce, Unintentional	276
	Other	800
TOTAL		3,650

*NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 JOHNSTON		
Rank	Cause	#
1	MVT, Unintentional	52
2	Poisoning, Unintentional	48
3	Firearm, Self inflicted	33
4	Poisoning, Self inflicted	15
5	Suffocation, Self inflicted	9
	Other	36
TOTAL		193

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 JOHNSTON		
Rank	Cause	#
1	Fall, Unintentional	430
2	MVT, Unintentional	188
3	Unspecified, Unintentional	186
4	Poisoning, Self inflicted	171
5	Poisoning, Unintentional	168
	Other	607
TOTAL		1,750

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 JOHNSTON		
Rank	Cause	#
1	Fall, Unintentional	4,617
2	Unspecified, Unintentional	3,182
3	MVT, Unintentional	2,504
4	Overexertion, Unintentional	1,559
5	Other spec/notclass, Unintentional	1,375
	Other	5,865
TOTAL		19,102

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 JONES		
Rank	Cause	#
1	MVT, Unintentional	5
2	Poisoning, Self inflicted	2
3	Suffocation, Self inflicted; Other	1
4		
5		
	Other	0
TOTAL		11

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 JONES		
Rank	Cause	#
1	Fall, Unintentional	33
2	MVT, Unintentional	18
3	Poisoning, Unintentional	16
4	Poisoning, Self inflicted	10
	Unspecified, Unintentional;	9
5	Poisoning, Undetermined	
	Other	41
TOTAL		136

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 JONES		
Rank	Cause	#
1	Fall, Unintentional	327
2	MVT, Unintentional	198
3	Unspecified, Unintentional	187
4	Overexertion, Unintentional	162
	Struck, Unintentional	132
5		
	Other	410
TOTAL		1,416

*NC Residents based on county and state
 **Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 LEE		
Rank	Cause	#
1	Poisoning, Unintentional; MVT,	20
2	Firearm, Self inflicted	5
3	Poisoning, Self inflicted; Firearm,	4
4	Unspecified, Unintentional;	3
5	Suffocation, Unintentional; Fall, Unintentional; Cut/pierce, Assault Other	2 6
TOTAL		71

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 LEE		
Rank	Cause	#
1	Fall, Unintentional	145
2	Poisoning, Self inflicted	72
3	MVT, Unintentional	70
4	Poisoning, Unintentional	69
5	Unspecified, Unintentional	38
	Other	210
TOTAL		604

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 LEE		
Rank	Cause	#
1	MVT, Unintentional	591
2	Fall, Unintentional	545
3	Unspecified, Unintentional	311
4	Natural/Environ, Unintentional	217
5	Overexertion, Unintentional	198
	Other	678
TOTAL		2,540

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 LENOIR		
Rank	Cause	#
1	Poisoning, Unintentional	22
2	MVT, Unintentional	13
3	Firearm, Self inflicted	8
4	Firearm, Assault	5
5	Suffocation, Unintentional; Suffocation, Self inflicted; Poisoning, Self inflicted; Natural/Environ, Unintentional; Fall, Unintentional	2
	Other	8
TOTAL		66

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 LENOIR		
Rank	Cause	#
1	Fall, Unintentional	203
2	MVT, Unintentional	84
3	Unspecified, Unintentional	70
4	Poisoning, Unintentional	62
	Poisoning, Self inflicted	46
5	Other	201
TOTAL		666

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 LENOIR		
Rank	Cause	#
1	Fall, Unintentional	2,462
2	Unspecified, Unintentional	1,649
3	MVT, Unintentional	1,493
4	Overexertion, Unintentional	1,289
	Struck, Unintentional	751
5	Other	2,738
TOTAL		10,382

*NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 LINCOLN		
Rank	Cause	#
1	Poisoning, Unintentional	35
2	MVT, Unintentional	22
3	Poisoning, Self inflicted; Firearm,	12
4	Fire/Burn, Unintentional	7
5	Unspecified, Assault	6
	Other	20
TOTAL		114

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 LINCOLN		
Rank	Cause	#
1	Fall, Unintentional	231
2	Poisoning, Self inflicted	110
3	MVT, Unintentional	94
4	Poisoning, Unintentional	62
5	Poisoning, Undetermined	60
	Other	299
TOTAL		856

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 LINCOLN		
Rank	Cause	#
1	Fall, Unintentional	3,191
2	Overexertion, Unintentional	1,549
3	MVT, Unintentional	1,410
4	Struck, Unintentional	995
5	Unspecified, Unintentional	803
	Other	3,057
TOTAL		11,005

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 McDOWELL		
Rank	Cause	#
1	Poisoning, Unintentional	20
2	Firearm, Self inflicted	18
3	MVT, Unintentional	14
4	Fall, Unintentional	5
5	Firearm, Assault	4
	Other	10
TOTAL		71

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 McDOWELL		
Rank	Cause	#
1	Fall, Unintentional	139
2	MVT, Unintentional	54
3	Poisoning, Unintentional	50
4	Poisoning, Self inflicted	48
5	Unspecified, Unintentional	38
	Other	151
TOTAL		480

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 McDOWELL		
Rank	Cause	#
1	Fall, Unintentional	1,099
2	MVT, Unintentional	551
3	Overexertion, Unintentional	315
4	Struck, Unintentional	283
5	Unspecified, Unintentional	272
	Other	997
TOTAL		3,517

*NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 MACON		
Rank	Cause	#
1	Poisoning, Unintentional	16
2	Firearm, Self inflicted	10
3	Fall, Unintentional	5
4	MVT, Unintentional	3
5	Suffocation, Self inflicted; Poisoning, Self inflicted	2
	Other	8
TOTAL		46

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 MACON		
Rank	Cause	#
1	Fall, Unintentional	85
2	MVT, Unintentional	26
3	Other spec/class, Unintentional	23
4	Unspecified, Unintentional	14
5	Poisoning, Unintentional; Natural/Environ, Unintentional	13
	Other	56
TOTAL		230

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 MACON		
Rank	Cause	#
1	Fall, Unintentional	963
2	Overexertion, Unintentional	386
3	Cut/pierce, Unintentional	309
4	MVT, Unintentional Struck, Unintentional	303
5	Other	252
		935
TOTAL		3,148

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 MADISON		
Rank	Cause	#
1	Firearm, Self inflicted	6
2	MVT, Unintentional	4
3	Suffocation, Self inflicted; Poisoning,	2
4	Unspecified, Unintentional;	1
5	Other	0
TOTAL		21

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 MADISON		
Rank	Cause	#
1	Fall, Unintentional	55
2	MVT, Unintentional	24
3	Poisoning, Self inflicted	21
4	Unspecified, Unintentional;	13
5	Other spec/class, Unintentional	12
	Other	49
TOTAL		187

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 MADISON		
Rank	Cause	#
1	Fall, Unintentional	201
2	MVT, Unintentional	107
3	Struck, Unintentional	42
4	Overexertion, Unintentional	37
5	Unspecified, Unintentional	33
	Other	192
TOTAL		612

*NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 MARTIN		
Rank	Cause	#
1	MVT, Unintentional	11
2	Poisoning, Unintentional	8
3	Firearm, Self inflicted	5
4	Drowning, Unintentional	4
5	Fire/Burn, Unintentional	3
	Other	7
TOTAL		38

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 MARTIN		
Rank	Cause	#
1	Fall, Unintentional	65
2	Unspecified, Unintentional	32
3	MVT, Unintentional	25
4	Other spec/class, Unintentional	24
5	Poisoning, Self inflicted	23
	Other	77
TOTAL		246

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 MARTIN		
Rank	Cause	#
1	Fall, Unintentional	505
2	Unspecified, Unintentional	301
3	MVT, Unintentional	288
4	Struck, Unintentional	194
5	Overexertion, Unintentional	164
	Other	546
TOTAL		1,998

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 MECKLENBURG		
Rank	Cause	#
1	Poisoning, Unintentional	144
2	MVT, Unintentional	106
3	Firearm, Self inflicted	87
4	Poisoning, Self inflicted	60
5	Firearm, Assault	52
	Other	190
TOTAL		639

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 MECKLENBURG		
Rank	Cause	#
1	Fall, Unintentional	1,600
2	Poisoning, Self inflicted	726
3	MVT, Unintentional	716
4	Poisoning, Unintentional	635
5	Unspecified, Unintentional	524
	Other	2,078
TOTAL		6,279

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 MECKLENBURG		
Rank	Cause	#
1	Fall, Unintentional	18,995
2	MVT, Unintentional	14,782
3	Unspecified, Unintentional	10,059
4	Overexertion, Unintentional	6,979
5	Struck, Unintentional	5,985
	Other	22,509
TOTAL		79,309

*NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 MITCHELL		
Rank	Cause	#
1	Poisoning, Unintentional	10
2	Firearm, Self inflicted	5
3	MVT, Unintentional	4
4	Fall, Unintentional	2
	Unspecified, Unintentional; Pedal cyclist, other, Unintentional; Firearm,	1
5	Legal intervention	
	Other	0
TOTAL		24

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 MITCHELL		
Rank	Cause	#
1	Fall, Unintentional	105
2	MVT, Unintentional	43
3	Poisoning, Unintentional;	30
4	Unspecified, Unintentional	24
	Other spec/class, Unintentional	20
5	Other	81
TOTAL		333

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 MITCHELL		
Rank	Cause	#
1	Fall, Unintentional	314
2	MVT, Unintentional	115
3	Overexertion, Unintentional	70
4	Struck, Unintentional	48
	Struck, Assault; Cut/pierce, Unintentional	36
5	Other	226
TOTAL		845

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 MONTGOMERY		
Rank	Cause	#
1	MVT, Unintentional	10
2	Poisoning, Unintentional	9
3	Firearm, Self inflicted	7
4	Fall, Unintentional	3
5	Suffocation, Self inflicted	2
	Other	6
TOTAL		37

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 MONTGOMERY		
Rank	Cause	#
1	Fall, Unintentional	87
2	Poisoning, Unintentional	39
3	MVT, Unintentional	29
4	Poisoning, Self inflicted	25
5	Unspecified, Unintentional	22
	Other	107
TOTAL		309

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 MONTGOMERY		
Rank	Cause	#
1	Fall, Unintentional	620
2	MVT, Unintentional	306
3	Unspecified, Unintentional;	281
4	Struck, Unintentional	210
5	Cut/pierce, Unintentional	177
	Other	666
TOTAL		2,541

*NC Residents based on county and state
 **Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 MOORE		
Rank	Cause	#
1	MVT, Unintentional	25
2	Poisoning, Unintentional	16
3	Firearm, Self inflicted	13
4	Poisoning, Self inflicted	9
5	Suffocation, Self inflicted	8
	Other	24
TOTAL		95

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 MOORE		
Rank	Cause	#
1	Fall, Unintentional	245
2	MVT, Unintentional	136
3	Poisoning, Unintentional	118
4	Poisoning, Self inflicted	113
5	Unspecified, Unintentional	60
	Other	239
TOTAL		911

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 MOORE		
Rank	Cause	#
1	Fall, Unintentional	2,141
2	MVT, Unintentional	1,446
3	Overexertion, Unintentional	912
4	Unspecified, Unintentional	689
5	Struck, Unintentional	637
	Other	2,522
TOTAL		8,347

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 NASH		
Rank	Cause	#
1	MVT, Unintentional	30
2	Poisoning, Unintentional	29
3	Firearm, Self inflicted	13
4	Firearm, Assault	10
	Unspecified, Unintentional; Suffocation, Self inflicted; Fall, Unintentional	5
5	Other	19
TOTAL		116

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 NASH		
Rank	Cause	#
1	Fall, Unintentional	228
2	MVT, Unintentional	123
3	Poisoning, Self inflicted	120
4	Poisoning, Unintentional	84
	Unspecified, Unintentional	78
5	Other	350
TOTAL		983

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 NASH		
Rank	Cause	#
1	Fall, Unintentional	813
2	MVT, Unintentional	663
3	Overexertion, Unintentional	436
4	Unspecified, Unintentional	419
	Struck, Unintentional	246
5	Other	1,079
TOTAL		3,656

*NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 NEW HANOVER		
Rank	Cause	#
1	Poisoning, Unintentional	95
2	MVT, Unintentional	42
3	Firearm, Self inflicted	33
4	Poisoning, Self inflicted	21
5	Fall, Unintentional	19
	Other	66
TOTAL		276

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 NEW HANOVER		
Rank	Cause	#
1	Fall, Unintentional	471
2	Poisoning, Self inflicted	348
3	Poisoning, Unintentional	235
4	MVT, Unintentional	208
5	Unspecified, Unintentional	166
	Other	606
TOTAL		2,034

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 NEW HANOVER		
Rank	Cause	#
1	Fall, Unintentional	3,582
2	MVT, Unintentional	2,170
3	Unspecified, Unintentional	1,376
4	Overexertion, Unintentional	1,250
5	Struck, Unintentional	872
	Other	3,963
TOTAL		13,213

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 NORTHAMPTON		
Rank	Cause	#
1	MVT, Unintentional	10
2	Firearm, Self inflicted	3
3	Unspecified, Unintentional;	2
4	Unspecified, Assault; Suffocation,	1
5	Other	0
TOTAL		25

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 NORTHAMPTON		
Rank	Cause	#
1	Fall, Unintentional	55
2	MVT, Unintentional	41
3	Poisoning, Self inflicted	22
4	Unspecified, Unintentional	16
5	Poisoning, Unintentional	13
	Other	76
TOTAL		223

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 NORTHAMPTON		
Rank	Cause	#
1	Fall, Unintentional	734
2	MVT, Unintentional	477
3	Unspecified, Unintentional	448
4	Other spec/notclass, Unintentional	217
5	Struck, Unintentional	201
	Other	974
TOTAL		3,051

*NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 ONslow		
Rank	Cause	#
1	Poisoning, Unintentional	42
2	MVT, Unintentional	34
3	Firearm, Self inflicted	23
4	Poisoning, Self inflicted	17
5	Firearm, Assault; Fall, Unintentional	6
	Other	20
TOTAL		148

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 ONslow		
Rank	Cause	#
1	Fall, Unintentional	268
2	MVT, Unintentional	159
3	Poisoning, Unintentional	109
4	Unspecified, Unintentional	96
5	Poisoning, Self inflicted	77
	Other	312
TOTAL		1,021

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 ONslow		
Rank	Cause	#
1	Fall, Unintentional	3,683
2	MVT, Unintentional	1,983
3	Unspecified, Unintentional	1,662
4	Overexertion, Unintentional	1,294
5	Struck, Unintentional	1,139
	Other	4,364
TOTAL		14,125

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 ORANGE		
Rank	Cause	#
1	Poisoning, Unintentional	22
2	Firearm, Self inflicted	17
3	MVT, Unintentional	14
4	Suffocation, Self inflicted	8
5	Poisoning, Self inflicted	6
	Other	25
TOTAL		92

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 ORANGE		
Rank	Cause	#
1	Fall, Unintentional	217
2	MVT, Unintentional	175
3	Poisoning, Unintentional	130
4	Poisoning, Self inflicted	114
5	Other spec/class, Unintentional	59
	Other	361
TOTAL		1,056

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 ORANGE		
Rank	Cause	#
1	Fall, Unintentional	1,555
2	MVT, Unintentional	742
3	Unspecified, Unintentional	673
4	Overexertion, Unintentional	603
5	Cut/pierce, Unintentional	435
	Other	2,191
TOTAL		6,199

*NC Residents based on county and state
 **Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 PAMLICO		
Rank	Cause	#
1	MVT, Unintentional	6
2	Firearm, Self inflicted Poisoning, Unintentional	4
3	Unspecified, Unintentional; Other	3
4	Suffocation, Self inflicted; Poisoning, Self inflicted; Machinery, Unintentional; Fall, Unintentional; Drowning, Unintentional	2
5	Other	1
	Other	0
TOTAL		22

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 PAMLICO		
Rank	Cause	#
1	Fall, Unintentional	41
2	MVT, Unintentional Poisoning, Self inflicted; Other	18
3	spec/class, Unintentional	13
4	Unspecified, Unintentional Poisoning, Unintentional	12
5	Other	9
	Other	31
TOTAL		137

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 PAMLICO		
Rank	Cause	#
1	Fall, Unintentional	236
2	Overexertion, Unintentional MVT, Unintentional	136
3	Unspecified, Unintentional	127
4	Unspecified, Unintentional Struck, Unintentional	114
5	Other	113
	Other	309
TOTAL		1,035

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 PASQUOTANK		
Rank	Cause	#
1	Poisoning, Unintentional	9
2	Suffocation, Self inflicted; MVT,	3
3	Suffocation, Unintentional;	2
4	Unspecified, Unintentional;	1
5	Other	0
	Other	0
TOTAL		25

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 PASQUOTANK		
Rank	Cause	#
1	Fall, Unintentional	59
2	Poisoning, Self inflicted	31
3	Unspecified, Unintentional	23
4	Poisoning, Unintentional	15
5	MVT, Unintentional Other	12
	Other	54
TOTAL		194

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 PASQUOTANK		
Rank	Cause	#
1	MVT, Unintentional	299
2	Fall, Unintentional	196
3	Unspecified, Unintentional	122
4	Natural/Environ, Unintentional	62
5	Struck, Unintentional Other	60
	Other	227
TOTAL		966

*NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 PENDER		
Rank	Cause	#
1	MVT, Unintentional	26
2	Poisoning, Unintentional	14
3	Firearm, Self inflicted	12
4	Poisoning, Self inflicted	5
5	Drowning, Unintentional	4
	Other	10
TOTAL		71

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 PENDER		
Rank	Cause	#
1	Fall, Unintentional	117
2	MVT, Unintentional	89
3	Poisoning, Self inflicted	65
4	Other spec/class, Unintentional	52
5	Poisoning, Unintentional	46
	Other	177
TOTAL		546

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 PENDER		
Rank	Cause	#
1	Fall, Unintentional	1,040
2	MVT, Unintentional	694
3	Unspecified, Unintentional	399
4	Struck, Unintentional	249
5	Overexertion, Unintentional	238
	Other	927
TOTAL		3,547

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 PERQUIMANS		
Rank	Cause	#
1	MVT, Unintentional	3
2	Suffocation, Self inflicted; Firearm,	2
3	Transport,other, Unintentional;	1
4		
5		
	Other	0
TOTAL		15

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 PERQUIMANS		
Rank	Cause	#
1	Fall, Unintentional	30
2	Poisoning, Self inflicted	9
3	Poisoning, Unintentional;	6
4	Other spec/class, Unintentional;	4
5	Poisoning, Undetermined	3
	Other	12
TOTAL		78

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 PERQUIMANS		
Rank	Cause	#
1	Fall, Unintentional	169
2	Unspecified, Unintentional	99
3	MVT, Unintentional	94
4	Overexertion, Unintentional	66
5	Natural/Environ, Unintentional	51
	Other	182
TOTAL		661

*NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 PERSON		
Rank	Cause	#
1	Poisoning, Unintentional	13
2	Firearm, Self inflicted	12
3	MVT, Unintentional	7
4	Poisoning, Self inflicted	6
	Unspecified, Unintentional;	4
5	Drowning, Unintentional	
	Other	7
TOTAL		53

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 PERSON		
Rank	Cause	#
1	Fall, Unintentional	97
2	MVT, Unintentional	61
3	Poisoning, Self inflicted	44
4	Poisoning, Unintentional	39
	Other spec/class, Unintentional	30
5	Other	147
TOTAL		418

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 PERSON		
Rank	Cause	#
1	Fall, Unintentional	1,267
2	MVT, Unintentional	762
3	Overexertion, Unintentional	598
4	Unspecified, Unintentional	413
	Natural/Environ, Unintentional	380
5	Other	1,650
TOTAL		5,070

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 PITT		
Rank	Cause	#
1	Poisoning, Unintentional	44
2	MVT, Unintentional	36
3	Firearm, Self inflicted	23
4	Firearm, Assault	12
	Poisoning, Self inflicted; Fall,	6
5	Unintentional	
	Other	39
TOTAL		166

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 PITT		
Rank	Cause	#
1	Fall, Unintentional	284
2	Poisoning, Self inflicted	220
3	MVT, Unintentional	211
4	Poisoning, Unintentional	179
	Poisoning, Undetermined	98
5	Other	389
TOTAL		1,381

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 PITT		
Rank	Cause	#
1	Fall, Unintentional	3,193
2	MVT, Unintentional	2,499
3	Overexertion, Unintentional	1,351
4	Unspecified, Unintentional	1,216
	Struck, Unintentional	1,137
5	Other	4,378
TOTAL		13,774

*NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 POLK		
Rank	Cause	#
1	Poisoning, Unintentional	9
2	Firearm, Self inflicted	7
	MVT, Unintentional	3
3		
4	Unspecified, Unintentional;	1
5		
	Other	0
TOTAL		26

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 POLK		
Rank	Cause	#
1	Fall, Unintentional	35
2	Poisoning, Self inflicted	18
	Poisoning, Unintentional; Other	12
3	spec/class, Unintentional	
4	Poisoning, Undetermined; MVT,	9
	Transport,other, Unintentional;	7
5	Natural/Environ, Unintentional	
	Other	22
TOTAL		131

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 POLK		
Rank	Cause	#
1	Fall, Unintentional	424
2	MVT, Unintentional	192
	Overexertion, Unintentional	130
3		
4	Unspecified, Unintentional	108
	Struck, Unintentional	100
5		
	Other	453
TOTAL		1,407

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 RANDOLPH		
Rank	Cause	#
1	Poisoning, Unintentional	49
2	MVT, Unintentional	42
3	Firearm, Self inflicted	40
4	Fall, Unintentional	13
5	Suffocation, Self inflicted	9
	Other	38
TOTAL		191

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 RANDOLPH		
Rank	Cause	#
1	Fall, Unintentional	375
2	MVT, Unintentional	170
3	Poisoning, Self inflicted	147
4	Poisoning, Unintentional	119
5	Other spec/class, Unintentional	87
	Other	428
TOTAL		1,326

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 RANDOLPH		
Rank	Cause	#
1	Fall, Unintentional	4,441
2	MVT, Unintentional	2,146
3	Unspecified, Unintentional	1,697
4	Overexertion, Unintentional	1,281
5	Struck, Unintentional	1,078
	Other	4,753
TOTAL		15,396

*NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 RICHMOND		
Rank	Cause	#
1	Poisoning, Unintentional	24
2	MVT, Unintentional	15
3	Firearm, Self inflicted	9
4	Poisoning, Self inflicted	4
	Unspecified, Assault; Suffocation,	3
5	Self inflicted	
	Other	11
TOTAL		69

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 RICHMOND		
Rank	Cause	#
1	Fall, Unintentional	164
2	Poisoning, Unintentional	84
3	Poisoning, Self inflicted	72
4	MVT, Unintentional	64
	Unspecified, Unintentional	53
5		
	Other	254
TOTAL		691

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 RICHMOND		
Rank	Cause	#
1	Fall, Unintentional	1,511
2	Unspecified, Unintentional	1,219
3	MVT, Unintentional	1,062
4	Overexertion, Unintentional	626
	Struck, Unintentional	487
5		
	Other	2,001
TOTAL		6,906

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 ROBESON		
Rank	Cause	#
1	MVT, Unintentional	68
2	Poisoning, Unintentional	48
	Firearm, Assault	25
3		
4	Firearm, Self inflicted	22
5	Unspecified, Unintentional	9
	Other	56
TOTAL		228

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 ROBESON		
Rank	Cause	#
1	Unspecified, Unintentional	969
2	Fall, Unintentional	384
	Poisoning, Unintentional; MVT,	283
3	Unintentional	
4	Poisoning, Self inflicted	198
5	Other spec/class, Unintentional	137
	Other	633
TOTAL		2,887

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 ROBESON		
Rank	Cause	#
1	Fall, Unintentional	4,702
2	MVT, Unintentional	3,268
	Unspecified, Unintentional	2,117
3		
4	Overexertion, Unintentional	2,031
5	Struck, Unintentional	1,433
	Other	6,514
TOTAL		20,065

*NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 ROCKINGHAM		
Rank	Cause	#
1	Poisoning, Unintentional	39
2	MVT, Unintentional	16
3	Suffocation, Self inflicted	13
4	Firearm, Self inflicted	9
	Poisoning, Self inflicted; Firearm,	8
5	Assault	
	Other	24
TOTAL		117

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 ROCKINGHAM		
Rank	Cause	#
1	Fall, Unintentional	346
2	Poisoning, Self inflicted	220
3	Poisoning, Unintentional	174
4	MVT, Unintentional	168
	Unspecified, Unintentional	67
5	Other	407
TOTAL		1,382

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 ROCKINGHAM		
Rank	Cause	#
1	Fall, Unintentional	3,032
2	MVT, Unintentional	1,244
3	Unspecified, Unintentional	956
4	Struck, Unintentional	893
	Overexertion, Unintentional	835
5	Other	3,452
TOTAL		10,412

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 ROWAN		
Rank	Cause	#
1	Poisoning, Unintentional	73
2	Firearm, Self inflicted	33
3	MVT, Unintentional	32
4	Poisoning, Self inflicted	13
5	Fall, Unintentional	6
	Other	44
TOTAL		201

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 ROWAN		
Rank	Cause	#
1	Fall, Unintentional	347
2	Unspecified, Unintentional	167
3	Poisoning, Unintentional	150
4	MVT, Unintentional	149
5	Poisoning, Self inflicted	147
	Other	401
TOTAL		1,361

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 ROWAN		
Rank	Cause	#
1	Fall, Unintentional	4,638
2	MVT, Unintentional	2,450
3	Unspecified, Unintentional	2,238
4	Overexertion, Unintentional	1,986
5	Struck, Unintentional	1,331
	Other	4,897
TOTAL		17,540

*NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 RUTHERFORD		
Rank	Cause	#
1	Poisoning, Unintentional	36
2	MVT, Unintentional	19
3	Firearm, Self inflicted	13
4	Poisoning, Self inflicted	9
	Unspecified, Assault; Suffocation, Self inflicted; Struck, Unintentional; Natural/Environ, Unintentional;	3
5	Firearm, Assault	
	Other	15
TOTAL		107

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 RUTHERFORD		
Rank	Cause	#
1	Fall, Unintentional	213
2	Poisoning, Self inflicted	104
3	Poisoning, Unintentional	89
4	MVT, Unintentional	73
	Other spec/class, Unintentional	38
5		
	Other	166
TOTAL		683

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 RUTHERFORD		
Rank	Cause	#
1	Fall, Unintentional	2,577
2	MVT, Unintentional	1,145
3	Unspecified, Unintentional	1,094
4	Overexertion, Unintentional	1,024
	Struck, Unintentional	682
5		
	Other	2,562
TOTAL		9,084

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 SAMPSON		
Rank	Cause	#
1	MVT, Unintentional	32
2	Poisoning, Unintentional	24
3	Firearm, Self inflicted	13
4	Fall, Unintentional	8
	Suffocation, Unintentional; Suffocation, Self inflicted; Other spec/NEC, Unintentional; Firearm,	3
5	Assault	
	Other	10
TOTAL		99

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 SAMPSON		
Rank	Cause	#
1	Fall, Unintentional	167
2	MVT, Unintentional	108
3	Other spec/class, Unintentional	73
4	Unspecified, Unintentional	69
	Poisoning, Self inflicted	53
5		
	Other	269
TOTAL		739

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 SAMPSON		
Rank	Cause	#
1	Fall, Unintentional	1,991
2	Unspecified, Unintentional	1,512
3	MVT, Unintentional	1,263
4	Overexertion, Unintentional	794
	Struck, Unintentional	670
5		
	Other	2,388
TOTAL		8,618

*NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 SCOTLAND		
Rank	Cause	#
1	Poisoning, Unintentional; MVT,	11
2	Fall, Unintentional	4
3	Firearm, Assault	3
4	Unspecified, Unintentional	2
	Unspecified, Assault; Suffocation, Unintentional; Suffocation, Self inflicted; Poisoning, Undetermined; Poisoning, Self inflicted; Natural/Environ, Unintentional; Machinery, Unintentional; Firearm, Self inflicted; Drowning, Unintentional; Drowning, Undetermined; Cut/pierce, Self inflicted; Cut/pierce, Assault	1
5	Other	0
TOTAL		43

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 SCOTLAND		
Rank	Cause	#
1	Fall, Unintentional	127
2	Poisoning, Unintentional	79
3	MVT, Unintentional	52
4	Poisoning, Self inflicted	39
	Unspecified, Unintentional	37
5	Other	171
TOTAL		505

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 SCOTLAND		
Rank	Cause	#
1	Fall, Unintentional	1,635
2	MVT, Unintentional	964
3	Overexertion, Unintentional	786
4	Unspecified, Unintentional	695
	Struck, Unintentional	452
5	Other	1,868
TOTAL		6,400

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 STANLY		
Rank	Cause	#
1	Poisoning, Unintentional	27
2	MVT, Unintentional	19
3	Firearm, Self inflicted	14
4	Poisoning, Self inflicted	4
5	Firearm, Assault	3
	Other	15
TOTAL		82

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 STANLY		
Rank	Cause	#
1	Fall, Unintentional	157
2	MVT, Unintentional	66
3	Poisoning, Self inflicted	47
4	Other spec/class, Unintentional	40
5	Poisoning, Unintentional	39
	Other	168
TOTAL		517

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 STANLY		
Rank	Cause	#
1	Fall, Unintentional	1,025
2	MVT, Unintentional	582
3	Unspecified, Unintentional	477
4	Overexertion, Unintentional	333
5	Struck, Unintentional	256
	Other	1,221
TOTAL		3,894

*NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 STOKES		
Rank	Cause	#
1	Poisoning, Unintentional	20
2	Firearm, Self inflicted	14
3	MVT, Unintentional	10
4	Suffocation, Self inflicted	5
5	Firearm, Assault	4
	Other	13
TOTAL		66

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 STOKES		
Rank	Cause	#
1	Fall, Unintentional	128
2	MVT, Unintentional	81
3	Poisoning, Self inflicted	75
4	Poisoning, Unintentional	50
5	Unspecified, Unintentional	39
	Other	161
TOTAL		534

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 STOKES		
Rank	Cause	#
1	Fall, Unintentional	1,627
2	MVT, Unintentional	710
3	Unspecified, Unintentional	538
4	Overexertion, Unintentional	504
5	Struck, Unintentional	454
	Other	1,842
TOTAL		5,675

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 SURRY		
Rank	Cause	#
1	Poisoning, Unintentional; Firearm,	24
2	MVT, Unintentional	11
3	Suffocation, Self inflicted	7
4	Poisoning, Self inflicted; Firearm,	5
5	Suffocation, Unintentional	4
	Other	13
TOTAL		93

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 SURRY		
Rank	Cause	#
1	Fall, Unintentional	250
2	MVT, Unintentional	139
3	Poisoning, Self inflicted	134
4	Poisoning, Unintentional	103
5	Unspecified, Unintentional	70
	Other	266
TOTAL		962

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 SURRY		
Rank	Cause	#
1	Fall, Unintentional	3,129
2	MVT, Unintentional	1,305
3	Overexertion, Unintentional	1,097
4	Unspecified, Unintentional	1,008
5	Struck, Unintentional	803
	Other	3,246
TOTAL		10,588

*NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 SWAIN		
Rank	Cause	#
1	Poisoning, Unintentional	11
2	MVT, Unintentional; Firearm, Self	5
3	Suffocation, Unintentional;	2
4	Unspecified, Undetermined;	1
5	Other	0
TOTAL		32

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 SWAIN		
Rank	Cause	#
1	Fall, Unintentional	67
2	Poisoning, Unintentional	31
3	Unspecified, Unintentional	24
4	MVT, Unintentional	16
5	Other spec/class, Unintentional	15
	Other	84
TOTAL		237

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 SWAIN		
Rank	Cause	#
1	Fall, Unintentional	729
2	Overexertion, Unintentional	362
3	Unspecified, Unintentional	297
4	MVT, Unintentional	202
5	Cut/pierce, Unintentional	184
	Other	704
TOTAL		2,478

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 TRANSYLVANIA		
Rank	Cause	#
1	Poisoning, Unintentional	13
2	Firearm, Self inflicted	8
3	Poisoning, Self inflicted; MVT,	6
4	Suffocation, Unintentional; Fire/Burn, Unspecified, Unintentional;	2
	Suffocation, Self inflicted; Drowning, Unintentional	1
5	Other	0
TOTAL		42

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 TRANSYLVANIA		
Rank	Cause	#
1	Fall, Unintentional	84
2	Poisoning, Self inflicted	47
3	MVT, Unintentional	34
4	Poisoning, Unintentional Unspecified, Unintentional	33
		27
5	Other	104
TOTAL		329

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 TRANSYLVANIA		
Rank	Cause	#
1	Fall, Unintentional	1,271
2	Unspecified, Unintentional	528
3	Overexertion, Unintentional	455
4	Struck, Unintentional MVT, Unintentional	414
		405
5	Other	1,286
TOTAL		4,359

*NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 TYRRELL		
Rank	Cause	#
1	MVT, Unintentional	4
2	Firearm, Self inflicted	2
	Poisoning, Unintentional	1
3		
4		
5		
	Other	0
TOTAL		7

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 TYRRELL		
Rank	Cause	#
1	Fall, Unintentional	10
2	MVT, Unintentional	4
	Unspecified, Unintentional; Poisoning, Unintentional; Other spec/notclass, Unintentional;	3
3	Other spec/class, Unintentional Poisoning, Self inflicted; Pedal cyclist,other, Unintentional; Other spec/class, Self inflicted; Natural/Environ, Unintentional; Natural/Environ, Undetermined; Fire/Burn, Unintentional;	1
4	Cut/pierce, Unintentional	
5		
	Other	0
TOTAL		33

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 TYRRELL		
Rank	Cause	#
1	Fall, Unintentional	106
2	MVT, Unintentional	43
	Unspecified, Unintentional	37
3		
	Overexertion, Unintentional	23
4		
5	Natural/Environ, Unintentional	21
	Other	82
TOTAL		312

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 UNION		
Rank	Cause	#
1	MVT, Unintentional	39
2	Firearm, Self inflicted	27
3	Poisoning, Unintentional	22
4	Poisoning, Self inflicted; Fall,	10
5	Firearm, Assault	9
	Other	34
TOTAL		151

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 UNION		
Rank	Cause	#
1	Fall, Unintentional	360
2	MVT, Unintentional	201
3	Poisoning, Self inflicted	119
4	Unspecified, Unintentional;	101
5	Other spec/class, Unintentional	82
	Other	321
TOTAL		1,285

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 UNION		
Rank	Cause	#
1	Fall, Unintentional	3,326
2	MVT, Unintentional	2,521
3	Overexertion, Unintentional	1,724
4	Unspecified, Unintentional	1,424
5	Cut/pierce, Unintentional	1,156
	Other	4,102
TOTAL		14,253

*NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 VANCE		
Rank	Cause	#
1	Poisoning, Unintentional	16
2	MVT, Unintentional; Firearm, Self	12
3	Firearm, Assault	6
4	Fall, Unintentional	4
5	Unspecified, Assault; Poisoning, Self inflicted	3
	Other	10
TOTAL		66

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 VANCE		
Rank	Cause	#
1	Fall, Unintentional	166
2	MVT, Unintentional	74
3	Poisoning, Unintentional	49
4	Poisoning, Self inflicted	36
	Other spec/class, Unintentional	35
5	Other	198
TOTAL		558

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 VANCE		
Rank	Cause	#
1	Fall, Unintentional	1,473
2	MVT, Unintentional	1,003
3	Overexertion, Unintentional	827
4	Unspecified, Unintentional	751
	Struck, Unintentional	495
5	Other	1,832
TOTAL		6,381

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 WAKE		
Rank	Cause	#
1	MVT, Unintentional	124
2	Poisoning, Unintentional	117
3	Firearm, Self inflicted	70
4	Poisoning, Self inflicted	58
5	Fall, Unintentional	33
	Other	141
TOTAL		543

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 WAKE		
Rank	Cause	#
1	Fall, Unintentional	1,405
2	MVT, Unintentional	673
3	Poisoning, Self inflicted	577
4	Other spec/class, Unintentional	485
5	Poisoning, Unintentional	459
	Other	1,911
TOTAL		5,510

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 WAKE		
Rank	Cause	#
1	Fall, Unintentional	13,248
2	MVT, Unintentional	10,607
3	Unspecified, Unintentional	5,205
4	Overexertion, Unintentional	5,097
5	Struck, Unintentional	4,561
	Other	16,160
TOTAL		54,878

*NC Residents based on county and state
 **Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 WARREN		
Rank	Cause	#
1	Poisoning, Unintentional	3
2	Suffocation, Self inflicted;	2
3	Pedestrian,other, Unintentional;	1
4		
5	Other	0
TOTAL		15

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 WARREN		
Rank	Cause	#
1	Fall, Unintentional	37
2	MVT, Unintentional	23
3	Other spec/class, Unintentional	14
4	Poisoning, Self inflicted	13
5	Poisoning, Unintentional	10
	Other	46
TOTAL		143

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 WARREN		
Rank	Cause	#
1	Fall, Unintentional	459
2	MVT, Unintentional	298
3	Overexertion, Unintentional	209
4	Unspecified, Unintentional	189
5	Struck, Unintentional	146
	Other	498
TOTAL		1,799

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 WASHINGTON		
Rank	Cause	#
1	MVT, Unintentional	3
2	Poisoning, Unintentional; Firearm,	2
3	Unspecified, Unintentional;	1
4		
5	Other	0
TOTAL		10

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 WASHINGTON		
Rank	Cause	#
1	Fall, Unintentional	32
2	MVT, Unintentional	15
3	Unspecified, Unintentional	10
4	Poisoning, Unintentional	9
	Poisoning, Undetermined;	6
5	Fire/Burn, Unintentional	
	Other	38
TOTAL		116

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 WASHINGTON		
Rank	Cause	#
1	Fall, Unintentional	270
2	MVT, Unintentional	160
3	Unspecified, Unintentional;	104
4	Struck, Unintentional	89
	Cut/pierce, Unintentional	54
5	Other	204
TOTAL		985

*NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 WATAUGA		
Rank	Cause	#
1	Poisoning, Unintentional	17
2	Firearm, Self inflicted	7
3	Poisoning, Self inflicted	6
	MVT, Unintentional	4
4		
5	Other spec/class, Unintentional	2
	Other	11
TOTAL		47

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 WATAUGA		
Rank	Cause	#
1	Fall, Unintentional	101
2	Poisoning, Self inflicted	34
3	Poisoning, Unintentional	29
	Unspecified, Unintentional; MVT, Unintentional	28
4		
5	Other spec/class, Unintentional	24
	Other	121
TOTAL		365

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 WATAUGA		
Rank	Cause	#
1	Fall, Unintentional	1,116
2	MVT, Unintentional	347
3	Overexertion, Unintentional	345
	Cut/pierce, Unintentional	317
4		
5	Struck, Unintentional	290
	Other	1,154
TOTAL		3,569

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 WAYNE		
Rank	Cause	#
1	Poisoning, Unintentional	37
2	MVT, Unintentional	33
3	Firearm, Self inflicted	19
4	Firearm, Assault	11
5	Poisoning, Self inflicted	10
	Other	30
TOTAL		140

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 WAYNE		
Rank	Cause	#
1	Fall, Unintentional	340
2	Unspecified, Unintentional	170
3	MVT, Unintentional	155
4	Poisoning, Self inflicted	138
5	Other spec/class, Unintentional	72
	Other	400
TOTAL		1,275

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 WAYNE		
Rank	Cause	#
1	Fall, Unintentional	3,647
2	MVT, Unintentional	2,302
3	Unspecified, Unintentional	2,139
4	Overexertion, Unintentional	1,272
5	Struck, Unintentional	1,119
	Other	4,945
TOTAL		15,424

*NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 WILKES		
Rank	Cause	#
1	Poisoning, Unintentional	47
2	Firearm, Self inflicted	19
3	MVT, Unintentional	18
4	Fall, Unintentional	8
5	Other land transport, Unintentional	5
	Other	23
TOTAL		120

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 WILKES		
Rank	Cause	#
1	Fall, Unintentional	243
2	MVT, Unintentional	120
3	Poisoning, Self inflicted	90
4	Poisoning, Unintentional	81
5	Poisoning, Undetermined	77
	Other	308
TOTAL		919

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 WILKES		
Rank	Cause	#
1	Fall, Unintentional	515
2	MVT, Unintentional	261
3	Unspecified, Unintentional	157
4	Struck, Unintentional	105
5	Overexertion, Unintentional	99
	Other	476
TOTAL		1,613

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 WILSON		
Rank	Cause	#
1	MVT, Unintentional	24
2	Poisoning, Unintentional	14
3	Firearm, Self inflicted	12
4	Suffocation, Unintentional; Firearm,	6
5	Suffocation, Self inflicted	3
	Other	19
TOTAL		90

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 WILSON		
Rank	Cause	#
1	Fall, Unintentional	188
2	MVT, Unintentional	85
3	Poisoning, Self inflicted	79
4	Unspecified, Unintentional	60
5	Poisoning, Unintentional	56
	Other	261
TOTAL		729

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 WILSON		
Rank	Cause	#
1	Fall, Unintentional	2,363
2	Overexertion, Unintentional	1,766
3	MVT, Unintentional	1,592
4	Unspecified, Unintentional	1,337
5	Natural/Environ, Unintentional	738
	Other	2,804
TOTAL		10,600

*NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.

Ages 35-64: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 YADKIN		
Rank	Cause	#
1	Poisoning, Unintentional	16
2	MVT, Unintentional	14
3	Firearm, Self inflicted	10
4	Suffocation, Self inflicted; Fire/Burn,	4
5	Poisoning, Self inflicted	3
	Other	11
TOTAL		62

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 YADKIN		
Rank	Cause	#
1	Fall, Unintentional	128
2	MVT, Unintentional	79
3	Poisoning, Unintentional	48
4	Poisoning, Self inflicted	45
5	Unspecified, Unintentional	34
	Other	141
TOTAL		475

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 YADKIN		
Rank	Cause	#
1	Fall, Unintentional	1,012
2	MVT, Unintentional	440
3	Overexertion, Unintentional	330
4	Unspecified, Unintentional	287
5	Struck, Unintentional	226
	Other	949
TOTAL		3,244

Leading Causes of Injury Death Ages 35-64: 2010 to 2013 YANCEY		
Rank	Cause	#
1	Poisoning, Unintentional	15
2	MVT, Unintentional	5
3	Firearm, Self inflicted	3
4	Poisoning, Self inflicted; Firearm, Unspecified, Assault; Struck, Unintentional; Fire/Burn, Unintentional; Drowning, Unintentional	2
5	Other	1
	Other	0
TOTAL		31

Leading Causes of Injury Hospitalization** Ages 35-64: 2010 to 2013 YANCEY		
Rank	Cause	#
1	Fall, Unintentional	67
2	MVT, Unintentional	24
3	Poisoning, Unintentional	19
4	Poisoning, Self inflicted Other spec/class, Unintentional	16
	Other	11
5	Other	59
TOTAL		196

Leading Causes of Injury ED Visits** Ages 35-64: 2010 to 2013 YANCEY		
Rank	Cause	#
1	Fall, Unintentional	236
2	MVT, Unintentional	158
3	Struck, Unintentional	50
4	Struck, Assault Overexertion, Unintentional	45
	Other	36
5	Other	271
TOTAL		796

*NC Residents based on county and state
 **Excluding adverse effects within
 healthcare settings and missing Ecodes.