

Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 ALAMANCE		
Rank	Cause	#
1	Fall, Unintentional	59
2	Unspecified, Unintentional; MVT,	12
3	Suffocation, Unintentional	9
4	Firearm, Self inflicted	6
5	Poisoning, Unintentional	5
	Other	8
<b>TOTAL</b>		<b>111</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 ALAMANCE		
Rank	Cause	#
1	Fall, Unintentional	1,580
2	Unspecified, Unintentional	115
3	MVT, Unintentional	90
4	Poisoning, Unintentional	66
5	Other spec/class, Unintentional	57
	Other	200
<b>TOTAL</b>		<b>2,108</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 ALAMANCE		
Rank	Cause	#
1	Fall, Unintentional	3,574
2	Unspecified, Unintentional	491
3	MVT, Unintentional	361
4	Natural/Environ, Unintentional	157
5	Struck, Unintentional	153
	Other	678
<b>TOTAL</b>		<b>5,414</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 ALEXANDER		
Rank	Cause	#
1	Fall, Unintentional	13
2	MVT, Unintentional	7
3	Unspecified, Unintentional; Firearm,	4
4	Suffocation, Unintentional; Struck,	1
5	Other	0
<b>TOTAL</b>		<b>35</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 ALEXANDER		
Rank	Cause	#
1	Fall, Unintentional	313
2	Unspecified, Unintentional	25
3	Other spec/class, Unintentional	17
4	MVT, Unintentional	14
5	Poisoning, Unintentional	12
	Other	56
<b>TOTAL</b>		<b>437</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 ALEXANDER		
Rank	Cause	#
1	Fall, Unintentional	1,108
2	Unspecified, Unintentional	133
3	MVT, Unintentional	108
4	Natural/Environ, Unintentional	67
5	Other spec/class, Unintentional	61
	Other	308
<b>TOTAL</b>		<b>1,785</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 ALLEGHANY		
Rank	Cause	#
1	Fall, Unintentional	5
2	Unspecified, Unintentional;	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>8</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 ALLEGHANY		
Rank	Cause	#
1	Fall, Unintentional	145
2	Unspecified, Unintentional	29
3	Poisoning, Unintentional	7
	Other spec/notclass, Unintentional; Other spec/class, Unintentional	6
4	Transport,other, Unintentional;	3
5	MVT, Unintentional	10
	Other	10
<b>TOTAL</b>		<b>209</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 ALLEGHANY		
Rank	Cause	#
1	Fall, Unintentional	335
2	Unspecified, Unintentional	76
3	Struck, Unintentional	27
	Natural/Environ, Unintentional	19
4	MVT, Unintentional	18
5	Other	66
<b>TOTAL</b>		<b>541</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 ANSON		
Rank	Cause	#
1	MVT, Unintentional; Firearm, Self	4
2	Suffocation, Unintentional	3
3	Unspecified, Unintentional;	2
	Drowning, Unintentional	1
4		
5	Other	0
<b>TOTAL</b>		<b>20</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 ANSON		
Rank	Cause	#
1	Fall, Unintentional	217
2	Unspecified, Unintentional	21
3	MVT, Unintentional	16
	Poisoning, Unintentional; Other spec/class, Unintentional	7
4	Poisoning, Undetermined;	4
5	Other	11
<b>TOTAL</b>		<b>287</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 ANSON		
Rank	Cause	#
1	Fall, Unintentional	695
2	Unspecified, Unintentional	82
3	Struck, Unintentional	74
	MVT, Unintentional	63
4		
5	Natural/Environ, Unintentional	56
	Other	147
<b>TOTAL</b>		<b>1,117</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 ASHE		
Rank	Cause	#
1	Fall, Unintentional	8
2	Unspecified, Unintentional	6
3	MVT, Unintentional	4
4	Suffocation, Unintentional; Firearm,	2
5	Poisoning, Unintentional	1
	Other	0
<b>TOTAL</b>		<b>23</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 ASHE		
Rank	Cause	#
1	Fall, Unintentional	404
2	Unspecified, Unintentional	23
3	Other spec/class, Unintentional	15
4	Suffocation, Unintentional;	14
5	Transport,other, Unintentional	11
	Other	23
<b>TOTAL</b>		<b>518</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 ASHE		
Rank	Cause	#
1	Fall, Unintentional	1,287
2	Unspecified, Unintentional	223
3	Overexertion, Unintentional	107
4	Struck, Unintentional	97
5	MVT, Unintentional	96
	Other	319
<b>TOTAL</b>		<b>2,129</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 AVERY		
Rank	Cause	#
1	Fall, Unintentional	6
2	Suffocation, Unintentional	3
3	Unspecified, Unintentional;	2
4	Unspecified, Assault; Poisoning,	1
5	Other	0
<b>TOTAL</b>		<b>17</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 AVERY		
Rank	Cause	#
1	Fall, Unintentional	240
2	Unspecified, Unintentional	18
3	Other spec/class, Unintentional	17
4	MVT, Unintentional	7
5	Poisoning, Unintentional	6
	Other	33
<b>TOTAL</b>		<b>321</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 AVERY		
Rank	Cause	#
1	Fall, Unintentional	1,120
2	Struck, Unintentional	115
3	Unspecified, Unintentional	114
4	Overexertion, Unintentional	105
5	Cut/pierce, Unintentional	95
	Other	305
<b>TOTAL</b>		<b>1,854</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 BEAUFORT		
Rank	Cause	#
1	Fall, Unintentional	25
2	MVT, Unintentional	9
3	Unspecified, Unintentional;	6
4	Firearm, Self inflicted	4
5	Poisoning, Unintentional	3
	Other	6
<b>TOTAL</b>		<b>59</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 BEAUFORT		
Rank	Cause	#
1	Fall, Unintentional	372
2	Other spec/class, Unintentional	53
3	Unspecified, Unintentional	48
4	Poisoning, Unintentional	31
5	MVT, Unintentional	23
	Other	74
<b>TOTAL</b>		<b>601</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 BEAUFORT		
Rank	Cause	#
1	Fall, Unintentional	1,955
2	Unspecified, Unintentional	380
3	MVT, Unintentional	218
4	Cut/pierce, Unintentional	179
5	Natural/Environ, Unintentional	164
	Other	603
<b>TOTAL</b>		<b>3,499</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 BERTIE		
Rank	Cause	#
1	Fall, Unintentional	6
2	Natural/Environ, Unintentional	5
3	MVT, Unintentional; Firearm, Self	3
4	Unspecified, Unintentional;	1
5	Other	0
<b>TOTAL</b>		<b>22</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 BERTIE		
Rank	Cause	#
1	Fall, Unintentional	156
2	Unspecified, Unintentional	38
3	Other spec/class, Unintentional	13
4	Poisoning, Unintentional; MVT,	9
5	Natural/Environ, Unintentional	5
	Other	17
<b>TOTAL</b>		<b>247</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 BERTIE		
Rank	Cause	#
1	Fall, Unintentional	687
2	Unspecified, Unintentional	143
3	Natural/Environ, Unintentional	81
4	Struck, Unintentional	75
5	MVT, Unintentional	69
	Other	208
<b>TOTAL</b>		<b>1,263</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 BLADEN		
Rank	Cause	#
1	MVT, Unintentional	11
2	Suffocation, Unintentional	5
3	Fall, Unintentional	4
4	Unspecified, Unintentional	3
5	Natural/Environ, Unintentional;	2
	Fire/Burn, Unintentional	
	Other	3
<b>TOTAL</b>		<b>30</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 BLADEN		
Rank	Cause	#
1	Fall, Unintentional	211
2	Unspecified, Unintentional	122
3	MVT, Unintentional	31
4	Poisoning, Unintentional	20
	Other spec/class, Unintentional	17
5	Other	40
<b>TOTAL</b>		<b>441</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 BLADEN		
Rank	Cause	#
1	Fall, Unintentional	1,124
2	Unspecified, Unintentional	262
3	MVT, Unintentional	148
4	Struck, Unintentional	126
	Natural/Environ, Unintentional	70
5	Other	298
<b>TOTAL</b>		<b>2,028</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 BRUNSWICK		
Rank	Cause	#
1	Fall, Unintentional	31
2	Firearm, Self inflicted	17
3	MVT, Unintentional	12
4	Unspecified, Unintentional	8
5	Suffocation, Unintentional	7
	Other	15
<b>TOTAL</b>		<b>90</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 BRUNSWICK		
Rank	Cause	#
1	Fall, Unintentional	819
2	Unspecified, Unintentional	132
3	MVT, Unintentional	63
4	Poisoning, Unintentional	53
5	Other spec/class, Unintentional	34
	Other	152
<b>TOTAL</b>		<b>1,253</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 BRUNSWICK		
Rank	Cause	#
1	Fall, Unintentional	3,478
2	Unspecified, Unintentional	441
3	MVT, Unintentional	330
4	Struck, Unintentional	296
5	Overexertion, Unintentional	295
	Other	1,008
<b>TOTAL</b>		<b>5,848</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 BUNCOMBE		
Rank	Cause	#
1	Fall, Unintentional	184
2	MVT, Unintentional	28
3	Firearm, Self inflicted	25
4	Unspecified, Unintentional	11
5	Suffocation, Unintentional	10
	Other	29
<b>TOTAL</b>		<b>287</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 BUNCOMBE		
Rank	Cause	#
1	Fall, Unintentional	2,508
2	Unspecified, Unintentional	246
3	Other spec/class, Unintentional	171
4	MVT, Unintentional	138
5	Poisoning, Unintentional	68
	Other	252
<b>TOTAL</b>		<b>3,383</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 BUNCOMBE		
Rank	Cause	#
1	Fall, Unintentional	2,349
2	MVT, Unintentional	240
3	Unspecified, Unintentional	175
4	Struck, Unintentional	116
5	Natural/Environ, Unintentional	70
	Other	355
<b>TOTAL</b>		<b>3,305</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 BURKE		
Rank	Cause	#
1	Fall, Unintentional	24
2	MVT, Unintentional	12
3	Unspecified, Unintentional	11
4	Firearm, Self inflicted	8
5	Suffocation, Unintentional	6
	Other	15
<b>TOTAL</b>		<b>76</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 BURKE		
Rank	Cause	#
1	Fall, Unintentional	900
2	Unspecified, Unintentional	94
3	MVT, Unintentional	47
4	Other spec/class, Unintentional	42
5	Poisoning, Unintentional	34
	Other	120
<b>TOTAL</b>		<b>1,237</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 BURKE		
Rank	Cause	#
1	Fall, Unintentional	3,129
2	Unspecified, Unintentional	369
3	MVT, Unintentional	267
4	Struck, Unintentional	229
5	Cut/pierce, Unintentional	186
	Other	704
<b>TOTAL</b>		<b>4,884</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 CABARRUS		
Rank	Cause	#
1	Fall, Unintentional	90
2	MVT, Unintentional	17
3	Unspecified, Unintentional	13
4	Suffocation, Unintentional	9
5	Firearm, Self inflicted	8
	Other	20
<b>TOTAL</b>		<b>157</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 CABARRUS		
Rank	Cause	#
1	Fall, Unintentional	1,411
2	Unspecified, Unintentional	193
3	Other spec/class, Unintentional	89
4	MVT, Unintentional	79
5	Poisoning, Unintentional	60
	Other	189
<b>TOTAL</b>		<b>2,021</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 CABARRUS		
Rank	Cause	#
1	Fall, Unintentional	4,103
2	MVT, Unintentional	384
3	Unspecified, Unintentional	349
4	Struck, Unintentional	318
5	Overexertion, Unintentional	239
	Other	768
<b>TOTAL</b>		<b>6,161</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 CALDWELL		
Rank	Cause	#
1	Fall, Unintentional	25
2	MVT, Unintentional	8
3	Unspecified, Unintentional	7
4	Firearm, Self inflicted	5
5	Suffocation, Unintentional	4
	Other	8
<b>TOTAL</b>		<b>57</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 CALDWELL		
Rank	Cause	#
1	Fall, Unintentional	716
2	Unspecified, Unintentional	82
3	Other spec/class, Unintentional	29
4	MVT, Unintentional	27
5	Poisoning, Unintentional	22
	Other	87
<b>TOTAL</b>		<b>963</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 CALDWELL		
Rank	Cause	#
1	Fall, Unintentional	2,573
2	Unspecified, Unintentional	269
3	MVT, Unintentional	238
4	Cut/pierce, Unintentional	220
5	Struck, Unintentional	170
	Other	539
<b>TOTAL</b>		<b>4,009</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 CAMDEN		
Rank	Cause	#
1	MVT, Unintentional; Fire/Burn,	1
2		
3		
4		
5	Other	0
<b>TOTAL</b>		<b>3</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 CAMDEN		
Rank	Cause	#
1	Fall, Unintentional	39
2	Unspecified, Unintentional	7
3	Overexertion, Unintentional	2
4	Other spec/class, Unintentional;	1
5	Other	0
<b>TOTAL</b>		<b>50</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 CAMDEN		
Rank	Cause	#
1	Fall, Unintentional	21
2	MVT, Unintentional	8
3	Unspecified, Unintentional; Other	2
4	Transport,other, Unintentional;	1
5	Other	0
<b>TOTAL</b>		<b>42</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 CARTERET		
Rank	Cause	#
1	Fall, Unintentional	19
2	MVT, Unintentional	10
3	Unspecified, Unintentional; Firearm,	9
4	Suffocation, Self inflicted; Poisoning, Unspecified, Assault; Transport,other, Unintentional; Suffocation, Unintentional; Pedal cyclist,other, Unintentional; Other spec/class, Unintentional; Other spec/NEC, Unintentional; Natural/Environ, Unintentional; Machinery, Unintentional; Firearm, Unintentional	2 1
5	Other	0
<b>TOTAL</b>		<b>62</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 CARTERET		
Rank	Cause	#
1	Fall, Unintentional	662
2	Unspecified, Unintentional	61
3	Poisoning, Unintentional	43
4	MVT, Unintentional Other spec/class, Unintentional	35 34
5	Other	93
<b>TOTAL</b>		<b>928</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 CARTERET		
Rank	Cause	#
1	Fall, Unintentional	3,262
2	Unspecified, Unintentional	388
3	MVT, Unintentional	207
4	Struck, Unintentional Cut/pierce, Unintentional	198 185
5	Other	795
<b>TOTAL</b>		<b>5,035</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.



Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 CASWELL		
Rank	Cause	#
1	Fall, Unintentional	17
2	Firearm, Self inflicted	4
3	MVT, Unintentional	3
4	Suffocation, Self inflicted; Poisoning,	1
5	Other	0
<b>TOTAL</b>		<b>28</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 CASWELL		
Rank	Cause	#
1	Fall, Unintentional	106
2	Unspecified, Unintentional	11
3	MVT, Unintentional	8
4	Natural/Environ, Unintentional	7
	Other spec/class, Unintentional	6
5	Other	24
<b>TOTAL</b>		<b>162</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 CASWELL		
Rank	Cause	#
1	Fall, Unintentional	275
2	Unspecified, Unintentional	58
3	Struck, Unintentional	39
4	Natural/Environ, Unintentional	32
	Overexertion, Unintentional; MVT,	26
5	Unintentional	
	Other	80
<b>TOTAL</b>		<b>536</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 CATAWBA		
Rank	Cause	#
1	Fall, Unintentional	68
2	MVT, Unintentional	16
3	Firearm, Self inflicted	15
	Unspecified, Unintentional	14
4	Suffocation, Unintentional	7
5	Other	13
<b>TOTAL</b>		<b>133</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 CATAWBA		
Rank	Cause	#
1	Fall, Unintentional	1,264
2	Unspecified, Unintentional	107
3	Other spec/class, Unintentional	60
	Poisoning, Unintentional; MVT,	50
4	Unintentional	
	Suffocation, Unintentional;	24
5	Poisoning, Self inflicted	
	Other	93
<b>TOTAL</b>		<b>1,672</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 CATAWBA		
Rank	Cause	#
1	Fall, Unintentional	5,729
2	Unspecified, Unintentional	617
3	MVT, Unintentional	484
	Cut/pierce, Unintentional	293
4	Struck, Unintentional	280
5	Other	1,211
<b>TOTAL</b>		<b>8,614</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 CHATHAM		
Rank	Cause	#
1	Fall, Unintentional	17
2	Unspecified, Unintentional; MVT,	7
3	Suffocation, Unintentional;	3
4	Natural/Environ, Unintentional;	2
5	Suffocation, Assault; Struck, Other	1 0
<b>TOTAL</b>		<b>52</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 CHATHAM		
Rank	Cause	#
1	Fall, Unintentional	426
2	Unspecified, Unintentional	38
3	MVT, Unintentional	34
4	Other spec/class, Unintentional	19
5	Poisoning, Unintentional Other	15 60
<b>TOTAL</b>		<b>592</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 CHATHAM		
Rank	Cause	#
1	Fall, Unintentional	1,123
2	Unspecified, Unintentional	148
3	MVT, Unintentional	95
4	Natural/Environ, Unintentional	91
5	Cut/pierce, Unintentional Other	88 322
<b>TOTAL</b>		<b>1,867</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 CHEROKEE		
Rank	Cause	#
1	Fall, Unintentional	13
2	MVT, Unintentional	8
3	Unspecified, Unintentional	5
4	Firearm, Self inflicted Suffocation, Unintentional; Struck, Unintentional; Other land transport, Unintentional; Firearm,	4 1
5	Unintentional Other	0 0
<b>TOTAL</b>		<b>34</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 CHEROKEE		
Rank	Cause	#
1	Fall, Unintentional	301
2	Poisoning, Unintentional	32
3	Unspecified, Unintentional	30
4	Other spec/class, Unintentional Suffocation, Unintentional	16 10
5	Other	46
<b>TOTAL</b>		<b>435</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 CHEROKEE		
Rank	Cause	#
1	Fall, Unintentional	534
2	Unspecified, Unintentional	83
3	Natural/Environ, Unintentional	33
4	Struck, Unintentional MVT, Unintentional	31 29
5	Other	114
<b>TOTAL</b>		<b>824</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 CHOWAN		
Rank	Cause	#
1	Fall, Unintentional	4
2	Unspecified, Unintentional	3
3	Firearm, Self inflicted	2
4	Transport,other, Unintentional;	1
5	Other	0
<b>TOTAL</b>		<b>13</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 CHOWAN		
Rank	Cause	#
1	Fall, Unintentional	116
2	Unspecified, Unintentional	26
3	MVT, Unintentional	11
4	Poisoning, Unintentional	9
5	Other spec/class, Unintentional	7
	Other	19
<b>TOTAL</b>		<b>188</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 CHOWAN		
Rank	Cause	#
1	Fall, Unintentional	648
2	Unspecified, Unintentional	116
3	Struck, Unintentional	65
4	Natural/Environ, Unintentional	53
5	Cut/pierce, Unintentional	44
	Other	149
<b>TOTAL</b>		<b>1,075</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 CLAY		
Rank	Cause	#
1	MVT, Unintentional	5
2	Firearm, Self inflicted	3
3	Fall, Unintentional	2
4	Unspecified, Unintentional;	1
5	Other	0
<b>TOTAL</b>		<b>13</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 CLAY		
Rank	Cause	#
1	Fall, Unintentional	123
2	Other spec/class, Unintentional	17
3	Unspecified, Unintentional	10
4	Poisoning, Unintentional	5
	Struck, Unintentional;	3
	Overexertion, Unintentional; Other spec/notclass, Unintentional;	
	Cut/pierce, Unintentional	
5	Other	5
<b>TOTAL</b>		<b>172</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 CLAY		
Rank	Cause	#
1	Fall, Unintentional	183
2	Unspecified, Unintentional	28
3	Other spec/class, Unintentional	13
4	Struck, Unintentional;	7
	Other spec/notclass, Unintentional;	6
	MVT, Unintentional	
5	Other	9
<b>TOTAL</b>		<b>266</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 CLEVELAND		
Rank	Cause	#
1	Fall, Unintentional	59
2	Unspecified, Unintentional	13
3	Firearm, Self inflicted	7
4	MVT, Unintentional	6
5	Suffocation, Unintentional	4
	Other	12
<b>TOTAL</b>		<b>101</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 CLEVELAND		
Rank	Cause	#
1	Fall, Unintentional	919
2	Unspecified, Unintentional	117
3	Poisoning, Unintentional	63
4	MVT, Unintentional	54
5	Other spec/class, Unintentional	47
	Other	130
<b>TOTAL</b>		<b>1,330</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 CLEVELAND		
Rank	Cause	#
1	Fall, Unintentional	3,240
2	Unspecified, Unintentional	398
3	MVT, Unintentional	319
4	Struck, Unintentional	269
5	Cut/pierce, Unintentional	201
	Other	856
<b>TOTAL</b>		<b>5,283</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 COLUMBUS		
Rank	Cause	#
1	MVT, Unintentional	15
2	Fall, Unintentional	11
3	Firearm, Self inflicted	7
4	Suffocation, Unintentional	6
5	Unspecified, Unintentional	3
	Other	10
<b>TOTAL</b>		<b>52</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 COLUMBUS		
Rank	Cause	#
1	Fall, Unintentional	422
2	Unspecified, Unintentional	57
3	MVT, Unintentional	41
4	Other spec/class, Unintentional	37
5	Poisoning, Unintentional	21
	Other	89
<b>TOTAL</b>		<b>667</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 COLUMBUS		
Rank	Cause	#
1	Fall, Unintentional	1,957
2	Unspecified, Unintentional	283
3	MVT, Unintentional	279
4	Struck, Unintentional	154
5	Overexertion, Unintentional	152
	Other	500
<b>TOTAL</b>		<b>3,325</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 CRAVEN		
Rank	Cause	#
1	Fall, Unintentional	32
2	Unspecified, Unintentional	13
3	Firearm, Self inflicted	8
4	MVT, Unintentional	6
5	Suffocation, Unintentional	4
	Other	13
<b>TOTAL</b>		<b>76</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 CRAVEN		
Rank	Cause	#
1	Fall, Unintentional	909
2	Unspecified, Unintentional	103
3	Other spec/class, Unintentional	74
4	MVT, Unintentional	53
5	Poisoning, Unintentional	48
	Other	145
<b>TOTAL</b>		<b>1,332</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 CRAVEN		
Rank	Cause	#
1	Fall, Unintentional	2,063
2	Unspecified, Unintentional	295
3	MVT, Unintentional	235
4	Struck, Unintentional	228
5	Natural/Environ, Unintentional	161
	Other	683
<b>TOTAL</b>		<b>3,665</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 CUMBERLAND		
Rank	Cause	#
1	Fall, Unintentional	77
2	MVT, Unintentional; Firearm, Self	18
3	Suffocation, Unintentional	12
4	Unspecified, Unintentional	10
5	Poisoning, Unintentional; Firearm, Assault	5
	Other	16
<b>TOTAL</b>		<b>161</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 CUMBERLAND		
Rank	Cause	#
1	Fall, Unintentional	1,449
2	Unspecified, Unintentional	731
3	Other spec/class, Unintentional	131
4	MVT, Unintentional	111
5	Poisoning, Unintentional	100
	Other	321
<b>TOTAL</b>		<b>2,843</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 CUMBERLAND		
Rank	Cause	#
1	Fall, Unintentional	4,232
2	Unspecified, Unintentional	822
3	MVT, Unintentional	719
4	Overexertion, Unintentional	222
5	Struck, Unintentional	220
	Other	973
<b>TOTAL</b>		<b>7,188</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 CURRITUCK		
Rank	Cause	#
1	MVT, Unintentional; Fall,	3
2	Suffocation, Unintentional; Firearm,	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>9</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 CURRITUCK		
Rank	Cause	#
1	Fall, Unintentional	46
2	Unspecified, Unintentional	10
3	Poisoning, Unintentional	3
4	Suffocation, Unintentional;	1
5	Other	0
<b>TOTAL</b>		<b>66</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 CURRITUCK		
Rank	Cause	#
1	Fall, Unintentional	80
2	MVT, Unintentional	11
3	Unspecified, Unintentional;	9
4	Other spec/class, Unintentional; Struck, Unintentional; Overexertion,	6
5	Unintentional Other	5
<b>TOTAL</b>		<b>139</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 DARE		
Rank	Cause	#
1	Fall, Unintentional	8
2	Firearm, Self inflicted	3
3	Suffocation, Unintentional; MVT,	2
4	Unspecified, Unintentional;	1
5	Other	0
<b>TOTAL</b>		<b>19</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 DARE		
Rank	Cause	#
1	Fall, Unintentional	132
2	Unspecified, Unintentional	13
3	Poisoning, Unintentional	5
4	Other spec/class, Unintentional Poisoning, Self inflicted; Overexertion, Unintentional;	4
5	Natural/Environ, Unintentional Other	3
<b>TOTAL</b>		<b>169</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 DARE		
Rank	Cause	#
1	Fall, Unintentional	644
2	Unspecified, Unintentional	79
3	Cut/pierce, Unintentional	63
4	Natural/Environ, Unintentional; MVT, Overexertion, Unintentional	54
5	Other	49
<b>TOTAL</b>		<b>1,072</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 DAVIDSON		
Rank	Cause	#
1	Fall, Unintentional	45
2	MVT, Unintentional	22
3	Firearm, Self inflicted	18
4	Unspecified, Unintentional	12
5	Fire/Burn, Unintentional	9
	Other	17
<b>TOTAL</b>		<b>123</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 DAVIDSON		
Rank	Cause	#
1	Fall, Unintentional	1,147
2	Unspecified, Unintentional	163
3	MVT, Unintentional	77
4	Other spec/class, Unintentional	62
5	Poisoning, Unintentional	46
	Other	179
<b>TOTAL</b>		<b>1,674</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 DAVIDSON		
Rank	Cause	#
1	Fall, Unintentional	5,019
2	Unspecified, Unintentional	715
3	MVT, Unintentional	479
4	Struck, Unintentional	373
5	Overexertion, Unintentional	357
	Other	1,370
<b>TOTAL</b>		<b>8,313</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 DAVIE		
Rank	Cause	#
1	Fall, Unintentional	15
2	MVT, Unintentional	8
	Firearm, Self inflicted	4
3		
4	Unspecified, Unintentional; Struck, Unintentional; Poisoning, Self inflicted; Machinery, Unintentional; Firearm, Unintentional	2
5	Unintentional	1
	Other	0
<b>TOTAL</b>		<b>39</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 DAVIE		
Rank	Cause	#
1	Fall, Unintentional	388
2	Unspecified, Unintentional	64
	Other spec/class, Unintentional;	22
3	MVT, Unintentional	
4	Poisoning, Unintentional; Other Natural/Environ, Unintentional	10
		9
5		
	Other	37
<b>TOTAL</b>		<b>562</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 DAVIE		
Rank	Cause	#
1	Fall, Unintentional	1,231
2	Unspecified, Unintentional	122
	MVT, Unintentional	81
3		
4	Struck, Unintentional Cut/pierce, Unintentional	61
		56
5		
	Other	210
<b>TOTAL</b>		<b>1,761</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 DUPLIN		
Rank	Cause	#
1	Fall, Unintentional	11
2	MVT, Unintentional	9
3	Unspecified, Unintentional	7
4	Firearm, Self inflicted	3
5	Suffocation, Unintentional; Fire/Burn, Unintentional Other	1 0
<b>TOTAL</b>		<b>32</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 DUPLIN		
Rank	Cause	#
1	Fall, Unintentional	329
2	Unspecified, Unintentional	53
3	MVT, Unintentional	39
4	Other spec/class, Unintentional Natural/Environ, Unintentional	22 14
5	Other	62
<b>TOTAL</b>		<b>519</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 DUPLIN		
Rank	Cause	#
1	Fall, Unintentional	1,261
2	Unspecified, Unintentional	231
3	MVT, Unintentional	176
4	Natural/Environ, Unintentional Overexertion, Unintentional	87 75
5	Other	296
<b>TOTAL</b>		<b>2,126</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 DURHAM		
Rank	Cause	#
1	Fall, Unintentional	74
2	Unspecified, Unintentional	19
3	Suffocation, Unintentional	16
4	MVT, Unintentional	12
5	Firearm, Self inflicted Other	11 24
<b>TOTAL</b>		<b>156</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 DURHAM		
Rank	Cause	#
1	Fall, Unintentional	1,594
2	Other spec/class, Unintentional	132
3	Unspecified, Unintentional	126
4	Poisoning, Unintentional	100
5	MVT, Unintentional Other	81 251
<b>TOTAL</b>		<b>2,284</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 DURHAM		
Rank	Cause	#
1	Fall, Unintentional	2,632
2	MVT, Unintentional	384
3	Unspecified, Unintentional	361
4	Struck, Unintentional	161
5	Overexertion, Unintentional Other	151 596
<b>TOTAL</b>		<b>4,285</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.



Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 EDGECOMBE		
Rank	Cause	#
1	MVT, Unintentional	10
2	Unspecified, Unintentional; Fall,	8
3	Firearm, Self inflicted	4
4	Fire/Burn, Unintentional	3
5	Natural/Environ, Unintentional	2
	Other	10
<b>TOTAL</b>		<b>45</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 EDGECOMBE		
Rank	Cause	#
1	Fall, Unintentional	339
2	Unspecified, Unintentional	43
3	MVT, Unintentional	25
4	Poisoning, Unintentional	24
5	Other spec/class, Unintentional	19
	Other	73
<b>TOTAL</b>		<b>523</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 EDGECOMBE		
Rank	Cause	#
1	Fall, Unintentional	873
2	Unspecified, Unintentional	202
3	MVT, Unintentional	79
4	Struck, Unintentional	76
5	Natural/Environ, Unintentional	51
	Other	234
<b>TOTAL</b>		<b>1,515</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 FORSYTH		
Rank	Cause	#
1	Fall, Unintentional	161
2	MVT, Unintentional; Firearm, Self	24
3	Unspecified, Unintentional	22
4	Suffocation, Unintentional	13
5	Fire/Burn, Unintentional	6
	Other	24
<b>TOTAL</b>		<b>274</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 FORSYTH		
Rank	Cause	#
1	Fall, Unintentional	2,985
2	Unspecified, Unintentional	475
3	MVT, Unintentional	153
4	Poisoning, Unintentional	115
5	Other spec/class, Unintentional	100
	Other	387
<b>TOTAL</b>		<b>4,215</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 FORSYTH		
Rank	Cause	#
1	Fall, Unintentional	11,264
2	Unspecified, Unintentional	1,274
3	MVT, Unintentional	842
4	Struck, Unintentional	646
5	Overexertion, Unintentional	526
	Other	2,095
<b>TOTAL</b>		<b>16,647</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 FRANKLIN		
Rank	Cause	#
1	Fall, Unintentional	10
2	Unspecified, Unintentional; Firearm,	6
3	Suffocation, Unintentional; MVT,	4
4	Fire/Burn, Unintentional	3
5	Poisoning, Self inflicted	1
	Other	0
<b>TOTAL</b>		<b>34</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 FRANKLIN		
Rank	Cause	#
1	Fall, Unintentional	336
2	Unspecified, Unintentional	42
3	Other spec/class, Unintentional	41
4	MVT, Unintentional	23
5	Poisoning, Unintentional	15
	Other	52
<b>TOTAL</b>		<b>509</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 FRANKLIN		
Rank	Cause	#
1	Fall, Unintentional	1,001
2	Unspecified, Unintentional	195
3	MVT, Unintentional	149
4	Struck, Unintentional	81
5	Overexertion, Unintentional	80
	Other	212
<b>TOTAL</b>		<b>1,718</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 GASTON		
Rank	Cause	#
1	Fall, Unintentional	73
2	Firearm, Self inflicted	22
3	MVT, Unintentional	21
4	Unspecified, Unintentional	18
5	Suffocation, Unintentional	15
	Other	29
<b>TOTAL</b>		<b>178</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 GASTON		
Rank	Cause	#
1	Fall, Unintentional	1,994
2	Unspecified, Unintentional	310
3	Poisoning, Unintentional	115
4	Other spec/class, Unintentional	108
5	MVT, Unintentional	67
	Other	253
<b>TOTAL</b>		<b>2,847</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 GASTON		
Rank	Cause	#
1	Fall, Unintentional	4,733
2	MVT, Unintentional	528
3	Unspecified, Unintentional	454
4	Struck, Unintentional	261
5	Overexertion, Unintentional	232
	Other	1,088
<b>TOTAL</b>		<b>7,296</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 GATES		
Rank	Cause	#
1	Suffocation, Self inflicted; Firearm,	1
2		
3		
4		
5	Other	0
<b>TOTAL</b>		<b>3</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 GATES		
Rank	Cause	#
1	Fall, Unintentional	33
2	Unspecified, Unintentional	11
	Poisoning, Self inflicted; Other	2
3	spec/class, Unintentional	
	Suffocation, Unintentional;	1
	Poisoning, Unintentional;	
	Poisoning, Undetermined;	
	Overexertion, Unintentional; Other	
4	spec/notclass, Unintentional	
5	Other	0
<b>TOTAL</b>		<b>53</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 GATES		
Rank	Cause	#
1	Fall, Unintentional	95
2	Unspecified, Unintentional	26
	Struck, Unintentional	13
3	MVT, Unintentional	12
4		
5	Overexertion, Unintentional	10
	Other	28
<b>TOTAL</b>		<b>184</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 GRAHAM		
Rank	Cause	#
1	Unspecified, Unintentional	4
2	Fall, Unintentional	3
3	Firearm, Self inflicted	2
4	Suffocation, Unintentional; MVT,	1
5	Other	0
<b>TOTAL</b>		<b>12</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 GRAHAM		
Rank	Cause	#
1	Fall, Unintentional	77
2	Unspecified, Unintentional	13
3	Poisoning, Unintentional; Other	5
4	Transport,other, Unintentional;	3
	Suffocation, Unintentional; Other	2
5	spec/notclass, Unintentional	
	Other	6
<b>TOTAL</b>		<b>116</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 GRAHAM		
Rank	Cause	#
1	Fall, Unintentional	243
2	Unspecified, Unintentional	35
3	Overexertion, Unintentional	26
4	MVT, Unintentional	15
	Struck, Unintentional	14
5	Other	56
<b>TOTAL</b>		<b>389</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Agnes 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 GRANVILLE		
Rank	Cause	#
1	MVT, Unintentional; Firearm, Self	8
2	Unspecified, Unintentional	5
	Suffocation, Unintentional	3
3		
4	Natural/Environ, Unintentional	2
	Struck, Unintentional; Poisoning, Self inflicted; Other land transport, Unintentional; Fire/Burn, Unintentional	1
5	Other	0
<b>TOTAL</b>		<b>38</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 GRANVILLE		
Rank	Cause	#
1	Fall, Unintentional	385
2	Unspecified, Unintentional	39
	Other spec/class, Unintentional;	21
3	MVT, Unintentional	
4	Poisoning, Unintentional	15
	Natural/Environ, Unintentional	10
5		
	Other	49
<b>TOTAL</b>		<b>540</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 GRANVILLE		
Rank	Cause	#
1	Fall, Unintentional	1,179
2	MVT, Unintentional	129
	Unspecified, Unintentional	111
3		
4	Struck, Unintentional	98
	Overexertion, Unintentional	91
5		
	Other	290
<b>TOTAL</b>		<b>1,898</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 GREENE		
Rank	Cause	#
1	Fall, Unintentional	3
2	Fire/Burn, Unintentional	2
3	Suffocation, Unintentional;	1
4		
5		
	Other	0
<b>TOTAL</b>		<b>8</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 GREENE		
Rank	Cause	#
1	Fall, Unintentional	131
2	Unspecified, Unintentional	17
3	MVT, Unintentional	11
4	Poisoning, Unintentional	7
5	Other spec/class, Unintentional	6
	Other	15
<b>TOTAL</b>		<b>187</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 GREENE		
Rank	Cause	#
1	Fall, Unintentional	415
2	Unspecified, Unintentional	75
3	MVT, Unintentional	53
4	Struck, Unintentional	31
5	Natural/Environ, Unintentional	23
	Other	86
<b>TOTAL</b>		<b>683</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 GUILFORD		
Rank	Cause	#
1	Fall, Unintentional	274
2	MVT, Unintentional	28
3	Firearm, Self inflicted	22
4	Suffocation, Unintentional	21
5	Unspecified, Unintentional	19
	Other	40
<b>TOTAL</b>		<b>404</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 GUILFORD		
Rank	Cause	#
1	Fall, Unintentional	4,508
2	Unspecified, Unintentional	374
3	MVT, Unintentional	243
4	Poisoning, Unintentional	163
5	Other spec/class, Unintentional	127
	Other	506
<b>TOTAL</b>		<b>5,921</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 GUILFORD		
Rank	Cause	#
1	Fall, Unintentional	7,182
2	Unspecified, Unintentional	838
3	MVT, Unintentional	714
4	Struck, Unintentional	416
5	Natural/Environ, Unintentional	392
	Other	1,465
<b>TOTAL</b>		<b>11,007</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 HALIFAX		
Rank	Cause	#
1	Fall, Unintentional	13
2	Unspecified, Unintentional	6
3	MVT, Unintentional	4
4	Suffocation, Unintentional; Firearm, Transport,other, Unintentional; Other spec/class, Unintentional; Other spec/NEC, Assault; Other land transport, Unintentional;	3
		1
5	Cut/pierce, Assault	
	Other	0
<b>TOTAL</b>		<b>37</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 HALIFAX		
Rank	Cause	#
1	Fall, Unintentional	470
2	Unspecified, Unintentional	66
3	MVT, Unintentional	40
4	Other spec/class, Unintentional Poisoning, Unintentional	38
		19
5	Other	83
<b>TOTAL</b>		<b>716</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 HALIFAX		
Rank	Cause	#
1	Fall, Unintentional	1,868
2	Unspecified, Unintentional	322
3	MVT, Unintentional	250
4	Other spec/notclass, Unintentional Natural/Environ, Unintentional	145
		131
5	Other	517
<b>TOTAL</b>		<b>3,233</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 HARNETT		
Rank	Cause	#
1	Fall, Unintentional	18
2	MVT, Unintentional	10
3	Unspecified, Unintentional;	9
4	Firearm, Self inflicted	6
5	Unspecified, Assault	3
	Other	11
<b>TOTAL</b>		<b>66</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 HARNETT		
Rank	Cause	#
1	Fall, Unintentional	718
2	Unspecified, Unintentional	114
3	Other spec/class, Unintentional	62
4	Poisoning, Unintentional	57
5	MVT, Unintentional	47
	Other	126
<b>TOTAL</b>		<b>1,124</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 HARNETT		
Rank	Cause	#
1	Fall, Unintentional	1,319
2	Unspecified, Unintentional	272
3	MVT, Unintentional	173
4	Struck, Unintentional	126
5	Natural/Environ, Unintentional	111
	Other	406
<b>TOTAL</b>		<b>2,407</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 HAYWOOD		
Rank	Cause	#
1	Fall, Unintentional	25
2	Unspecified, Unintentional	12
3	MVT, Unintentional	9
4	Firearm, Self inflicted	8
5	Suffocation, Unintentional	6
	Other	8
<b>TOTAL</b>		<b>68</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 HAYWOOD		
Rank	Cause	#
1	Fall, Unintentional	887
2	Unspecified, Unintentional	180
3	Other spec/class, Unintentional	58
4	Natural/Environ, Unintentional;	32
5	Poisoning, Unintentional	28
	Other	107
<b>TOTAL</b>		<b>1,324</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 HAYWOOD		
Rank	Cause	#
1	Fall, Unintentional	2,515
2	Unspecified, Unintentional	472
3	MVT, Unintentional	154
4	Natural/Environ, Unintentional;	125
5	Overexertion, Unintentional	111
	Other	408
<b>TOTAL</b>		<b>3,910</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 HENDERSON		
Rank	Cause	#
1	Fall, Unintentional	124
2	Unspecified, Unintentional; Firearm,	13
3	MVT, Unintentional	12
4	Suffocation, Unintentional	6
	Suffocation, Self inflicted; Poisoning, Unintentional; Other spec/NEC, Unintentional; Machinery, Unintentional; Drowning, Unintentional	2
5	Other	6
<b>TOTAL</b>		<b>184</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 HENDERSON		
Rank	Cause	#
1	Fall, Unintentional	1,304
2	Unspecified, Unintentional	157
3	Other spec/class, Unintentional	76
4	MVT, Unintentional	61
	Poisoning, Unintentional	52
5	Other	135
<b>TOTAL</b>		<b>1,785</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 HENDERSON		
Rank	Cause	#
1	Fall, Unintentional	2,488
2	MVT, Unintentional	271
3	Unspecified, Unintentional	205
4	Struck, Unintentional	101
	Natural/Environ, Unintentional; Cut/pierce, Unintentional	87
5	Other	281
<b>TOTAL</b>		<b>3,520</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 HERTFORD		
Rank	Cause	#
1	Fall, Unintentional	7
2	Firearm, Self inflicted	4
3	Unspecified, Unintentional	3
4	Suffocation, Unintentional;	2
	Natural/Environ, Unintentional; MVT,	1
5	Other	0
<b>TOTAL</b>		<b>20</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 HERTFORD		
Rank	Cause	#
1	Fall, Unintentional	155
2	Unspecified, Unintentional	32
3	MVT, Unintentional	11
4	Poisoning, Unintentional	7
	Other spec/class, Unintentional	6
5	Other	15
<b>TOTAL</b>		<b>226</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 HERTFORD		
Rank	Cause	#
1	Fall, Unintentional	706
2	Unspecified, Unintentional	130
3	MVT, Unintentional	76
4	Natural/Environ, Unintentional	68
	Struck, Unintentional	58
5	Other	197
<b>TOTAL</b>		<b>1,235</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 HOKE		
Rank	Cause	#
1	Unspecified, Unintentional	6
2	MVT, Unintentional; Fall,	4
3	Suffocation, Unintentional;	2
4	Other spec/NEC, Unintentional;	1
5	Other	0
<b>TOTAL</b>		<b>21</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 HOKE		
Rank	Cause	#
1	Fall, Unintentional	165
2	Unspecified, Unintentional	52
3	Poisoning, Unintentional; MVT,	17
4	Other spec/class, Unintentional Struck, Unintentional; Other	12 6
5	spec/notclass, Unintentional Other	15 15
<b>TOTAL</b>		<b>290</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 HOKE		
Rank	Cause	#
1	Fall, Unintentional	498
2	Unspecified, Unintentional	96
3	MVT, Unintentional	79
4	Struck, Unintentional Overexertion, Unintentional	45 43
5	Other	121
<b>TOTAL</b>		<b>882</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 HYDE		
Rank	Cause	#
1	Drowning, Unintentional	2
2	Firearm, Self inflicted; Fall,	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>4</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 HYDE		
Rank	Cause	#
1	Fall, Unintentional	29
2	Unspecified, Unintentional	5
3	MVT, Unintentional Poisoning, Unintentional; Other	3 2
4	spec/class, Unintentional	
5	Natural/Environ, Unintentional Other	1 0
<b>TOTAL</b>		<b>42</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 HYDE		
Rank	Cause	#
1	Fall, Unintentional	177
2	Unspecified, Unintentional	31
3	Struck, Unintentional; MVT, Cut/pierce, Unintentional	11 8
4		
5	Overexertion, Unintentional Other	6 18
<b>TOTAL</b>		<b>262</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.



Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 IREDELL		
Rank	Cause	#
1	Fall, Unintentional	51
2	MVT, Unintentional	24
3	Firearm, Self inflicted	12
4	Unspecified, Unintentional	7
5	Suffocation, Unintentional	6
	Other	15
<b>TOTAL</b>		<b>115</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 IREDELL		
Rank	Cause	#
1	Fall, Unintentional	1,712
2	Unspecified, Unintentional	128
3	Other spec/class, Unintentional	99
4	Poisoning, Unintentional	83
5	MVT, Unintentional	73
	Other	221
<b>TOTAL</b>		<b>2,316</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 IREDELL		
Rank	Cause	#
1	Fall, Unintentional	4,908
2	Unspecified, Unintentional	576
3	MVT, Unintentional	458
4	Struck, Unintentional	392
5	Overexertion, Unintentional	259
	Other	1,023
<b>TOTAL</b>		<b>7,616</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 JACKSON		
Rank	Cause	#
1	Fall, Unintentional	12
2	Unspecified, Unintentional	11
3	Firearm, Self inflicted	5
4	Struck, Unintentional;	1
5	Other	0
<b>TOTAL</b>		<b>35</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 JACKSON		
Rank	Cause	#
1	Fall, Unintentional	232
2	Unspecified, Unintentional	37
3	MVT, Unintentional	19
4	Other spec/class, Unintentional	16
5	Poisoning, Unintentional	14
	Other	44
<b>TOTAL</b>		<b>362</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 JACKSON		
Rank	Cause	#
1	Fall, Unintentional	1,012
2	Unspecified, Unintentional	157
3	MVT, Unintentional	102
4	Struck, Unintentional	81
5	Natural/Environ, Unintentional	73
	Other	282
<b>TOTAL</b>		<b>1,707</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 JOHNSTON		
Rank	Cause	#
1	Fall, Unintentional	46
2	MVT, Unintentional	20
3	Suffocation, Unintentional; Firearm, Unspecified, Unintentional	9 7
4		
5	Fire/Burn, Unintentional Other	3 16
<b>TOTAL</b>		<b>110</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 JOHNSTON		
Rank	Cause	#
1	Fall, Unintentional	1,084
2	Unspecified, Unintentional	234
3	Other spec/class, Unintentional Poisoning, Unintentional; MVT, Unintentional	112 67
4		
5	Natural/Environ, Unintentional Other	37 145
<b>TOTAL</b>		<b>1,746</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 JOHNSTON		
Rank	Cause	#
1	Fall, Unintentional	4,245
2	Unspecified, Unintentional	770
3	MVT, Unintentional Other spec/notclass, Unintentional	355 274
4		
5	Natural/Environ, Unintentional Other	271 987
<b>TOTAL</b>		<b>6,902</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 JONES		
Rank	Cause	#
1	Suffocation, Unintentional; Fall, Firearm, Self inflicted	2 1
2		
3		
4		
5	Other	0
<b>TOTAL</b>		<b>5</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 JONES		
Rank	Cause	#
1	Fall, Unintentional	104
2	Poisoning, Unintentional Unspecified, Unintentional; MVT, Unintentional	9 8
3		
4	Natural/Environ, Unintentional Suffocation, Unintentional; Struck, Unintentional; Other spec/class, Unintentional	5 2
5	Unintentional Other	6 6
<b>TOTAL</b>		<b>146</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 JONES		
Rank	Cause	#
1	Fall, Unintentional	237
2	MVT, Unintentional Unspecified, Unintentional	43 40
3		
4	Struck, Unintentional Overexertion, Unintentional; Other spec/class, Unintentional	23 19
5	Other	58
<b>TOTAL</b>		<b>439</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 LEE		
Rank	Cause	#
1	Fall, Unintentional	16
2	MVT, Unintentional; Firearm, Self	5
3	Unspecified, Unintentional;	3
4	Poisoning, Unintentional	2
5	Drowning, Unintentional	1
	Other	0
<b>TOTAL</b>		<b>35</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 LEE		
Rank	Cause	#
1	Fall, Unintentional	399
2	Unspecified, Unintentional	39
3	Other spec/class, Unintentional	30
4	MVT, Unintentional	29
5	Poisoning, Unintentional	24
	Other	80
<b>TOTAL</b>		<b>601</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 LEE		
Rank	Cause	#
1	Fall, Unintentional	431
2	MVT, Unintentional	101
3	Unspecified, Unintentional	63
4	Natural/Environ, Unintentional	39
5	Struck, Unintentional	28
	Other	107
<b>TOTAL</b>		<b>769</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 LENOIR		
Rank	Cause	#
1	Fall, Unintentional	18
2	Firearm, Self inflicted	9
3	MVT, Unintentional	8
4	Unspecified, Unintentional	6
5	Suffocation, Unintentional	5
	Other	9
<b>TOTAL</b>		<b>55</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 LENOIR		
Rank	Cause	#
1	Fall, Unintentional	573
2	Unspecified, Unintentional	109
3	MVT, Unintentional	35
4	Poisoning, Unintentional	33
5	Other spec/class, Unintentional	31
	Other	78
<b>TOTAL</b>		<b>859</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 LENOIR		
Rank	Cause	#
1	Fall, Unintentional	2,671
2	Unspecified, Unintentional	436
3	MVT, Unintentional	294
4	Struck, Unintentional	194
5	Cut/pierce, Unintentional	142
	Other	590
<b>TOTAL</b>		<b>4,327</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 LINCOLN		
Rank	Cause	#
1	Fall, Unintentional	25
2	Firearm, Self inflicted	9
3	MVT, Unintentional	5
4	Suffocation, Unintentional;	4
	Unspecified, Unintentional; Struck,	1
	Unintentional; Poisoning,	
	Unintentional; Pedestrian, other,	
	Unintentional; Other spec/class,	
	Unintentional; Firearm, Assault;	
5	Drowning, Unintentional	
	Other	0
<b>TOTAL</b>		<b>54</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 LINCOLN		
Rank	Cause	#
1	Fall, Unintentional	610
2	Unspecified, Unintentional	63
3	Other spec/class, Unintentional	39
4	Poisoning, Unintentional; MVT,	29
	Natural/Environ, Unintentional	15
5		
	Other	66
<b>TOTAL</b>		<b>851</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 LINCOLN		
Rank	Cause	#
1	Fall, Unintentional	2,345
2	Unspecified, Unintentional	234
3	MVT, Unintentional	221
4	Struck, Unintentional	161
	Cut/pierce, Unintentional	143
5		
	Other	514
<b>TOTAL</b>		<b>3,618</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 McDOWELL		
Rank	Cause	#
1	Fall, Unintentional	22
2	MVT, Unintentional	7
3	Unspecified, Unintentional; Firearm,	5
4	Suffocation, Unintentional	2
	Poisoning, Unintentional; Poisoning,	1
	Undetermined; Other spec/class,	
	Unintentional; Natural/Environ,	
	Unintentional; Cut/pierce,	
5	Unintentional	
	Other	0
<b>TOTAL</b>		<b>46</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 McDOWELL		
Rank	Cause	#
1	Fall, Unintentional	388
2	Unspecified, Unintentional	40
3	Poisoning, Unintentional	24
4	Other spec/class, Unintentional	20
	MVT, Unintentional	17
5		
	Other	40
<b>TOTAL</b>		<b>529</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 McDOWELL		
Rank	Cause	#
1	Fall, Unintentional	920
2	MVT, Unintentional	106
3	Unspecified, Unintentional	80
4	Struck, Unintentional	78
	Overexertion, Unintentional	45
5		
	Other	165
<b>TOTAL</b>		<b>1,394</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 MACON		
Rank	Cause	#
1	Fall, Unintentional	24
2	Unspecified, Unintentional	9
3	Suffocation, Unintentional; MVT,	8
4	Firearm, Self inflicted	4
	Other spec/NEC, Unintentional;	1
5	Firearm, Assault; Cut/pierce, Unintentional	
	Other	0
<b>TOTAL</b>		<b>56</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 MACON		
Rank	Cause	#
1	Fall, Unintentional	365
2	Unspecified, Unintentional	45
3	Other spec/class, Unintentional	26
4	MVT, Unintentional	23
	Poisoning, Unintentional	13
5		
	Other	69
<b>TOTAL</b>		<b>541</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 MACON		
Rank	Cause	#
1	Fall, Unintentional	1,348
2	Unspecified, Unintentional	141
3	Natural/Environ, Unintentional;	118
4	Struck, Unintentional	113
	Overexertion, Unintentional	108
5		
	Other	304
<b>TOTAL</b>		<b>2,250</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 MADISON		
Rank	Cause	#
1	Fall, Unintentional	13
2	Firearm, Self inflicted	3
3	Unspecified, Unintentional;	1
4		
5		
	Other	0
<b>TOTAL</b>		<b>22</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 MADISON		
Rank	Cause	#
1	Fall, Unintentional	193
2	Unspecified, Unintentional	26
3	Other spec/class, Unintentional	15
4	MVT, Unintentional	13
	Transport,other, Unintentional;	8
5	Poisoning, Unintentional	
	Other	34
<b>TOTAL</b>		<b>297</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 MADISON		
Rank	Cause	#
1	Fall, Unintentional	222
2	Unspecified, Unintentional	20
3	MVT, Unintentional	18
4	Struck, Unintentional	16
	Fire/Burn, Unintentional	8
5		
	Other	30
<b>TOTAL</b>		<b>314</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Agnes 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 MARTIN		
Rank	Cause	#
1	Fall, Unintentional	10
2	Unspecified, Unintentional	4
3	MVT, Unintentional; Firearm, Self	3
4	Suffocation, Unintentional; Other	1
5	Other	0
<b>TOTAL</b>		<b>24</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 MARTIN		
Rank	Cause	#
1	Fall, Unintentional	212
2	Unspecified, Unintentional	66
3	MVT, Unintentional	14
4	Natural/Environ, Unintentional	13
5	Poisoning, Unintentional; Other spec/class, Unintentional	11
	Other	20
<b>TOTAL</b>		<b>347</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 MARTIN		
Rank	Cause	#
1	Fall, Unintentional	700
2	Unspecified, Unintentional	172
3	MVT, Unintentional	84
4	Struck, Unintentional	64
5	Natural/Environ, Unintentional	54
	Other	165
<b>TOTAL</b>		<b>1,239</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 MECKLENBURG		
Rank	Cause	#
1	Fall, Unintentional	142
2	Unspecified, Unintentional	45
3	Firearm, Self inflicted	35
4	Suffocation, Unintentional	29
5	MVT, Unintentional	27
	Other	51
<b>TOTAL</b>		<b>329</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 MECKLENBURG		
Rank	Cause	#
1	Fall, Unintentional	4,565
2	Unspecified, Unintentional	686
3	Other spec/class, Unintentional	282
4	Poisoning, Unintentional	236
5	MVT, Unintentional	189
	Other	567
<b>TOTAL</b>		<b>6,525</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 MECKLENBURG		
Rank	Cause	#
1	Fall, Unintentional	17,187
2	Unspecified, Unintentional	2,300
3	MVT, Unintentional	1,755
4	Struck, Unintentional	988
5	Cut/pierce, Unintentional	797
	Other	3,575
<b>TOTAL</b>		<b>26,602</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 MITCHELL		
Rank	Cause	#
1	Fall, Unintentional	7
2	Unspecified, Unintentional	4
3	Suffocation, Unintentional;	1
4		
5	Other	0
<b>TOTAL</b>		<b>17</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 MITCHELL		
Rank	Cause	#
1	Fall, Unintentional	519
2	Unspecified, Unintentional	34
3	MVT, Unintentional	33
4	Poisoning, Unintentional	26
5	Other spec/class, Unintentional	22
	Other	70
<b>TOTAL</b>		<b>704</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 MITCHELL		
Rank	Cause	#
1	Fall, Unintentional	388
2	MVT, Unintentional	37
3	Struck, Unintentional	20
4	Unspecified, Unintentional;	14
5	Other spec/class, Unintentional	12
	Other	42
<b>TOTAL</b>		<b>541</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 MONTGOMERY		
Rank	Cause	#
1	Fall, Unintentional	11
2	Unspecified, Unintentional	7
3	MVT, Unintentional	5
4	Firearm, Self inflicted	3
5	Suffocation, Unintentional	2
	Other	1
<b>TOTAL</b>		<b>29</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 MONTGOMERY		
Rank	Cause	#
1	Fall, Unintentional	281
2	Unspecified, Unintentional	25
3	Poisoning, Unintentional	23
4	MVT, Unintentional	15
5	Natural/Environ, Unintentional	12
	Other	44
<b>TOTAL</b>		<b>400</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 MONTGOMERY		
Rank	Cause	#
1	Fall, Unintentional	631
2	Unspecified, Unintentional	77
3	Overexertion, Unintentional	52
4	Natural/Environ, Unintentional; MVT,	51
5	Struck, Unintentional	44
	Other	124
<b>TOTAL</b>		<b>1,030</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 MOORE		
Rank	Cause	#
1	Fall, Unintentional	19
2	Unspecified, Unintentional	17
	Suffocation, Unintentional	12
3		
4	Firearm, Self inflicted	10
5	MVT, Unintentional	8
	Other	13
<b>TOTAL</b>		<b>79</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 MOORE		
Rank	Cause	#
1	Fall, Unintentional	1,206
2	Unspecified, Unintentional	115
	Poisoning, Unintentional; MVT,	51
3	Unintentional	
4	Natural/Environ, Unintentional	38
5	Other spec/class, Unintentional	33
	Other	134
<b>TOTAL</b>		<b>1,628</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 MOORE		
Rank	Cause	#
1	Fall, Unintentional	3,891
2	Unspecified, Unintentional	324
	Struck, Unintentional	298
3		
4	MVT, Unintentional	274
5	Cut/pierce, Unintentional	246
	Other	737
<b>TOTAL</b>		<b>5,770</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 NASH		
Rank	Cause	#
1	Fall, Unintentional	23
2	MVT, Unintentional	11
3	Unspecified, Unintentional	6
4	Suffocation, Unintentional	5
	Firearm, Self inflicted	4
5		
	Other	9
<b>TOTAL</b>		<b>58</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 NASH		
Rank	Cause	#
1	Fall, Unintentional	733
2	Unspecified, Unintentional	89
3	Other spec/class, Unintentional	61
4	MVT, Unintentional	48
	Poisoning, Unintentional	39
5		
	Other	108
<b>TOTAL</b>		<b>1,078</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 NASH		
Rank	Cause	#
1	Fall, Unintentional	576
2	MVT, Unintentional	104
3	Unspecified, Unintentional	91
4	Struck, Unintentional	47
	Natural/Environ, Unintentional;	43
5	Cut/pierce, Unintentional	
	Other	133
<b>TOTAL</b>		<b>1,037</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.



Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 NEW HANOVER		
Rank	Cause	#
1	Fall, Unintentional	57
2	MVT, Unintentional	12
3	Unspecified, Unintentional	11
4	Poisoning, Self inflicted; Firearm,	7
5	Suffocation, Unintentional	6
	Other	23
<b>TOTAL</b>		<b>123</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 NEW HANOVER		
Rank	Cause	#
1	Fall, Unintentional	1,733
2	Unspecified, Unintentional	215
3	Poisoning, Unintentional	110
4	MVT, Unintentional	76
5	Other spec/class, Unintentional	74
	Other	250
<b>TOTAL</b>		<b>2,458</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 NEW HANOVER		
Rank	Cause	#
1	Fall, Unintentional	3,469
2	MVT, Unintentional	370
3	Unspecified, Unintentional	320
4	Struck, Unintentional	170
5	Overexertion, Unintentional	160
	Other	667
<b>TOTAL</b>		<b>5,156</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 NORTHAMPTON		
Rank	Cause	#
1	Fall, Unintentional	10
2	MVT, Unintentional	5
3	Fire/Burn, Unintentional	3
4	Suffocation, Unintentional; Firearm,	2
5	Unspecified, Unintentional;	1
	Other	0
<b>TOTAL</b>		<b>27</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 NORTHAMPTON		
Rank	Cause	#
1	Fall, Unintentional	199
2	Unspecified, Unintentional	29
3	MVT, Unintentional	20
4	Poisoning, Unintentional	12
5	Poisoning, Undetermined; Other	6
	Other	28
<b>TOTAL</b>		<b>300</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 NORTHAMPTON		
Rank	Cause	#
1	Fall, Unintentional	1,039
2	Unspecified, Unintentional	173
3	MVT, Unintentional	103
4	Struck, Unintentional	61
5	Other spec/notclass, Unintentional	56
	Other	248
<b>TOTAL</b>		<b>1,680</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 ONslow		
Rank	Cause	#
1	Fall, Unintentional	18
2	Unspecified, Unintentional; Firearm,	8
3	MVT, Unintentional	7
4	Suffocation, Unintentional	5
	Poisoning, Unintentional; Firearm,	2
5	Assault; Fire/Burn, Unintentional	
	Other	6
<b>TOTAL</b>		<b>58</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 ONslow		
Rank	Cause	#
1	Fall, Unintentional	641
2	Unspecified, Unintentional	104
3	Poisoning, Unintentional	53
4	MVT, Unintentional	45
	Other spec/class, Unintentional	31
5	Other	118
<b>TOTAL</b>		<b>992</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 ONslow		
Rank	Cause	#
1	Fall, Unintentional	3,092
2	Unspecified, Unintentional	454
3	MVT, Unintentional	362
4	Natural/Environ, Unintentional	200
	Struck, Unintentional	183
5	Other	747
<b>TOTAL</b>		<b>5,038</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 ORANGE		
Rank	Cause	#
1	Fall, Unintentional	28
2	Unspecified, Unintentional; MVT,	8
3	Suffocation, Unintentional	7
4	Firearm, Self inflicted	6
5	Poisoning, Self inflicted	2
	Other	9
<b>TOTAL</b>		<b>68</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 ORANGE		
Rank	Cause	#
1	Fall, Unintentional	846
2	Unspecified, Unintentional	57
3	MVT, Unintentional	45
4	Other spec/class, Unintentional	39
5	Poisoning, Unintentional	35
	Other	121
<b>TOTAL</b>		<b>1,143</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 ORANGE		
Rank	Cause	#
1	Fall, Unintentional	1,696
2	Unspecified, Unintentional	210
3	MVT, Unintentional	118
4	Natural/Environ, Unintentional	88
5	Other spec/class, Unintentional	87
	Other	368
<b>TOTAL</b>		<b>2,567</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 PAMLICO		
Rank	Cause	#
1	Unspecified, Unintentional; Fall,	5
2	Firearm, Self inflicted	3
3	Poisoning, Self inflicted; Firearm,	1
4		
5	Other	0
<b>TOTAL</b>		<b>17</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 PAMLICO		
Rank	Cause	#
1	Fall, Unintentional	134
2	Unspecified, Unintentional	17
3	Other spec/class, Unintentional	7
	Other spec/notclass, Unintentional; MVT, Unintentional	4
4		
	Struck, Unintentional; Poisoning, Unintentional; Natural/Environ, Unintentional	2
5	Other	8
<b>TOTAL</b>		<b>180</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 PAMLICO		
Rank	Cause	#
1	Fall, Unintentional	231
2	Unspecified, Unintentional	44
3	MVT, Unintentional	41
	Overexertion, Unintentional	23
4		
	Cut/pierce, Unintentional	21
5	Other	64
<b>TOTAL</b>		<b>424</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 PASQUOTANK		
Rank	Cause	#
1	Fall, Unintentional	11
2	Unspecified, Unintentional; MVT,	5
3	Struck, Unintentional; Firearm,	2
4	Unspecified, Assault; Suffocation,	1
5	Other	0
<b>TOTAL</b>		<b>29</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 PASQUOTANK		
Rank	Cause	#
1	Fall, Unintentional	226
2	Unspecified, Unintentional	27
3	Other spec/class, Unintentional	10
4	Poisoning, Unintentional	9
	Struck, Unintentional;	4
5	Natural/Environ, Unintentional	
	Other	14
<b>TOTAL</b>		<b>294</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 PASQUOTANK		
Rank	Cause	#
1	Fall, Unintentional	159
2	MVT, Unintentional	54
3	Unspecified, Unintentional	25
4	Struck, Unintentional	11
	Natural/Environ, Unintentional;	10
5	Cut/pierce, Unintentional	
	Other	28
<b>TOTAL</b>		<b>297</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 PENDER		
Rank	Cause	#
1	Fall, Unintentional	10
2	Suffocation, Unintentional; Firearm,	4
3	MVT, Unintentional	3
4	Unspecified, Unintentional; Struck, Unintentional; Poisoning, Self inflicted; Poisoning, Assault; Other spec/class, Unintentional; Other land transport, Unintentional; Firearm, Assault; Fire/Burn,	2 1
5	Unintentional Other	0
<b>TOTAL</b>		<b>32</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 PENDER		
Rank	Cause	#
1	Fall, Unintentional	357
2	Unspecified, Unintentional	51
3	MVT, Unintentional	30
4	Poisoning, Unintentional Other spec/notclass, Unintentional	17 15
5	Other	70
<b>TOTAL</b>		<b>540</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 PENDER		
Rank	Cause	#
1	Fall, Unintentional	985
2	MVT, Unintentional	135
3	Unspecified, Unintentional	125
4	Struck, Unintentional Natural/Environ, Unintentional	53 35
5	Other	175
<b>TOTAL</b>		<b>1,508</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 PERQUIMANS		
Rank	Cause	#
1	Unspecified, Unintentional; MVT,	4
2	Fall, Unintentional	3
3	Suffocation, Unintentional	1
4		
5	Other	0
<b>TOTAL</b>		<b>12</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 PERQUIMANS		
Rank	Cause	#
1	Fall, Unintentional	98
2	Unspecified, Unintentional	21
3	Poisoning, Unintentional	6
4	MVT, Unintentional Overexertion, Unintentional	4 3
5	Other	11
<b>TOTAL</b>		<b>143</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 PERQUIMANS		
Rank	Cause	#
1	Fall, Unintentional	193
2	Unspecified, Unintentional	35
3	MVT, Unintentional	20
4	Cut/pierce, Unintentional Struck, Unintentional; Other spec/class, Unintentional;	17 12
5	Natural/Environ, Unintentional Other	25
<b>TOTAL</b>		<b>326</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 PERSON		
Rank	Cause	#
1	Firearm, Self inflicted	10
2	Unspecified, Unintentional; Fall,	5
3	MVT, Unintentional	3
4	Fire/Burn, Unintentional	2
	Unspecified, Assault; Suffocation, Unintentional; Other spec/NEC, Unintentional; Machinery, Unintentional; Drowning,	1
5	Unintentional	
	Other	0
<b>TOTAL</b>		<b>30</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 PERSON		
Rank	Cause	#
1	Fall, Unintentional	364
2	Other spec/class, Unintentional	40
3	Unspecified, Unintentional	35
4	MVT, Unintentional	20
	Poisoning, Unintentional	15
5		
	Other	71
<b>TOTAL</b>		<b>545</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 PERSON		
Rank	Cause	#
1	Fall, Unintentional	1,201
2	Unspecified, Unintentional	164
3	MVT, Unintentional	104
4	Natural/Environ, Unintentional	91
	Overexertion, Unintentional	80
5		
	Other	335
<b>TOTAL</b>		<b>1,975</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 PITT		
Rank	Cause	#
1	Fall, Unintentional	61
2	MVT, Unintentional	19
3	Unspecified, Unintentional; Firearm,	8
4	Fire/Burn, Unintentional	2
	Suffocation, Self inflicted; Struck, Unintentional; Poisoning, Unintentional; Poisoning, Undetermined; Poisoning, Self inflicted; Natural/Environ, Unintentional; Firearm, Assault; Drowning, Unintentional; Cut/pierce,	1
5	Unintentional	
	Other	0
<b>TOTAL</b>		<b>107</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 PITT		
Rank	Cause	#
1	Fall, Unintentional	914
2	Poisoning, Unintentional	74
3	Unspecified, Unintentional; MVT,	69
4	Other spec/class, Unintentional	51
	Transport,other, Unintentional; Struck, Unintentional; Other spec/notclass, Unintentional	15
5		
	Other	89
<b>TOTAL</b>		<b>1,311</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 PITT		
Rank	Cause	#
1	Fall, Unintentional	2,478
2	MVT, Unintentional	343
3	Unspecified, Unintentional	293
4	Struck, Unintentional	167
	Natural/Environ, Unintentional	154
5		
	Other	627
<b>TOTAL</b>		<b>4,062</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 POLK		
Rank	Cause	#
1	Fall, Unintentional	8
2	Suffocation, Unintentional	4
3	Unspecified, Unintentional	3
4	MVT, Unintentional	2
	Poisoning, Unintentional; Other	1
5	Self inflicted	
	Other	0
<b>TOTAL</b>		<b>20</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 POLK		
Rank	Cause	#
1	Fall, Unintentional	327
2	Unspecified, Unintentional	26
3	Poisoning, Unintentional	14
4	Other spec/class, Unintentional	12
	Other spec/notclass,	7
	Unintentional; Natural/Environ,	
5	Unintentional	
	Other	20
<b>TOTAL</b>		<b>413</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 POLK		
Rank	Cause	#
1	Fall, Unintentional	596
2	Unspecified, Unintentional	62
3	Natural/Environ, Unintentional;	46
4	MVT, Unintentional	40
	Struck, Unintentional	33
5		
	Other	96
<b>TOTAL</b>		<b>919</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 RANDOLPH		
Rank	Cause	#
1	Fall, Unintentional	50
2	Unspecified, Unintentional	19
3	MVT, Unintentional	15
4	Firearm, Self inflicted	10
5	Suffocation, Unintentional	9
	Other	18
<b>TOTAL</b>		<b>121</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 RANDOLPH		
Rank	Cause	#
1	Fall, Unintentional	1,273
2	Unspecified, Unintentional	136
3	MVT, Unintentional	62
4	Other spec/class, Unintentional	49
5	Poisoning, Unintentional	47
	Other	186
<b>TOTAL</b>		<b>1,753</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 RANDOLPH		
Rank	Cause	#
1	Fall, Unintentional	4,622
2	Unspecified, Unintentional	429
3	MVT, Unintentional	389
4	Natural/Environ, Unintentional	214
5	Struck, Unintentional	200
	Other	886
<b>TOTAL</b>		<b>6,740</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 RICHMOND		
Rank	Cause	#
1	Fall, Unintentional	8
2	MVT, Unintentional; Fire/Burn,	5
3	Unspecified, Unintentional	4
4	Suffocation, Unintentional; Firearm,	2
	Suffocation, Self inflicted; Poisoning,	1
	Unintentional; Natural/Environ,	
	Unintentional; Firearm, Self inflicted;	
	Drowning, Unintentional	
5	Other	0
<b>TOTAL</b>		<b>31</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 RICHMOND		
Rank	Cause	#
1	Fall, Unintentional	457
2	Poisoning, Unintentional	49
3	Unspecified, Unintentional	40
4	MVT, Unintentional	27
	Natural/Environ, Unintentional	19
5	Other	74
<b>TOTAL</b>		<b>666</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 RICHMOND		
Rank	Cause	#
1	Fall, Unintentional	1,088
2	Unspecified, Unintentional	256
3	MVT, Unintentional	145
4	Natural/Environ, Unintentional	100
	Struck, Unintentional	83
5	Other	318
<b>TOTAL</b>		<b>1,990</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 ROBESON		
Rank	Cause	#
1	Fall, Unintentional	23
2	MVT, Unintentional	14
3	Firearm, Self inflicted	8
4	Suffocation, Unintentional;	6
5	Unspecified, Unintentional	4
	Other	12
<b>TOTAL</b>		<b>73</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 ROBESON		
Rank	Cause	#
1	Unspecified, Unintentional	1,072
2	Fall, Unintentional	707
3	MVT, Unintentional	77
4	Poisoning, Unintentional	72
5	Suffocation, Unintentional	58
	Other	164
<b>TOTAL</b>		<b>2,150</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 ROBESON		
Rank	Cause	#
1	Fall, Unintentional	3,086
2	Unspecified, Unintentional	472
3	MVT, Unintentional	440
4	Struck, Unintentional	273
5	Natural/Environ, Unintentional	231
	Other	1,001
<b>TOTAL</b>		<b>5,503</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 ROCKINGHAM		
Rank	Cause	#
1	Fall, Unintentional	47
2	Unspecified, Unintentional	12
3	MVT, Unintentional	11
4	Firearm, Self inflicted; Fire/Burn,	7
5	Suffocation, Unintentional	6
	Other	10
<b>TOTAL</b>		<b>100</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 ROCKINGHAM		
Rank	Cause	#
1	Fall, Unintentional	1,269
2	Unspecified, Unintentional	115
3	Poisoning, Unintentional	75
4	MVT, Unintentional	64
5	Other spec/class, Unintentional	63
	Other	169
<b>TOTAL</b>		<b>1,755</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 ROCKINGHAM		
Rank	Cause	#
1	Fall, Unintentional	2,853
2	Unspecified, Unintentional	370
3	Natural/Environ, Unintentional	250
4	MVT, Unintentional	219
5	Struck, Unintentional	201
	Other	615
<b>TOTAL</b>		<b>4,508</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 ROWAN		
Rank	Cause	#
1	Fall, Unintentional	66
2	MVT, Unintentional	14
3	Unspecified, Unintentional; Firearm,	9
4	Suffocation, Unintentional;	5
5	Fire/Burn, Unintentional	4
	Other	10
<b>TOTAL</b>		<b>122</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 ROWAN		
Rank	Cause	#
1	Fall, Unintentional	1,108
2	Unspecified, Unintentional	223
3	MVT, Unintentional	58
4	Other spec/class, Unintentional	52
5	Poisoning, Unintentional	47
	Other	168
<b>TOTAL</b>		<b>1,656</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 ROWAN		
Rank	Cause	#
1	Fall, Unintentional	3,861
2	Unspecified, Unintentional	465
3	MVT, Unintentional	367
4	Struck, Unintentional	232
5	Overexertion, Unintentional	205
	Other	826
<b>TOTAL</b>		<b>5,956</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.



Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 RUTHERFORD		
Rank	Cause	#
1	Fall, Unintentional	16
2	MVT, Unintentional	11
3	Unspecified, Unintentional;	5
4	Firearm, Self inflicted	3
5	Fire/Burn, Unintentional	2
	Other	4
<b>TOTAL</b>		<b>46</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 RUTHERFORD		
Rank	Cause	#
1	Fall, Unintentional	672
2	Unspecified, Unintentional	75
3	Other spec/class, Unintentional	55
4	Poisoning, Unintentional	37
5	MVT, Unintentional	22
	Other	72
<b>TOTAL</b>		<b>933</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 RUTHERFORD		
Rank	Cause	#
1	Fall, Unintentional	2,494
2	Unspecified, Unintentional	334
3	MVT, Unintentional	208
4	Overexertion, Unintentional	171
5	Natural/Environ, Unintentional	160
	Other	604
<b>TOTAL</b>		<b>3,971</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 SAMPSON		
Rank	Cause	#
1	Fall, Unintentional	26
2	MVT, Unintentional	12
3	Unspecified, Unintentional	7
4	Firearm, Self inflicted	6
5	Suffocation, Unintentional	3
	Other	6
<b>TOTAL</b>		<b>60</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 SAMPSON		
Rank	Cause	#
1	Fall, Unintentional	498
2	Unspecified, Unintentional	107
3	MVT, Unintentional	48
4	Other spec/class, Unintentional	42
5	Poisoning, Unintentional	21
	Other	92
<b>TOTAL</b>		<b>808</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 SAMPSON		
Rank	Cause	#
1	Fall, Unintentional	2,263
2	Unspecified, Unintentional	483
3	MVT, Unintentional	252
4	Natural/Environ, Unintentional	151
5	Struck, Unintentional	150
	Other	496
<b>TOTAL</b>		<b>3,795</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 SCOTLAND		
Rank	Cause	#
1	Fall, Unintentional	9
2	MVT, Unintentional	4
3	Unspecified, Unintentional;	2
4	Firearm, Self inflicted; Firearm,	1
5	Other	0
<b>TOTAL</b>		<b>22</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 SCOTLAND		
Rank	Cause	#
1	Fall, Unintentional	317
2	Unspecified, Unintentional	48
3	MVT, Unintentional	24
4	Other spec/class, Unintentional;	19
5	Poisoning, Unintentional	15
	Other	52
<b>TOTAL</b>		<b>494</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 SCOTLAND		
Rank	Cause	#
1	Fall, Unintentional	1,309
2	Unspecified, Unintentional	146
3	MVT, Unintentional	125
4	Overexertion, Unintentional	102
5	Natural/Environ, Unintentional	99
	Other	324
<b>TOTAL</b>		<b>2,105</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 STANLY		
Rank	Cause	#
1	Fall, Unintentional	29
2	Firearm, Self inflicted	7
3	Unspecified, Unintentional; MVT,	6
4	Poisoning, Unintentional	4
5	Suffocation, Unintentional	3
	Other	9
<b>TOTAL</b>		<b>64</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 STANLY		
Rank	Cause	#
1	Fall, Unintentional	470
2	Unspecified, Unintentional	51
3	MVT, Unintentional	36
4	Other spec/class, Unintentional	29
5	Poisoning, Unintentional	18
	Other	58
<b>TOTAL</b>		<b>662</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 STANLY		
Rank	Cause	#
1	Fall, Unintentional	912
2	Unspecified, Unintentional	121
3	MVT, Unintentional	115
4	Other spec/class, Unintentional	76
5	Natural/Environ, Unintentional	72
	Other	247
<b>TOTAL</b>		<b>1,543</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 STOKES		
Rank	Cause	#
1	Fall, Unintentional	24
2	MVT, Unintentional	9
3	Firearm, Self inflicted	7
4	Poisoning, Unintentional	2
	Suffocation, Unintentional; Drowning, Unintentional; Drowning, Self inflicted; Cut/pierce, Unintentional	1
5	Other	0
<b>TOTAL</b>		<b>46</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 STOKES		
Rank	Cause	#
1	Fall, Unintentional	381
2	Unspecified, Unintentional	68
3	MVT, Unintentional	34
4	Poisoning, Unintentional	21
	Other spec/class, Unintentional	14
5	Other	66
<b>TOTAL</b>		<b>584</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 STOKES		
Rank	Cause	#
1	Fall, Unintentional	1,554
2	Unspecified, Unintentional	161
3	Struck, Unintentional	112
4	Cut/pierce, Unintentional	108
	MVT, Unintentional	103
5	Other	380
<b>TOTAL</b>		<b>2,418</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 SURRY		
Rank	Cause	#
1	Fall, Unintentional	28
2	MVT, Unintentional	11
3	Poisoning, Unintentional	8
	Firearm, Self inflicted	7
4	Suffocation, Unintentional	6
	Other	12
<b>TOTAL</b>		<b>72</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 SURRY		
Rank	Cause	#
1	Fall, Unintentional	860
2	Unspecified, Unintentional	130
3	MVT, Unintentional	47
	Poisoning, Unintentional; Other spec/class, Unintentional	38
4	Natural/Environ, Unintentional	19
	Other	81
<b>TOTAL</b>		<b>1,213</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 SURRY		
Rank	Cause	#
1	Fall, Unintentional	3,423
2	Unspecified, Unintentional	495
3	MVT, Unintentional	256
	Cut/pierce, Unintentional	192
4	Overexertion, Unintentional	178
	Other	739
<b>TOTAL</b>		<b>5,283</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 SWAIN		
Rank	Cause	#
1	Unspecified, Unintentional; Fall,	4
2	Firearm, Self inflicted	3
3	Unspecified, Assault; Poisoning,	1
4		
5	Other	0
<b>TOTAL</b>		<b>16</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 SWAIN		
Rank	Cause	#
1	Fall, Unintentional	124
2	Unspecified, Unintentional	15
3	Other spec/class, Unintentional	10
4	MVT, Unintentional	6
	Poisoning, Unintentional; Other	5
5	spec/notclass, Unintentional	
	Other	15
<b>TOTAL</b>		<b>180</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 SWAIN		
Rank	Cause	#
1	Fall, Unintentional	463
2	Unspecified, Unintentional	77
3	Overexertion, Unintentional	67
4	Natural/Environ, Unintentional	54
	Struck, Unintentional	48
5	Other	161
<b>TOTAL</b>		<b>870</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 TRANSYLVANIA		
Rank	Cause	#
1	Fall, Unintentional	21
2	MVT, Unintentional	6
3	Unspecified, Unintentional	5
4	Poisoning, Unintentional; Firearm, Suffocation, Self inflicted; Poisoning, Self inflicted; Other spec/class, Unintentional; Other land transport, Unintentional; Machinery, Unintentional; Cut/pierce, Unintentional; Cut/pierce, Assault	2
		1
5	Other	0
<b>TOTAL</b>		<b>45</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 TRANSYLVANIA		
Rank	Cause	#
1	Fall, Unintentional	418
2	Unspecified, Unintentional	82
3	Other spec/class, Unintentional	26
4	MVT, Unintentional	24
	Poisoning, Unintentional	16
5	Other	54
<b>TOTAL</b>		<b>620</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 TRANSYLVANIA		
Rank	Cause	#
1	Fall, Unintentional	2,006
2	Unspecified, Unintentional	356
3	Struck, Unintentional	171
4	Cut/pierce, Unintentional	154
	MVT, Unintentional	141
5	Other	452
<b>TOTAL</b>		<b>3,280</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 TYRRELL		
Rank	Cause	#
1	Fall, Unintentional	2
2	Other spec/NEC, Unintentional;	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>4</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 TYRRELL		
Rank	Cause	#
1	Fall, Unintentional	28
2	Unspecified, Unintentional; Unspecified, Assault; Struck, Unintentional; Pedal cyclist, other, Unintentional; Firearm, Unintentional	2 1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>42</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 TYRRELL		
Rank	Cause	#
1	Fall, Unintentional	76
2	Unspecified, Unintentional Natural/Environ, Unintentional	14 9
3		
4	Struck, Unintentional; Overexertion, MVT, Unintentional; Cut/pierce, Unintentional	6 5
5	Other	11
<b>TOTAL</b>		<b>138</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 UNION		
Rank	Cause	#
1	Fall, Unintentional	26
2	Unspecified, Unintentional; MVT,	15
3	Firearm, Self inflicted	14
4	Suffocation, Unintentional	10
	Poisoning, Unintentional; Fire/Burn,	3
5	Unintentional	
	Other	12
<b>TOTAL</b>		<b>98</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 UNION		
Rank	Cause	#
1	Fall, Unintentional	1,010
2	Unspecified, Unintentional	115
3	Other spec/class, Unintentional	75
4	MVT, Unintentional	65
	Poisoning, Unintentional	36
5		
	Other	126
<b>TOTAL</b>		<b>1,427</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 UNION		
Rank	Cause	#
1	Fall, Unintentional	3,100
2	Unspecified, Unintentional	414
3	MVT, Unintentional	316
4	Overexertion, Unintentional Cut/pierce, Unintentional	255 235
5		
	Other	705
<b>TOTAL</b>		<b>5,025</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 VANCE		
Rank	Cause	#
1	Fall, Unintentional	9
2	MVT, Unintentional	5
3	Suffocation, Unintentional	4
4	Unspecified, Unintentional; Firearm, Poisoning, Unintentional; Natural/Environ, Unintentional;	2
5	Fire/Burn, Unintentional Other	1 0
<b>TOTAL</b>		<b>25</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 VANCE		
Rank	Cause	#
1	Fall, Unintentional	387
2	Unspecified, Unintentional	35
3	MVT, Unintentional	22
4	Poisoning, Unintentional Fire/Burn, Unintentional	13 9
5	Other	48
<b>TOTAL</b>		<b>514</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 VANCE		
Rank	Cause	#
1	Fall, Unintentional	1,033
2	Unspecified, Unintentional	168
3	MVT, Unintentional	135
4	Overexertion, Unintentional Natural/Environ, Unintentional	113 74
5	Other	289
<b>TOTAL</b>		<b>1,812</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 WAKE		
Rank	Cause	#
1	Fall, Unintentional	167
2	MVT, Unintentional	37
3	Unspecified, Unintentional; Firearm,	33
4	Suffocation, Unintentional	22
5	Drowning, Unintentional Other	7 36
<b>TOTAL</b>		<b>335</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 WAKE		
Rank	Cause	#
1	Fall, Unintentional	4,067
2	Unspecified, Unintentional	609
3	Other spec/class, Unintentional	506
4	Poisoning, Unintentional	223
5	MVT, Unintentional Other	215 642
<b>TOTAL</b>		<b>6,262</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 WAKE		
Rank	Cause	#
1	Fall, Unintentional	13,335
2	Unspecified, Unintentional	1,642
3	MVT, Unintentional	1,258
4	Struck, Unintentional	917
5	Natural/Environ, Unintentional Other	678 2,978
<b>TOTAL</b>		<b>20,808</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Agnes 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 WARREN		
Rank	Cause	#
1	Fall, Unintentional	6
2	Unspecified, Unintentional	4
3	Firearm, Self inflicted	2
4	Suffocation, Unintentional; Other	1
5	Other	0
<b>TOTAL</b>		<b>16</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 WARREN		
Rank	Cause	#
1	Fall, Unintentional	142
2	Unspecified, Unintentional	17
3	Other spec/class, Unintentional	9
4	Poisoning, Unintentional; Suffocation, Unintentional;	5
5	Fire/Burn, Unintentional Other	3
<b>TOTAL</b>		<b>199</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 WARREN		
Rank	Cause	#
1	Fall, Unintentional	487
2	Unspecified, Unintentional	71
3	MVT, Unintentional	57
4	Struck, Unintentional Overexertion, Unintentional	44
5	Other	41
<b>TOTAL</b>		<b>827</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 WASHINGTON		
Rank	Cause	#
1	MVT, Unintentional	4
2	Fall, Unintentional	3
3	Unspecified, Unintentional; Firearm, Self inflicted	2
4	Other	1
5	Other	0
<b>TOTAL</b>		<b>12</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 WASHINGTON		
Rank	Cause	#
1	Fall, Unintentional	89
2	Unspecified, Unintentional	17
3	Other spec/class, Unintentional Poisoning, Unintentional;	12
4	Natural/Environ, Unintentional	5
5	MVT, Unintentional Other	4
<b>TOTAL</b>		<b>141</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 WASHINGTON		
Rank	Cause	#
1	Fall, Unintentional	283
2	Unspecified, Unintentional	29
3	MVT, Unintentional Struck, Unintentional	25
4	Other	23
5	Natural/Environ, Unintentional Other	18
<b>TOTAL</b>		<b>444</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 WATAUGA		
Rank	Cause	#
1	Fall, Unintentional	31
2	Firearm, Self inflicted	5
3	Unspecified, Unintentional; MVT,	4
4	Suffocation, Unintentional	3
	Other spec/NEC, Unintentional;	1
	Other spec/NEC, Self inflicted;	
	Natural/Environ, Unintentional;	
	Firearm, Unintentional; Drowning,	
5	Unintentional	
	Other	0
<b>TOTAL</b>		<b>52</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 WATAUGA		
Rank	Cause	#
1	Fall, Unintentional	405
2	Unspecified, Unintentional	46
3	Poisoning, Unintentional	25
4	MVT, Unintentional	16
	Struck, Unintentional; Other	14
	spec/class, Unintentional	
5	Other	48
<b>TOTAL</b>		<b>568</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 WATAUGA		
Rank	Cause	#
1	Fall, Unintentional	1,421
2	Unspecified, Unintentional	140
3	Other spec/class, Unintentional	113
4	Struck, Unintentional	102
	MVT, Unintentional	88
5	Other	373
<b>TOTAL</b>		<b>2,237</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 WAYNE		
Rank	Cause	#
1	Fall, Unintentional	33
2	MVT, Unintentional	13
3	Suffocation, Unintentional; Firearm,	8
4	Unspecified, Unintentional	5
5	Fire/Burn, Unintentional	4
	Other	6
<b>TOTAL</b>		<b>77</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 WAYNE		
Rank	Cause	#
1	Fall, Unintentional	884
2	Unspecified, Unintentional	254
3	Other spec/class, Unintentional	50
4	MVT, Unintentional	46
5	Poisoning, Unintentional	39
	Other	103
<b>TOTAL</b>		<b>1,376</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 WAYNE		
Rank	Cause	#
1	Fall, Unintentional	3,583
2	Unspecified, Unintentional	686
3	MVT, Unintentional	416
4	Other spec/class, Unintentional	208
5	Struck, Unintentional	203
	Other	757
<b>TOTAL</b>		<b>5,853</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.



Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 WILKES		
Rank	Cause	#
1	Fall, Unintentional	20
2	Firearm, Self inflicted	9
3	MVT, Unintentional	8
4	Unspecified, Unintentional	7
5	Fire/Burn, Unintentional	5
	Other	13
<b>TOTAL</b>		<b>62</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 WILKES		
Rank	Cause	#
1	Fall, Unintentional	719
2	Unspecified, Unintentional	75
3	MVT, Unintentional	49
4	Poisoning, Unintentional	30
5	Other spec/class, Unintentional	28
	Other	117
<b>TOTAL</b>		<b>1,018</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 WILKES		
Rank	Cause	#
1	Fall, Unintentional	472
2	MVT, Unintentional	64
3	Unspecified, Unintentional	62
4	Struck, Unintentional; Other	25
5	Cut/pierce, Unintentional	17
	Other	69
<b>TOTAL</b>		<b>734</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 WILSON		
Rank	Cause	#
1	Fall, Unintentional	31
2	Unspecified, Unintentional; Firearm, Self inflicted	7
3		6
4	Poisoning, Unintentional; Fire/Burn, Unspecified, Assault;	3
5	Natural/Environ, Unintentional Other	2
		4
<b>TOTAL</b>		<b>75</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 WILSON		
Rank	Cause	#
1	Fall, Unintentional	715
2	Unspecified, Unintentional Other spec/class, Unintentional;	84
3	MVT, Unintentional	40
4	Poisoning, Unintentional Natural/Environ, Unintentional	18
5		12
	Other	57
<b>TOTAL</b>		<b>966</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 WILSON		
Rank	Cause	#
1	Fall, Unintentional	2,488
2	Unspecified, Unintentional MVT, Unintentional	335
3		262
4	Overexertion, Unintentional Natural/Environ, Unintentional	224
5		155
	Other	482
<b>TOTAL</b>		<b>3,946</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Ages 65+: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 65+: 2010 to 2013 YADKIN		
Rank	Cause	#
1	Fall, Unintentional	21
2	Unspecified, Unintentional	7
3	Suffocation, Unintentional	5
4	MVT, Unintentional; Firearm, Self Machinery, Unintentional	3 2
5	Other	3
<b>TOTAL</b>		<b>44</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 YADKIN		
Rank	Cause	#
1	Fall, Unintentional	430
2	Unspecified, Unintentional	49
3	MVT, Unintentional	28
4	Poisoning, Unintentional Other spec/notclass, Unintentional; Other spec/class, Unintentional	23 13
5	Other	52
<b>TOTAL</b>		<b>608</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 YADKIN		
Rank	Cause	#
1	Fall, Unintentional	949
2	Unspecified, Unintentional	81
3	Struck, Unintentional	71
4	MVT, Unintentional Other spec/class, Unintentional	65 51
5	Other	197
<b>TOTAL</b>		<b>1,414</b>

Leading Causes of Injury Death Ages 65+: 2010 to 2013 YANCEY		
Rank	Cause	#
1	Fall, Unintentional	6
2	Firearm, Self inflicted	4
3	Unspecified, Unintentional;	2
4	Suffocation, Unintentional;	1
5	Other	0
<b>TOTAL</b>		<b>24</b>

Leading Causes of Injury Hospitalization** Ages 65+: 2010 to 2013 YANCEY		
Rank	Cause	#
1	Fall, Unintentional	203
2	Unspecified, Unintentional	19
3	MVT, Unintentional	18
4	Other spec/class, Unintentional	17
5	Poisoning, Unintentional Other	12 37
<b>TOTAL</b>		<b>306</b>

Leading Causes of Injury ED Visits** Ages 65+: 2010 to 2013 YANCEY		
Rank	Cause	#
1	Fall, Unintentional	355
2	MVT, Unintentional	28
3	Unspecified, Unintentional	21
4	Struck, Unintentional	18
5	Natural/Environ, Unintentional Other	10 63
<b>TOTAL</b>		<b>495</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.