



IMPORTANT: In 2015, diagnosis coding changed from ICD-9-CM to ICD-10-CM. Due to this change, ICD-10-CM case definitions are preliminary and subject to change. For additional information on this transition, please see notes below.

All Intent Poisoning ED Visits by County: N.C. Residents, 2008-2016

| County | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 [†] | 2016 [†] | Total |
|-----------|------|------|------|------|------|------|------|-------------------------------------|-------------------|-------|
| | N | N | N | N | N | N | N | N | N | N |
| Alamance | 703 | 787 | 798 | 750 | 611 | 641 | 648 | Data unavailable, see notes. | 594 | 5,532 |
| Alexander | 177 | 213 | 181 | 179 | 160 | 133 | 175 | | 148 | 1,366 |
| Alleghany | 208 | 70 | 42 | 52 | 42 | 52 | 44 | | 76 | 586 |
| Anson | 125 | 121 | 107 | 153 | 168 | 72 | 94 | | 106 | 946 |
| Ashe | 19 | 86 | 151 | 135 | 144 | 102 | 153 | | 163 | 953 |
| Avery | 68 | 104 | 106 | 87 | 103 | 77 | 88 | | 79 | 712 |
| Beaufort | 239 | 258 | 253 | 228 | 221 | 247 | 257 | | 169 | 1,872 |
| Bertie | 118 | 78 | 103 | 123 | 114 | 130 | 89 | | 86 | 841 |
| Bladen | 158 | 165 | 192 | 218 | 245 | 97 | 43 | | 160 | 1,278 |
| Brunswick | 459 | 476 | 472 | 470 | 435 | 511 | 548 | | 485 | 3,856 |
| Buncombe | 646 | 699 | 669 | 614 | 584 | 798 | 671 | | 865 | 5,546 |
| Burke | 534 | 473 | 503 | 557 | 507 | 181 | 297 | | 429 | 3,481 |
| Cabarrus | 915 | 788 | 727 | 736 | 789 | 310 | 518 | | 660 | 5,443 |
| Caldwell | 560 | 546 | 465 | 405 | 417 | 329 | 382 | | 397 | 3,501 |
| Camden | 15 | 16 | 12 | 15 | 20 | 28 | 18 | | 13 | 137 |
| Carteret | 424 | 395 | 445 | 399 | 346 | 310 | 302 | | 250 | 2,871 |
| Caswell | 51 | 55 | 62 | 66 | 90 | 64 | 59 | | 26 | 473 |
| Catawba | 742 | 772 | 742 | 737 | 705 | 597 | 749 | | 768 | 5,812 |
| Chatham | 137 | 170 | 112 | 171 | 167 | 155 | 146 | | 173 | 1,231 |
| Cherokee | 101 | 96 | 88 | 105 | 93 | 89 | 96 | | 66 | 734 |
| Chowan | 48 | 36 | 79 | 72 | 62 | 69 | 95 | 69 | 530 | |
| Clay | 22 | 20 | 15 | 26 | 31 | 23 | 32 | 23 | 192 | |
| Cleveland | 601 | 696 | 664 | 707 | 774 | 348 | 527 | 606 | 4,923 | |



IMPORTANT: In 2015, diagnosis coding changed from ICD-9-CM to ICD-10-CM. Due to this change, ICD-10-CM case definitions are preliminary and subject to change. For additional information on this transition, please see notes below.

All Intent Poisoning ED Visits by County: N.C. Residents, 2008-2016

| County | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 [†] | 2016 [†] | Total |
|------------|-------|-------|-------|-------|-------|-------|-------|-------------------------------------|-------------------|--------|
| | N | N | N | N | N | N | N | N | N | N |
| Columbus | 336 | 279 | 306 | 324 | 367 | 181 | 189 | Data unavailable, see notes. | 319 | 2,301 |
| Craven | 522 | 568 | 692 | 835 | 627 | 612 | 554 | | 526 | 4,936 |
| Cumberland | 1,089 | 1,162 | 1,215 | 1,250 | 1,040 | 1,395 | 1,583 | | 1,435 | 10,169 |
| Currituck | 37 | 33 | 52 | 47 | 51 | 38 | 53 | | 41 | 352 |
| Dare | 109 | 100 | 145 | 134 | 134 | 120 | 115 | | 92 | 949 |
| Davidson | 666 | 814 | 837 | 866 | 909 | 1,151 | 938 | | 742 | 6,923 |
| Davie | 114 | 117 | 132 | 132 | 125 | 157 | 199 | | 225 | 1,201 |
| Duplin | 190 | 183 | 254 | 203 | 220 | 278 | 288 | | 204 | 1,820 |
| Durham | 1,010 | 967 | 670 | 652 | 613 | 875 | 639 | | 493 | 5,919 |
| Edgecombe | 199 | 138 | 242 | 197 | 193 | 192 | 209 | | 167 | 1,537 |
| Forsyth | 1,210 | 1,161 | 1,217 | 1,235 | 1,472 | 1,601 | 1,827 | | 1,695 | 11,418 |
| Franklin | 161 | 190 | 134 | 206 | 171 | 151 | 174 | | 162 | 1,349 |
| Gaston | 695 | 1,188 | 968 | 1,318 | 1,336 | 1,178 | 1,209 | | 1,156 | 9,048 |
| Gates | 14 | * | 19 | 12 | 24 | 24 | * | | 13 | 124 |
| Graham | 30 | 35 | 37 | 42 | 41 | 34 | 27 | | 33 | 279 |
| Granville | 186 | 198 | 177 | 196 | 131 | 194 | 204 | | 168 | 1,454 |
| Greene | 54 | 59 | 106 | 76 | 65 | 69 | 73 | | 74 | 576 |
| Guilford | 1,846 | 1,526 | 1,744 | 1,870 | 2,199 | 2,170 | 2,700 | | 2,088 | 16,143 |
| Halifax | 261 | 307 | 280 | 310 | 296 | 276 | 300 | | 248 | 2,278 |
| Harnett | 425 | 368 | 409 | 356 | 327 | 327 | 372 | | 404 | 2,988 |
| Haywood | 305 | 289 | 338 | 334 | 327 | 264 | 273 | 278 | 2,408 | |
| Henderson | 437 | 476 | 435 | 385 | 302 | 319 | 349 | 275 | 2,978 | |
| Hertford | 100 | 65 | 102 | 97 | 90 | 101 | 83 | 73 | 711 | |



IMPORTANT: In 2015, diagnosis coding changed from ICD-9-CM to ICD-10-CM. Due to this change, ICD-10-CM case definitions are preliminary and subject to change. For additional information on this transition, please see notes below.

All Intent Poisoning ED Visits by County: N.C. Residents, 2008-2016

| County | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 [†] | 2016 [†] | Total |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------------------------------------|-------------------|--------|
| | N | N | N | N | N | N | N | N | N | N |
| Hoke | 95 | 98 | 105 | 124 | 119 | 126 | 167 | Data unavailable, see notes. | 266 | 1,100 |
| Hyde | 21 | 22 | 25 | 24 | 16 | 25 | 11 | | 26 | 170 |
| Iredell | 712 | 725 | 729 | 684 | 872 | 760 | 616 | | 668 | 5,766 |
| Jackson | 129 | 164 | 143 | 133 | 133 | 146 | 133 | | 135 | 1,116 |
| Johnston | 756 | 766 | 586 | 538 | 517 | 511 | 625 | | 478 | 4,777 |
| Jones | 38 | 49 | 64 | 89 | 63 | 60 | 61 | | 45 | 469 |
| Lee | 284 | 221 | 271 | 270 | 262 | 124 | 53 | | 315 | 1,800 |
| Lenoir | 202 | 198 | 271 | 304 | 270 | 229 | 262 | | 237 | 1,973 |
| Lincoln | 430 | 395 | 371 | 366 | 408 | 256 | 300 | | 384 | 2,910 |
| McDowell | 187 | 200 | 188 | 169 | 129 | 232 | 166 | | 216 | 1,487 |
| Macon | 148 | 159 | 141 | 140 | 103 | 149 | 122 | | 225 | 1,187 |
| Madison | 51 | 43 | 60 | 29 | 35 | 46 | 34 | | 57 | 355 |
| Martin | 91 | 94 | 166 | 151 | 57 | 72 | 89 | | 120 | 840 |
| Mecklenburg | 3,058 | 2,856 | 3,130 | 3,201 | 3,170 | 2,084 | 2,859 | | 3,222 | 23,580 |
| Mitchell | 66 | 78 | 89 | 119 | 114 | 102 | 69 | | 104 | 741 |
| Montgomery | 82 | 77 | 85 | 96 | 185 | 128 | 107 | | 143 | 903 |
| Moore | 247 | 261 | 333 | 355 | 358 | 329 | 301 | | 386 | 2,570 |
| Nash | 217 | 174 | 195 | 158 | 105 | 126 | 109 | | 213 | 1,297 |
| New Hanover | 715 | 784 | 804 | 762 | 524 | 543 | 688 | | 861 | 5,681 |
| Northampton | 95 | 98 | 91 | 108 | 109 | 97 | 90 | | 56 | 744 |
| Onslow | 586 | 730 | 670 | 667 | 756 | 643 | 679 | 549 | 5,280 | |
| Orange | 359 | 342 | 362 | 351 | 306 | 201 | 229 | 365 | 2,515 | |
| Pamlico | 44 | 59 | 51 | 68 | 51 | 43 | 61 | 56 | 433 | |



IMPORTANT: In 2015, diagnosis coding changed from ICD-9-CM to ICD-10-CM. Due to this change, ICD-10-CM case definitions are preliminary and subject to change. For additional information on this transition, please see notes below.

All Intent Poisoning ED Visits by County: N.C. Residents, 2008-2016

| County | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 [†] | 2016 [†] | Total |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------------------------------------|-------------------|-------|
| | N | N | N | N | N | N | N | N | N | N |
| Pasquotank | 112 | 106 | 106 | 106 | 140 | 140 | 140 | Data unavailable, see notes. | 167 | 1,017 |
| Pender | 161 | 129 | 176 | 224 | 153 | 148 | 149 | | 319 | 1,459 |
| Perquimans | 50 | 35 | 35 | 41 | 42 | 51 | 45 | | 68 | 367 |
| Person | 209 | 163 | 186 | 206 | 206 | 180 | 216 | | 194 | 1,560 |
| Pitt | 562 | 468 | 717 | 687 | 698 | 670 | 695 | | 591 | 5,088 |
| Polk | 105 | 53 | 52 | 44 | 81 | 87 | 130 | | 93 | 645 |
| Randolph | 626 | 663 | 684 | 609 | 700 | 656 | 724 | | 717 | 5,379 |
| Richmond | 169 | 219 | 247 | 232 | 318 | 255 | 238 | | 318 | 1,996 |
| Robeson | 739 | 719 | 837 | 866 | 828 | 760 | 752 | | 757 | 6,258 |
| Rockingham | 608 | 565 | 562 | 599 | 618 | 623 | 692 | | 532 | 4,799 |
| Rowan | 771 | 673 | 660 | 692 | 765 | 500 | 579 | | 679 | 5,319 |
| Rutherford | 469 | 486 | 527 | 468 | 145 | 472 | 465 | | 398 | 3,430 |
| Sampson | 312 | 195 | 230 | 287 | 306 | 256 | 239 | | 169 | 1,994 |
| Scotland | 208 | 221 | 253 | 302 | 186 | 138 | 181 | | 71 | 1,560 |
| Stanly | 235 | 238 | 240 | 190 | 162 | 192 | 262 | | 268 | 1,787 |
| Stokes | 274 | 223 | 275 | 215 | 169 | 276 | 321 | | 253 | 2,006 |
| Surry | 531 | 515 | 614 | 509 | 438 | 379 | 527 | | 413 | 3,926 |
| Swain | 74 | 81 | 89 | 83 | 92 | 95 | 56 | | 74 | 644 |
| Transylvania | 199 | 184 | 178 | 215 | 226 | 191 | 169 | | 237 | 1,599 |
| Tyrrell | 13 | 18 | 11 | * | 13 | 13 | 12 | | 12 | 99 |
| Union | 641 | 589 | 585 | 603 | 563 | 340 | 508 | 651 | 4,480 | |
| Vance | 87 | 95 | 87 | 219 | 261 | 257 | 198 | 200 | 1,404 | |
| Wake | 2,569 | 2,734 | 2,038 | 2,516 | 2,948 | 3,028 | 3,129 | 2,794 | 21,756 | |



IMPORTANT: In 2015, diagnosis coding changed from ICD-9-CM to ICD-10-CM. Due to this change, ICD-10-CM case definitions are preliminary and subject to change. For additional information on this transition, please see notes below.

All Intent Poisoning ED Visits by County: N.C. Residents, 2008-2016

| County | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 [†] | 2016 [†] | Total |
|------------|--------|--------|--------|--------|--------|--------|--------|---------------------------------|-------------------|---------|
| | N | N | N | N | N | N | N | N | N | N |
| Warren | 38 | 31 | 32 | 63 | 79 | 74 | 50 | Data unavailable, see notes. | 55 | 422 |
| Washington | 12 | * | 25 | 30 | 45 | 28 | 34 | | 28 | 209 |
| Watauga | 176 | 156 | 136 | 141 | 184 | 141 | 158 | | 146 | 1,238 |
| Wayne | 558 | 580 | 516 | 465 | 472 | 483 | 545 | | 570 | 4,189 |
| Wilkes | 303 | 304 | 225 | 217 | 235 | 180 | 201 | | 345 | 2,010 |
| Wilson | 304 | 265 | 317 | 309 | 193 | 304 | 309 | | 413 | 2,414 |
| Yadkin | 124 | 124 | 110 | 153 | 125 | 165 | 172 | | 188 | 1,161 |
| Yancey | 53 | 49 | 70 | 57 | 73 | 71 | 82 | | 97 | 552 |
| STATE | 36,971 | 36,833 | 37,249 | 38,343 | 38,014 | 35,255 | 38,207 | | 38,266 | 299,138 |

* Counties with >0 and <10 cases suppressed.

[†]In October 2015, there was a change in the coding system used in administrative data sets that impacted the definition used to identify poisoning-related injury cases. Because of this change, data are unavailable for 2015, and data pre-2015 are not comparable to data collected after this change occurred. Case definitions in the new coding system are still under review and are therefore subject to change. For more information on the coding transition visit:

<http://www.injuryfreenc.ncdhhs.gov/DataSurveillance/ICD-10-Transition-1pg-Summary.pdf>

ICD-10-CM codes (2016): Dx T36-T65.94XS; a 5th/6th character of 1-accidental, 2-intentional self-harm, 3-assault, or 4-undetermined intent; a 7th character of A-initial encounter, D-subsequent encounter, or missing.

ICD-9-CM codes (2008 to 2014): Dx 960-989 or ecode E850.0-E869.9 (Unintentional), E950.0-E952.9 (Self-Inflicted), E962.0-.9 (Assault), E972 (Legal Intervention by Gas), E979.6-.7 & E979.9 (Terrorism), E980.0-E982.9 (Undetermined). Some additional codes included resulted in a higher count beyond previously reported frequencies.

Notes: In 2016, a new data file structure was provided which included additional diagnosis code fields. It is unclear how this impacts trend data. Please interpret trends with caution. Previous versions of this table did not limit data to NC residents, this table reflects corrected numbers.