



**Self-Inflicted Psychostimulant Poisoning ED Visits by County:
 N.C. Residents, 2008-2017**

County	2008	2009	2010	2011	2012	2013	2014	2015 [†]	2016 [†]	2017 [†]
	N	N	N	N	N	N	N		N	N
Alamance									7	1
Alexander									0	1
Alleghany									0	0
Anson									0	1
Ashe									2	2
Avery									0	0
Beaufort									0	1
Bertie									0	0
Bladen									2	0
Brunswick									0	0
Buncombe									8	4
Burke									1	1
Cabarrus									1	2
Caldwell									2	3
Camden									0	0
Carteret									0	2
Caswell									0	0
Catawba									7	3
Chatham									0	0
Cherokee									1	2
Chowan									0	0
Clay									0	0
Cleveland									2	2
Columbus									1	0
Craven									2	2
Cumberland									7	9
Currituck									1	2
Dare									1	1

No equivalent ICD-9-CM codes.

ICD-9-CM to ICD-10-CM transition year, see notes.



**Self-Inflicted Psychostimulant Poisoning ED Visits by County:
 N.C. Residents, 2008-2017**

County	2008	2009	2010	2011	2012	2013	2014	2015 [†]	2016 [†]	2017 [†]
	N	N	N	N	N	N	N		N	N
Davidson									0	0
Davie									0	0
Duplin									0	1
Durham									1	0
Edgecombe									0	0
Forsyth									5	3
Franklin									0	0
Gaston									2	3
Gates									0	0
Graham									0	0
Granville									0	0
Greene									0	2
Guilford									10	12
Halifax									0	0
Harnett									0	1
Haywood									1	3
Henderson									0	0
Hertford									0	0
Hoke									3	0
Hyde									0	0
Iredell									1	0
Jackson									0	1
Johnston									1	2
Jones									0	0
Lee									1	2
Lenoir									0	2
Lincoln									2	3
McDowell									3	0

No equivalent ICD-9-CM codes.

ICD-9-CM to ICD-10-CM transition year, see notes.



Self-Inflicted Psychostimulant Poisoning ED Visits by County: N.C. Residents, 2008-2017

County	2008	2009	2010	2011	2012	2013	2014	2015 [†]	2016 [†]	2017 [†]
	N	N	N	N	N	N	N		N	N
Macon									0	0
Madison									1	0
Martin									0	0
Mecklenburg									9	13
Mitchell									0	2
Montgomery									0	0
Moore									1	0
Nash									0	0
New Hanover									1	4
Northampton									0	0
Onslow									7	7
Orange									1	2
Pamlico									0	0
Pasquotank									0	0
Pender									0	2
Perquimans									0	0
Person									0	1
Pitt									4	2
Polk									0	3
Randolph									4	1
Richmond									0	0
Robeson									4	2
Rockingham									1	1
Rowan									0	0
Rutherford									5	2
Sampson									1	0
Scotland									0	0
Stanly									0	0

No equivalent ICD-9-CM codes.

ICD-9-CM to ICD-10-CM transition year, see notes.



Self-Inflicted Psychostimulant Poisoning ED Visits by County: N.C. Residents, 2008-2017

County	2008	2009	2010	2011	2012	2013	2014	2015 [†]	2016 [†]	2017 [†]
	N	N	N	N	N	N	N		N	N
Stokes									0	2
Surry									1	0
Swain									0	1
Transylvania									0	1
Tyrrell									0	1
Union									1	0
Vance									0	1
Wake									2	2
Warren									0	0
Washington									0	0
Watauga									0	1
Wayne									2	0
Wilkes									2	3
Wilson									0	0
Yadkin									1	0
Yancey									2	0
STATE									125	128

No equivalent ICD-9-CM codes.

ICD-9-CM to ICD-10-CM transition year,
see notes.

[†]In October 2015, there was a change in the coding system used in administrative data sets that impacted the definition used to identify poisoning-related injury cases. Because of this change, data are unavailable for 2015, and **data pre-2015 are not comparable to data collected after this change occurred**. Case definitions in the new coding system are still under review and are therefore subject to change. For more information on the coding transition visit:

<http://www.injuryfreenc.ncdhhs.gov/DataSurveillance/ICD-10-Transition-1pg-Summary.pdf>

ICD-10-CM codes (2016 to 2017): Dx T43.6; a 5th/6th character of 2-intentional self-harm; a 7th character of A-initial encounter, D-subsequent encounter, or missing.

ICD-9-CM codes (2008 to 2014): No equivalent ICD-9-CM codes.

Notes: In 2016, a new data file structure was provided which included additional diagnosis code fields. It is unclear how this impacts trend data. Please interpret trends with caution.